

# SPECTRON® "STRENGTH OF STEEL"

Braided with space age fibers. Spectron combines a revolutionary low stretch, polyethylene fiber with Cortland's unsurpassed braiding technology. Features include: Incredibly low diameter to strength ratio • 50lb test is the same as 12lb monofilament • Approx. 4% stretch • Extremely low stretch creates unbelievable hook setting power • Superior abrasion resistance • Increased line capacity · Due to its low diameter you can hold significantly more line on your reel than with



monofilament • The polyethylene fiber is naturally hydrophobic • It not only won't absorb water - it repels it! • Amazingly limp • This is a superb bait casting and spinning line with absolutely no memory . Powerful casting performance • Its slick finish reduces drag/friction on your rod guides, adding greater casting distance • Highly sensitive resulting in more positive hook ups.


#### **SUPER BRAID-BLACKSPOT**

White line with black spots.

150 YARD

No.	<u>Test</u>	<b>Price</b>
173002	35	\$15.52
173019	50	14.88
173026	80	17.59
300 YARD		
173033	35	23.69
173040	50	27.08
173057	80	31.82
600 YARD		
191211	35	44.70
191228	50	46.05
191235	80	54.19
1200 YARD		
173064	35	74.52
173071	50	81.29
173088	80	105.02
181571	130	135.51
181557	200	155.85





#### **DACRON PLANER BOARD TOW LINE**

This tough tow line is designed for large and small side planers. Strong and durable. Won't twist or kink.

HI-VIS YELLOW 300FT, SPOOL

**BRAIDED NYLON LINE** 

No.	lb. Test	Feet	<b>Price</b>
141025	135	300	\$ 9.45
141056	200	300	13.52
HI-VIS O	RANGE 30	OFT. SPOC	DL
141087	135	300	\$ 9.45
141117	200	300	13.52

Cortland Braided Nylon offers small diameter, low stretch and excellent castability.

Minimum stretch for hook-setting power High visibility to Meets IGFA standards track planer boards Low stretch line for use when trolling

#### **HI-VIS BIG GAME DACRON**

Being able to see your line can sometimes give you a great advantage in landing more fish. This Hi-Vis Yellow IGFA rated line allows you to easily locate where your bait is or where your fish is taking you. Gives you better fish fighting control. 1200 YARD.

<u>No.</u>	<u>Test</u>	<u>Price</u>
167193	50	\$60.96
167254	80	81.29
167292	130	94.85

#### I.G.F.A. DACRON TROLLING LINE

Coreless precision braid allows for easy splicing to retain 100% of original strength. Minimum stretch for hooksetting power, control and feel. Small diameter reduces drag. Specify Green or Black item number.



Black No. Price Green No. Price Lb. Test Yds/Spool \$33.85 117198 115194 \$33.85 50 600 117259 40.63 115255 40.63 80 600 117297 48.09 115293 48.09 130 600 50.36 800 120198 47.84 118195 50 120259 58.76 118256 63.80 80 800 80.60 120297 75.56 118294 130 800 121102 47.41 20 1200 121133 51.47 30 1200 123199 40.63 60.96 121195 50 1200 123250 81.29 121256 81.29 80 1200 123298 94.85 121294 94.85 130 1200 123311 108.40 1200 200

# CORTLAND

# FLEA-FLICKER™ MONO

Many years ago spiny water fleas invaded the Great Lakes water shed and made life miserable for trollers in three states! As the water warmed in late summer, billions of these exotics appeared, attaching themselves to any fishing line that came by! We started working with charter captains and avid anglers in Lake Ontario and soon developed a revolutionary premium grade light green mono with a

special shape and high slip additive that is proven to reduce or eliminate the problem of water flea

attachment to troller's lines.

No.	<b>Test</b>	<b>Yards</b>	<b>Price</b>
287143	20 lb	300 yds	\$ 9.45
287150	30 lb.	300 yds	10.13
287167	20 lb.	2,500 yds	40.63
287174	30 lb	2,500 yds	40.63



## MIRACLE™ MONO

A miracle in performance and valuei High impact strength and superior knot strength make this line a great value.

Color: Clear 100 Yards No. **Test Price** 251021 4 lb. \$2.03 251038 2.03 6 lb. 251045 8 lb. 2.03 2.03 251052 10 lb. 251069 12 lb. 2.03



#### ALL PRICES **LESS 10%**

[SEE POLICY PAGE FOR DETAILS]



#### **ICE FISHING LINE**

Specialty crafted to resist kinking. Cortland waterproofed braided ice line won't freeze or harden under extreme ice fishing conditions. ICE BRAID-BLACK 50YD

	IOL BITAID BLACK 30 I D.			
No.	Lb. Test	<b>Yards</b>	<b>Price</b>	
142282	27	50	\$2.69	
142299	36	50	2.69	
142305	45	50	2.69	
ICE BRA	AID-BLACK	100YD.		
142312	27	100	4.03	
142329	36	100	4.03	
142336	45	100	4.03	



# **GREAT LAKES "READ-TO-TROLL" LEAD CORE**

Available in 5 color (150') and 10 color (300') lead care with pre-knotted mono and backing.

5 color 18, 27 and 36 lb. 10 color - 18, 27 and 36 lb.



#### 5 COLOR

150' (50' - 20 lb. Mono / 150' - Lead Core / 300' - 30 lb. Backing) Albright knot used between each line

<u>No.</u>	Test	<u>Price</u>
132405	18 lb.	\$22.33
132412	27 lb	22.33
132429	36 lb.	22.33

#### 10 COLOR

150' (50' - 20 lb. mono / 300' - Lead Core / 300' - 30 lb. Backing) Albright knot used between each line

No.	<b>Test</b>	<b>Price</b>
132436	18 lb.	\$23.69
132443	27 lb.	23.69
132450	36 lb	23 69

# **KERPLUNK LEAD CORE**

Tough, abrasion-resistant braided nylon over lead core insures quick sinking. Specially dyed colors change every 10 yards to determine the amount of line out and striking depth. Color: Multi-color.

No.	Lb. Test	Yds/Spool	<b>Price</b>
132061	14	100	\$11.49
132092	18	100	11.86
132122	27	100	12.17
132153	36	100	12.54
132184	45	100	12.84
132214	60	100	13.52





#### **DOLPHIN ECONOMY PRICED MONO SERVICE** SPOOLS - 2 LB.

Color: Clear. Yardages are approximate. Lb. Test No. **Yards Price** FJNML2LB-10 \$18.76 10 9,000 FJNML2LB-12 12 7,200 18.76 FJNML2LB-15 15 6,100 18.76 FJNML2LB-20 4,550 18.76 20 FJNML2LB-30 30 3.050 18.76 FJNML2LB-40 40 2,250 18.76 FJNML2LB-50 50 1,800 18.76 FJNML2LB-60 60 1,500 18.76 FJNML2LB-80 80 1,050 18.76 FJNML2LB-100 800 100 18.76



#### **EXTRA-HEAVY DIAMETER SPOOLS - 2 LB.**

Color: Clear. Yardages are approximate. These diameters are made up using a special blend of raw materials to produce an extra strong monofilament suitable for a wide range of fishing situations.

<u>No.</u>	Lb. Test	<u>Yards</u>	<u>Price</u>
FJNMLJLB-150	150	580	\$21.70
FJNMLJLB-225	225	390	21.70
FJNMLJLB-300	300	260	21.70

## **LINE DISPENSER**

Keep your line from unwiding and tangling with the line dispenser. You will always have easy tangle free access to your line by simply strapping the line dispenser around your spool and pulling it through.

No. Price DALDP3 \$6.05





## SPECTRA CONNECTION SYSTEM

No.	<u>Description</u>	<u>Price</u>
SWISA	1/2 oz. Spectra Adhesive	\$17.79
SWIAUCK	Appex Uni-Link Connection Kit	17.11
SWIAUS	Appex Uni-Link Small Link Refill	2.71
SWIAUM	Appex Uni-Link Medium Link Refill	2.71
SWIAUL	Appex Uni-Link Large Link Refill	2.71



#### **POWER "L" LINE NIPPERS**

The W&M Line Nipper with its Power "L"™ design fits naturally in your hand and is automatically positioned to make a perfect cut without having to rotate your hand or arm to properly position the cutting end of the nipper.

- Super sharp, stainless steel blades make accurate cuts time after time on both monofilament and the popular new braided lines.
- · Nail knot tool included.
- · Convenient, hook eye needle is safely protected at the end of the tool.
- · Durable swivel is included to allow for easy attachment to a retractor or vest.

No. **Price WMEPLN** \$9.75



# CORTLAND

#### **C16 SUPERBRAID**

Constructed using high-tech Spectra® fibers in a 16 carrier construction for an extremely small diameter to strength ratio. C16's 16 carrier braid construction and uniformed pick count (wraps per inch) is the perfect match for allowing you to quickly splice a few feet of mono, while maintaining line strength between the braid and the top shot. Cortland has also treated C16 with their proprietary "FIBER TECH" Superbraid Protection that dramatically increased the braid's durability and ensures consistent performance over time.

Color: White

COIOI. W	11100		
No.	Test	<u>Length</u>	<u>Price</u>
158009	80 lb.	600 yards	\$114.50
158016	100 lb.	600 yards	118.57
158023	130 lb.	600 yards	121.96
158030	200 lb.	600 yards	126.35
158047	80 lb.	1200 yards	214.13
158054	100 lb.	1200 yards	219.55
158061	130 lb.	1200 yards	222.94
158078	200 lb.	1200 yards	226.33
158085	80 lb.	2500 yards	443.21
158092	100 lb.	2500 yards	453.37
158108	130 lb.	2500 yards	463.54
158115	200 lb.	2500 yards	466.93





#### **MASTER BRAID - "STIFF SUPER BRAID"**

With almost 100 years of braiding experience and technology, Cortland Line is proud to offer the next generation of "Premium Super Braid"—Master Braid. A premium super braid constructed using all the best features of Cortland's legendary Spectron braided line, but with a unique coating that makes the braid permanently stiff.

Master Braid is constructed in a way that makes it rounder, which means less twist, greater accuracy, longer casts and extended life. A proprietary Cortland process bonds the color and finish into the fibers of the

braid eliminating fading or flaking of the color and stiffening agent. With only 4% stretch, small diameter pound/test ratio and a unique hydrophobic coating that slices through the water and comes back dry, this new Master Braid delivers greatly enhanced fishing qualities and performance. Master Braid is very easy to use and works equally well on both spinning and conventional reels.

STIFF SUPER BRAID - Targeted Elongation 4%				
Master Braid Green, Yellow, Bronzeback Brown				
Break	Avg. Mono	Average	Average	Aver

Break Strength	Avg. Mono Equiv.	Average Dia. In.		Average Picks/In.
10	2	.0100	.254	24
15	4	.0110	.279	21
20	6	.0120	.305	22
30	8	.0135	.3429	18
50	12	.0190	.482	20
80	18	.0210	.533	21
130	25	.0290	.737	25
200	50	.0420	1.06	20



#### GREEN / YELLOW / BRONZEBACK BROWN / WHITE

150 YARDS					
Test	Green	Yellow	<b>Bronzeback Brown</b>	White	Price
10 lb.	158597	160569	160804	N/A	\$11.49
15 lb.	158603	160576	160811	N/A	12.17
20 lb.	158610	160583	160828	N/A	12.84
30 lb.	158627	160590	160835	N/A	13.52
50 lb.	158634	160606	160842	N/A	14.88
300 YAR	DS				
Test	Green	Yellow	Bronzeback Brown	White	Price
10 lb.	158665	160644	160880	N/A	\$20.30
15 lb.	158672	160651	160897	N/A	20.98
20 lb.	158689	160668	160903	N/A	22.33
30 lb.	158696	160675	160910	N/A	23.69
50 lb.	158702	160682	160927	N/A	27.08
600 YAR	_				
Test	<u>Green</u>	Yellow	Bronzeback Brown	<u>White</u>	Price
15 lb.	158764	159082	159167	N/A	\$37.24
20 lb.	158771	159099	159174	N/A	38.60
30 lb.	158788	159105	159198	N/A	44.70
50 lb.	158795	159112	159204	158412	46.05
65 lb.	158801	159051	159181	158429	47.41
80 lb.	158818	159129	159211	158436	54.19
1200 YAI	RDS				
Test	Green	Yellow	<b>Bronzeback Brown</b>	White	<b>Price</b>
10 lb.	158856	161191	161276	N/A	\$60.96
15 lb.	158863	161207	161283	N/A	65.03
20 lb.	158870	161214	161290	N/A	67.74
30 lb.	158887	161221	161306	N/A	74.52
50 lb.	158894	161238	161313	158474	81.29
65 lb.	158900	161368	161351	158481	91.46
80 lb.	158917	161245	161320	158498	105.02
100 lb.	158924	161375	161412	158504	132.13
130 lb.	158931	161252	161337	158511	135.51
200 lb.	158948	161269	161344	158528	155.85

#### **POWER PRO**

- · Better handling characteristics
- · Smoother handling characteristics
- Smoother casting
- Better knot performance
- · Near zero stretch
- · Ultra sensitive
- 10X stronger than steel
- No reel memory



#### **BRAIDED LINE CUTTER**

Designed to easily cut braided lines this tweezers-type nipper is made of strong, lightweight plastic with a razor sharp stainless steel blade. Safe and easy to use, this cutter features a hole for attaching a lanyard.

No.	<b>Price</b>
DALCB	\$.97

1							
	Moss Green	White	Hi-Vis Yellow	Red	Lb. Test	<b>Yardage</b>	Price
	INN8G-150	INN8W-150	INN8Y-150	INN8R-150	8	150	\$11.32
	INN8G-300	INN8W-300	INN8Y-300	INN8R-300	8	300	20.33
	INN10G-150	INN10W-150	INN10Y-150	INN10R-150	10	150	18.10
	INN10G-300	INN10W-300	INN10Y-300	INN10R-300	10	300	31.57
	INN15G-150	S/O	S/O	S/O	15	150	11.32
	INN15G-300	INN15W-300	INN15Y-300	INN15R-300	15	300	20.33
	INN15G-500	INN15W-500	INN15Y-500	INN15R-500	15	500	32.21
	INN15G-1500	INN15W-1500	INN15Y-1500	INN15R-1500	15	1500	94.88
	INN20G-150	S/O	S/O	S/O	20	150	11.32
	INN20G-300	INN20W-300	INN20Y-300	INN20R-300	20	300	20.33
	INN20G-500	INN20W-500	INN20Y-500	INN20R-500	20	500	32.21
	INN20G-1500	INN20W-1500	INN20Y-1500	INN20R-1500	20	1500	94.88
	INN30G-150	S/O	S/O	S/O	30	150	11.32
	INN30G-300	INN30W-300	INN30Y-300	INN30R-300	30	300	20.33
	INN30G-500	INN30W-500	INN30Y-500	INN30R-500	30	500	32.21
	INN30G-1500	INN30W-1500	INN30Y-1500	INN30R-1500	30	1500	94.88
	INN40G-150	S/O	S/O	S/O	40	150	11.32
	INN40G-300	INN40W-300	INN40Y-300	INN40R-300	40	300	20.33
	INN40G-500	INN40W-500	INN40Y-500	INN40R-500	40	500	32.21
	INN40G-1500	INN40W-1500	INN40Y-1500	INN40R-1500	40	1500	94.88
	INN50G-150	S/O	S/O	S/O	50	150	11.32
	INN50G-300	INN50W-300	INN50Y-300	INN50R-300	50	300	20.33
	INN50G-500	INN50W-500	INN50Y-500	INN50R-500	50	500	32.21
	INN50G-1500	INN50W-1500	INN50Y-1500	INN50R-1500	50	1500	94.88
	INN65G-150	S/O	S/O	S/O	65	150	13.81
	INN65G-300	S/O	S/O	S/O	65	300	24.29
	INN65G-500	INN65W-500	INN65Y-500	INN65R-500	65	500	38.28
	INN65G-1500	INN65W-1500	INN65Y-1500	INN65R-1500	65	1500	108.57
	INN80G-500	INN80W-500	INN80Y-500	INN80R-500	80	500	43.59
	INN80G-1500	INN80W-1500	INN80Y-1500	INN80R-1500	80	1500	122.93
	INN100G-500	INN100W-500	INN100Y-500	INN100R-500	100	500	49.58
	INN100G-1500	INN100W-1500	INN100Y-1500	INN100R-1500	100	1500	139.60
	INN150G-500	INN150W-500	INN150Y-500	INN150R-500	150	500	63.91
	INN150G-1500	INN150W-1500	INN150Y-1500	INN150R-1500	150	1500	183.73
	INN200G-500	INN200W-500	INN200Y-500	INN200R-500	200	500	84.19
	INN200G-1500	INN200W-1500	INN200Y-1500	INN200R-1500	200	1500	243.30
	INN250G-500	INN250W-500	INN250Y-500	INN250R-500	250	500	112.19
	INN250G-1500	INN250W-1500	INN250Y-1500	INN250R-1500	250	1500	327.62
	S/O = Special Order						
-1							

#### **FJ NEIL LINE**

Blister carded, I	100 yard sp	ools –				
1 spool per card						
No.	Lb. Test	Price				
FJNCD100-4	4	\$1.11				
FJNCD100-6	6	1.11				
FJNCD100-8	8	1.11				
FJNCD100-10	10	1.11				
FJNCD100-12	12	1.11				
FJNCD100-15	15	1.39				
FJNCD100-20	20	1.39				
FJNCD100-25	25	1.39				
FJNCD100-30	30	1.39				



1/4 lb. (net) Spool - shrink packed -"Clear Color"

No.	Lb. Test	<b>Price</b>
FJNML14C-10	10	\$3.08
FJNML14C-12	12	3.08
FJNML14C-15	15	3.08
FJNML14C-20	20	3.08
FJNML14C-25	25	3.08
FJNML14C-30	30	3.08
FJNML14C-40	40	3.08
FJNML14C-50	50	3.08

#### **SUPER BRAID CUTTER**

Ultra sharp cutter for Mono/Braid line, superior cutter up to 60lbs wire

No. **Price BRA32908** \$2.80



#### **BRAIDED LINE "SUPER CUT" SCISSORS**

Effortlessly Cuts The Finest Micro-Threads Of Braided Lines! "Super Cut" scissors can only be described as "AMAZING" in the way they effortlessly cut through even the "finest" micro-threads of today's high-tech braided lines. Other scissors that make similar claims CAN'T COMPARE! Scissors are made from stainless steel, have durable high-impact handles, and include a handy soft padded sheath with attachment loop.





# M & M SUPER **CUTTER**

Super cutters for braided line with case..

No. **Price** JENMT3170 \$6.65







#### **HI-VIS MONSTER YELLOW**

Ande Premium Extra Strong Hi-Vis Monster Yellow is the strongest line ANDE has ever produced! It is not an IFGA line. Monster Yellow is for trolling and for targeting large, mean fish. Available in 20, 30, 50, 60, 80, 100 and 125 lb. tests on 3 lb. spools only. It's a hard line with outstanding knot strength and abrasion resistance. It's a one-purpose line and that is to land large fish like tuna, marlin and sharks.

<u>No.</u>	Test (lb.)	<b>Price</b>
ANDMY3-20	20	\$114.41
ANDMY3-30	30	114.41
ANDMY3-50	50	114.41
ANDMY3-60	60	114.41
ANDMY3-80	80	114.41
ANDMY3-100	100	114.41
ANDMY3-125	125	114.41



100% Fluorocarbon Leader on 50 yard wrist spools from 10 to 150 lb. test




#### **FLUOROCARBON**

Ande 100% fluorocarbon leader material has recently been introduced. 100% fluorocarbon at competitive prices. Manufactured with some of the leading edge technology available today. Compare to realize that no other product offered is any less visible, stronger or more abrasion resistant. Top quality, excellent knot strength at a great value. Available in sizes from 10 to 150 test in 50 yard spool.

No.	<u>Price</u>	<u>No.</u>	<u>Price</u>
ANDFLO10-50	\$6.43	ANDFLO50-50	25.83
ANDFLO12-50	6.79	ANDFLO60-50	30.13
ANDFLO15-50	8.62	ANDFLO80-50	52.96
ANDFLO20-50	11.36	ANDFLO100-50	63.19
ANDFLO25-50	12.51	ANDFLO120-50	78.03
ANDFLO30-50	15.66	ANDFLO150-50	103.80
ANDFLO40-50	20.31		

#### **ANDE PREMIUM**

	Diameter	Approx Yds
<b>Test</b>	<u>inches</u>	Per pound
2	.007	18,300
4	.008	11,300
6	.010	7,400
8	.011	6,300
10	.012	5,400
12	.014	4,000
15	.016	3,000
20	.018	2,400
25	.020	2,000
30	.022	1,600
40	.024	1,400
50	.028	1,000
60	.031	800
80	.035	600
100	.039	500
125	.051	300
150	.055	250
200	.063	200
250	.071	150
300	.075	135
400	.079	125







#### PREMIUM FINISH

9 Lb. line is available as special order.

Color

Price

Medium soft monofilament with excellent tensile and knot strength and it is very abrasion resistant. Please be sure to specify the Lb. Test.

Į. Mar	NDE	Cl Esta Sina	300 ya Filler Sp LASSIC og Monofd	nened	
			1	,®	
	1	D	0.159		
		Life		_	

<u>No.</u>	Lb Test Available
AND14-	10,12,15,20,25,30,40
AND1-	15,20,25,30,40,50
AND2-	20,25,30,40,50,60
AND3-	80,100,125
AND3-	150,200
AND14C-	15,20,25,30,40,50
AND2C-	15,20,25,30,40,50
AND3C-	80,100,125
AND3C-	150,200

10,50	¹⁄₄lb.	Pink	\$9.74
	1 lb.	Pink	37.28
	2 lb.	Pink	67.29
	3 lb.	Pink	114.41
	3 lb.	Pink	102.96
ANTE	1/4lb.	Clear	9.74
S CONTRACTOR OF THE PARTY OF TH	2 lb.	Clear	67.29
	3 lb.	Clear	114.41
To you of control	3 lb.	Clear	102.96

Spool Size

#### **LEADER MATERIAL**

50 YARD SPOOL / Color: CLEAR No. Lb test **Price** ANS20 20 \$2.97 **ANS30** 30 3.53 **ANS40** 40 3.73 ANS50 50 4.04 ANS<sub>60</sub> 60 4.66 **ANS80** 80 5.31



#### **FILLER SPOOL/330 YARDS**

The new ANDE filler spool is a product designed for small to medium sized reels—both spinning and bait casters. It is available in tests 4 to 20 in moss green only.

<u>No.</u>	<u>Price</u>	<u>No.</u>	<u>Price</u>
ANDF4	\$5.13	ANDF12	\$5.13
ANDF6	5.13	ANDF15	5.13
ANDF8	5.13	ANDF20	5.13
ANDF10	5.13		

#### **LEADER MATERIAL**

100 Yard Skein (zip-loc bagged) Color: Clear

COIOI. CIC	ai .	
<u>No.</u>	Lb test	<u>Price</u>
ANS100	100	\$9.40
ANS150	150	15.73
ANS200	200	22.05
ANS300	300	27.65
ANS400	400	35.49



# **LEADER MATERIAL**

100 Yard Skein Color: Dark Green

NO.	<u>Lb test</u>	Price
ANS100-DG	100	\$9.40
ANS150-DG	150	15.73
ANS200-DG	200	22.05
ANS300-DG	300	27.65

# **LEADER MATERIAL**

100 Yard Skein,	, Color: Gun	ı Metal				
No.	Lb test	Price				
ANS150-GM	150	\$15.73				
ANS200-GM	200	22.05				
ANS300-GM	300	27.65				
Color: Black - great for outriggers						
No.	Lb test	Price				
ANS400-B*	400	\$35.49				



# All Grand Slam products are available. Call for prices.

- High-Impact Strength Wears Like Iron
- Quattro Performance in 5 Solid Colors

#### **FLUOROCARBON**

HI-SEAS Fluorocarbon is made from 100% polyvinylidene fluoride and extruded using cutting edge technolgy that gives it just the right combination of properties to make it the finest leader material you can buy.

- · Matches light refractivity of water
- · Virtually invisible underwater
- · Abrasion resistant
- · Faster sink-rate than mono
- Excellent UV protection

<u>No.</u>	Lb. Test	<u>Yards</u>	<u>Dia. in</u>	<u>Price</u>
HICFCB2520	20	25	.016	\$4.99
HICFCB2530	30	25	.019	7.49
HICFCB2540	40	25	.024	9.35
HICFCB2550	50	25	.028	10.91
HICFCB2560	60	25	.030	12.46
HICFCB2580	80	25	.035	17.46
HICFCC25100	100	25	.039	24.33
HICFCC25130	130	25	.047	29.94
HICFCC25175	175	25	.053	31.80
HICFCC25220	220	25	.059	41.79



Black Widow has been a favorite with fresh and saltwater anglers since its introduction over ten years ago. It's a thin-diameter, premium co-polymer monofilament that incorporates multicolor extrusion technology developed by Hi-Seas polymer chemists so fish don't see it. But that's only one of the reasons you'll love it. Black Widow is a



supple line that lies beautifully on any reel and casts with near zero friction. It has low memory, so it won't coil up after sitting on the reel for extended periods, and it's a tough line that provides solid fish-fighting performance. For the record-conscious angler, it's I.G.F.A. True-Test rated. Whether you jig for smallmouths, troll for walleyes, plug stripers, or chunk tuna, Black Widow is a proven performer that won't let you down when the fishing heats up.

- Micro-Thin Diameter No Memory
- I.G.F.A. True Test Rated
- Unique 3-Color Camo
- · A Favorite For Fresh & Salt Water
- Unmatched Casting Performance

No.	Lb. Test	<b>Yards</b>	<u>Price</u>
1 LB. SPOOL			
HIBWT1-10	20	3900	\$43.06
HIBWT1-15	30	2400	43.06
2 LB. SPOOL			
HIBWT2-24	50	3000	\$80.49
HIBWT2-37	80	1580	80.49
HIBWT2-60	130	740	80.49



Hi-Seas popular Quattro Plus camouflage fishing line provides excellent performance while retaining all the qualities that anglers have come to love, especially its ability to disappear underwater! Better than fluorocarbon at a fraction of the cost, Quattro Plus does for fishing line what camouflage clothes do for a hunter-it breaks up visual patterns so it blends into the background. Its unique formulation gives it incredible linear and impact strength with excellent abrasion resistance. It's one line

that won't give up on you during the hottest bite. That's why Quattro Plus is the choice of so many top pros on the SKA Tournament Trail!

- Unique Low-Vis 4-Color Camo Line
- · Super Strong, Virtually Abrasion-Proof
- Disappears Underwater
- · Choice of Top SKA Tournament Pros

-			
<u>No.</u>	Lb. Test	<u>Yards</u>	
<u>Price</u>			
1 LB. SPOOL			
HIGSQ1-10	10	5400	\$24.19
HIGSQ1-12	12	4000	24.19
HIGSQ1-15	15	3200	24.19
HIGSQ1-20	20	2600	24.19
2 LB. SPOOL			
HIGSQ2-30	30	3200	\$42.75
HIGSQ2-40	40	2800	42.75
HIGSQ2-50	50	2000	42.75
HIGSQ2-60	60	1560	42.75
HIGSQ2-80	80	1200	42.75
HIGSQ2-100	100	960	42.75
HIGSQ2-130	130	700	42.75



Red Devil isn't just another hi-vis line, it's the brightest, easiest to see line you can use under any light conditions. Its fluorescent red color stands out above the water, but fades to near invisibility below. Yet, that's only part of the reason it is the biggest leap forward in monofilament line in a decade! This "next generation" monofilament is a unique blend of the most advanced



polymers with silicone. The result is a softer line with a silky feel that is easier to tie and provides unparalleled knot strength. Its abrasion resistant qualities rival any of the stiff, hard-shell lines of the past. Red Devil offers today's angler a level of performance that leaves the competition back at the dock.

- · Great for casting and trolling
- · Glows above disappears below
- · Feels like silk tough as nails
- Super-tough, no memory, extra soft
- · Co-Polymer & Silicon formulation

No.	Lb. Test	<u>Yards</u>	Dia. in / mm	Spool	<b>Price</b>
HIRD1-15	15	3440	.016 / 0.40	1 lb.	\$35.69
HIRD1-20	20	2640	.018 / 0.45	1 lb.	35.69
HIRD1-30	30	1760	.022 / 0.55	1 lb.	35.69
HIRD1-40	40	1480	.024 / 0.60	1 lb.	35.69
HIRD2-50	50	2120	.028 / 0.70	2 lb.	68.68
HIRD2-80	80	1320	.035 / 0.90	2 lb.	68.68
HIRD2-130	130	740	.047 / 1.20	2 lb.	68.68

# HI-SEAS



#### TWIST-ON LINE SINKERS

Designed for convenience, these lead strips easily twist on and off your line. Simply tear a strip out as you would a match and wrap it around line or hook. Attach one or more or even a partial strip to achieve the weight desired. Packed 1 matchbook dispenser per polybag with insert card.

No. Price DATOLS \$2.08



#### **PREMIUM LEADER**

High strength Mono Leader

For everyday use in fresh or salt water, there's Premium Leader, the leader that's as at-home bottom fishing as it is trolling for tuna. An advanced monofilament extruded with properties that make it supple, yet extra tough — Grand Slam Premium Leader performs! Unsurpassed for tying rigs for everything from flounder fishing to deep dropping for monster grouper. Grand Slam Premium can be used as leader material for offshore trolling as well.

110111101111 0011		a do reader iii			116 40 11 0111		
	Test	Diameter	Diameter	Length			
<u>No.</u>	<u>lbs.</u>	<u>Inch</u>	<u>mm</u>	<u>Meters</u>	<u>Package</u>	Color	<u>Price</u>
HICB20CL	20	.018	0.45	46	Bracelet	Clear	\$2.16
HICB30CL	30	.022	0.55	46	Bracelet	Clear	2.39
HICB40CL	40	.024	0.60	46	Bracelet	Clear	2.70
HICB50CL	50	.028	0.70	46	Bracelet	Clear	2.86
HICB60CL	60	.031	0.80	46	Bracelet	Clear	3.07
HICB80CL	80	.035	0.90	46	Bracelet	Clear	3.54
HIC1100CL	100	.039	1.00	91	Coil	Clear	5.72
HIC1150CL	150	.051	1.30	91	Coil	Clear	6.18
HIC1200CL	200	.059	1.50	91	Coil	Clear	9.30
HIC1300CL	300	.075	1.90	91	Coil	Clear	12.69



#### WHITE LIGHTNING

**Advanced Co-Polymer** 

• Micro thin diameter • True-test rated • Supple, low memory • Reduced stretch • Great casting line

White Lightning is a true-test rated, fluorescent-clear, micro-thin diameter monofilament with sensitivity that rivals braid. White Lightning narrows the performance gap between mono and braid. it's engineered from a new copolymer matrix making it incredibly thin, remarkably strong, and yielding less stretch than many other mono lines. White Lightning has incredible knot strength using common knots, and its supple texture lays perfectly on spinning and conventional reels while flowing-off smoothly without tangles. Its diameter to strength ratio makes it a stand out, capable of handling big fish. White Lightning is perfect for freshwater applications – from ultralight outfits for trout and panfish, to heavier tests for fishing bass and walleyes. Its improved sensitivity means you'll feel the subtlest pick up and set the hook with power to spare. White Lighting is the line you can count on to provide the sensitivity you demand and the performance you deserve. Color: fluorescent clear.

	Test	True Test	Diameter	Diameter	Length	Length	
No.	<u>lbs.</u>	<u>Kgs.</u>	<u>Inch</u>	<u>mm</u>	<u>Yards</u>	<u>Meters</u>	<u>Price</u>
FILLER SPOOL	_						
HIWLF300-04	4	1.8	.006	0.16	300	274	\$5.33
HIWLF300-06	6	2.7	.008	0.20	300	274	5.33
HIWLF300-08	8	3.6	.009	0.23	300	274	5.33
HIWLF300-10	10	4.5	.010	0.26	300	274	6.01
HIWLF300-12	12	5.4	.011	0.28	300	274	6.01
HIWLF300-15	15	6.8	.012	0.31	300	274	6.01
HIWLF300-17	17	7.7	.013	0.33	300	274	6.01
HIWLF300-20	20	9.0	.015	0.37	300	274	7.11
HIWLF300-30	30	13.6	.019	0.47	300	274	8.23
1 LB. SPOOL							
HIWL1-04	4	1.8	.006	0.16	20,800	19,020	\$71.23
HIWL1-06	6	2.7	.008	0.20	13,500	12,340	62.54
HIWL1-08	8	3.6	.009	0.23	10,000	9,144	54.52
HIWL1-10	10	4.5	.010	0.26	8,000	7,315	50.72
HIWL1-12	12	5.4	.011	0.28	6,800	6,218	47.83
HIWL1-15	15	6.8	.012	0.31	5,560	5,084	38.76
2 LB. SPOOL							
HIWL2-17	17	7.7	.013	0.33	9,800	8,961	\$72.62
HIWL2-20	20	9.0	.015	0.37	7,800	7,132	72.62
HIWL2-30	30	13.6	.019	0.47	4,800	4,389	72.62









#### **GRAND SLAM**

**High Performance Fishing Line** 

- Ideal sensitivity & control High knot strength Abrasion resistant
- Smooth casting

From ultra-light to big game, Grand Slam is up to the challenge! Its formulation provides high impact strength, excellent abrasion resistance and superior knot strength. It's equally at home on conventional and spinning tackle. Every yard is computer checked for consistent diameter and breaking strength to provide you with an unequalled level of performance performance you can rely on.

<u>No.</u> CLEAR - 1/4 LB.	Test Ibs.	Kgs.	Diameter Inch	Diameter <u>mm</u>	Length <u>Yards</u>	Length <u>Meters</u>	<u>Price</u>
HIGSMQ-06CL	6	2.7	.010	0.25	2,000	1,829	\$5.68
HIGSMQ-08CL	8	3.6	.011	0.27	1,830	1,673	5.68
HIGSMQ-10CL	10	4.5	.012	0.30	1.480	1,353	5.13
HIGSMQ-12CL	12	5.4	.014	0.35	1,090	997	5.13
HIGSMQ-15CL	15	6.8	.016	0.40	860	786	5.13
HIGSMQ-20CL	20	9.0	.018	0.45	660	604	5.13
HIGSMQ-25CL	25	11.3	.020	0.43	535	489	5.13
HIGSMQ-30CL	30	13.6	.020	0.55	440	402	5.13
HIGSMQ-40CL	40		.022			338	5.13
		18.1		0.60	370		
HIGSMQ-50CL	50	22.6	.028	0.70	265	242	5.13
HIGSMQ-60CL	60	27.2	.031	0.80	210	192	5.13
FLUORESCENT							
HIGSMQ-06FY	6	2.7	.010	0.25	2,000	1,829	\$5.68
HIGSMQ-08FY	8	3.6	.011	0.27	1,830	1,673	5.68
HIGSMQ-10FY	10	4.5	.012	0.30	1,480	1,353	5.13
HIGSMQ-12FY	12	5.4	.014	0.35	1,090	997	5.13
HIGSMQ-15FY	15	6.8	.016	0.40	860	786	5.13
HIGSMQ-20FY	20	9.0	.018	0.45	660	604	5.13
HIGSMQ-25FY	25	11.3	.020	0.50	535	489	5.13
HIGSMQ-30FY	30	13.6	.022	0.55	440	402	5.13
HIGSMQ-40FY	40	18.1	.024	0.60	370	338	5.13
HIGSMQ-50FY	50	22.6	.028	0.70	265	242	5.13
HIGSMQ-60FY	60	27.2	.031	0.80	210	192	5.13
CLEAR - 1 LB. S	POOL						
HIGSM1-12CL	12	5.4	.014	0.35	4,360	3,987	\$17.12
HIGSM1-15CL	15	6.8	.016	0.40	3,440	3,146	17.12
HIGSM1-20CL	20	9.0	.018	0.45	2,640	2,414	17.12
HIGSM1-25CL	25	11.3	.020	0.50	2,140	1,957	17.12
HIGSM1-30CL	30	13.6	.022	0.55	1,760	1,609	17.12
HIGSM1-40CL	40	18.1	.024	0.60	1,480	1,353	17.12
HIGSM1-50CL	50	22.6	.028	0.70	1,060	969	17.12
HIGSM1-60CL	60	27.2	.031	0.80	840	768	17.12
HIGSM1-80CL	80	36.2	.035	0.90	660	604	17.12
FLUORESCENT	YELLO	W - 1 LB. S	POOL				
HIGSM1-12FY	12	5.4	.014	0.35	4,360	3,987	\$17.12
HIGSM1-15FY	15	6.8	.016	0.40	3,440	3,146	17.12
HIGSM1-20FY	20	9.0	.018	0.45	2,640	2,414	17.12
HIGSM1-25FY	25	11.3	.020	0.50	2,140	1,957	17.12
HIGSM1-30FY	30	13.6	.022	0.55	1,760	1,609	17.12
HIGSM1-40FY	40	18.1	.024	0.60	1,480	1,353	17.12
HIGSM1-50FY	50	22.6	.028	0.70	1,060	969	17.12
					,		

No.	Test lbs.	True Test Kgs.	Diameter Inch	Diameter mm	Length Yards	Length Meters	Price
CLEAR - 2 LB. S				<u></u>			
HIGSM2-20CL	20	9.0	.018	0.45	5,280	4,828	\$31.62
HIGSM2-25CL	25	11.3	.020	0.50	4,280	3,914	31.62
HIGSM2-30CL	30	13.6	.022	0.55	3,520	3,219	31.62
HIGSM2-40CL	40	18.1	.024	0.60	2,960	2,707	31.62
HIGSM2-50CL	50	22.6	.028	0.70	2,120	1,939	31.62
HIGSM2-60CL	60	27.2	.031	0.80	1,680	1,536	31.62
HIGSM2-80CL	80	36.2	.035	0.90	1,320	1,207	31.62
HIGSM2-100CL	100	45.3	.039	1.00	1,070	978	31.62
HIGSM2-130CL	130	58.9	.047	1.20	740	677	31.62
CLEAR - 5 LB. S	POOL						
HIGSM5-20CL	20	9.0	.018	0.45	13,200	12,070	\$72.65
HIGSM5-25CL	25	11.3	.020	0.50	10,700	9,784	72.65
HIGSM5-30CL	30	13.6	.022	0.55	8,800	8,047	72.65
HIGSM5-40CL	40	18.1	.024	0.60	7,400	6,767	72.65
HIGSM5-50CL	50	22.6	.028	0.70	5,300	4,846	72.65
HIGSM5-60CL	60	27.2	.031	0.80	4,200	3,840	72.65
HIGSM5-80CL	80	36.2	.035	0.90	3,300	3,018	72.65
HIGSM5-100CL	100	45.3	.039	1.00	2,675	2,446	72.65
HIGSM5-130CL	130	58.9	.047	1.20	1,850	1,692	72.65
HIGSM5-150CL	150	68.0	.051	1.30	1,575	1,440	66.00
HIGSM5-200CL	200	90.7	.059	1.50	1,225	1.120	66.00
GREEN - 5 LB. S	POOL						
HIGSM5-20GR	20	9.0	.018	0.45	13,200	12,070	72.65
HIGSM5-25GR	25	11.3	.020	0.50	10,700	9,784	72.65
HIGSM5-30GR	30	13.6	.022	0.55	8,800	8,047	72.65
HIGSM5-40GR	40	18.1	.024	0.60	7,400	6,767	72.65
HIGSM5-50GR	50	22.6	.028	0.70	5,300	4,846	72.65
HIGSM5-60GR	60	27.2	.031	0.80	4,200	3,840	72.65
HIGSM5-80GR	80	36.2	.035	0.90	3,300	3,018	72.65
FLUORESCENT							
HIGSM5-20FY	20	9.0	.018	0.45	13,200	12,070	72.65
HIGSM5-25FY	25	11.3	.020	0.50	10,700	9,784	72.65
HIGSM5-30FY	30	13.6	.022	0.55	8,800	8,047	72.65
HIGSM5-40FY	40	18.1	.024	0.60	7,400	6,767	72.65
HIGSM5-50FY	50	22.6	.028	0.70	5,300	4,846	72.65
HIGSM5-60FY	60	27.2	.031	0.80	4,200	3,840	72.65
HIGSM5-80FY	80	36.2	.035	0.90	3,300	3,018	72.65
HIGSM5-100FY	100	45.3	.039	1.00	2,675	2,446	72.65
HIGSM5-130FY	130	58.9	.047	1.20	1,850	1,692	72.65

