



	<u>LNGLH.</u>	<u>LINE</u>	<u>LURE</u>	<u>TIP</u>	<u>BUTT</u>	<u>SPECIAL ORDER</u>
MEDIUM ACTION / LIVE BAIT & JIG						
CSB807	8'	20-30	-	9	0.785	NO
CSB907	9'	20-30	-	9	0.860	YES
CSB909	9'	25-50	-	10	0.940	YES
CSJ90	9'	20-30	-	8	0.940	NO
BASS CASTING - SPINNING & POPPING						
CBS705	7'	8-15	3/8 - 3/4	5	0.575	YES
CBS706	7'	8-20	1/2 - 1	5 1/2	0.580	YES
CBS707	7'	10-25	3/8 - 1 1/2	5 1/2	0.585	YES
INSHORE						
CBW598	5'9"	15-25	3/4 - 1 1/2	7	0.790	YES
CBW658	6'6"	15-25	1/2 - 2	7	0.800	NO
CSW705	7'	8-15	3/8 - 3/4	6	0.640	YES
CSW706	7'	10-17	1/2 - 1	6 1/2	0.665	NO
CSW708	7'	12-20	3/4 - 1 1/2	7	0.680	YES
CBW709	7'	20-30	1-3	8	0.800	NO
CBW809	8'	20-30	-	8	0.875	YES
CSW857	8'6"	10-17	-	7	0.800	YES
CSW858	8'6"	12-20	3/4 - 2 1/2	7	0.820	NO
BRITISH STYLE SURF CASTING - ALL TWO PIECE						
CSU100	10'	12-25	1-3	6 1/2	0.965	NO
CSU110	11'	12-30	2-4	6 1/2	0.965	NO
CSU115	11'6"	15-40	5-8	9	0.945	NO
CSU120	12'	15-40	5-8	9	0.945	NO
CSU125	12'6"	15-40	5-8	9	0.945	NO
CSU130	13'	15-40	-	-	-	YES



PREMIUM QUALITY "E" GLASS/BORON SALTWATER ROD BLANKS

The hottest new blanks from Southern California - developed by a group of experts. Manufactured in a modern facility utilizing specialty built equipment, tools and materials. Stocked blanks are Black. All are available in Gold as a special order.

PREMIUM QUALITY SALTWATER ROD BLANKS

Color: All blanks are black and one-piece, unless otherwise noted.

<u>ITEM</u>	<u>LNGLH.</u>	<u>LINE</u>	<u>LURE</u>	<u>TIP</u>	<u>BUTT</u>	<u>SPECIAL ORDER</u>
FAST ACTION LIVE BAIT						
LB602	6'	8-20	-	6	0.710	YES
LB604	6'	10-25	-	6 1/2	0.785	YES
LB606	6'	12-30	-	7	0.805	YES
LB658	6'6"	15-40	-	8	0.865	YES
LB7000	7'	8-15	-	5 1/2	0.680	YES
LB701	7'	8-15	-	6	0.785	NO
LB702	7'	8-20	-	6	0.830	YES
LB704	7'	10-25	-	6 1/2	0.900	NO
LB706	7'	12-30	-	7	0.930	YES
LB708	7'	15-40	-	8	0.955	NO
LB79	7'9"	10-25	-	7	0.940	YES
LB799	7'9"	20-50	-	8	0.980	YES
LB803M	8'	8-20	-	6	0.845	YES
LB804	8'	10-25	-	6 1/2	0.965	YES
PT80	8'	10-25	-	7	0.890	NO
LB806	8'	12-30	-	7	0.980	NO
LB806H	8'	15-40	-	8	0.995	YES
LB855	8'6"	10-25	-	6	0.970	NO
LB90	9'	15-40	-	8	0.970	NO
FAST TIP JIG & HEAVY BAIT						
JB60XF	6'	15-40	-	6 1/2	0.940	YES
JB65F	6'6"	15-40	-	7	0.925	YES
JB70F	7'	20-40	-	7	0.975	YES
JB75F	7'6"	20-40	-	7	1.000	YES



SUPER SEEKER PROJECT X

COMPOSITE GRAPHITE SALTWATER BLANKS

Super strong Graphite - S-Glass - Epoxy
Color: Reddish Brown



ITEM	LNGLH.	LINE	ACTION	TIP	BUTT	SPECIAL ORDER
LIVE BAIT						
SSCLB602	6'2"	8-12	FAST	6	0.620	YES
SSCLB604	6'	8-12	FAST	6½	0.640	YES
SSCLB606	6'	12-20	FAST	7	0.680	YES
SSCLB702	7'	8-15	FAST	6	0.700	YES
SSCLB704	7'	10-25	FAST	6½	0.735	NO
SSCLB706	7'	12-30	FAST	7	0.765	YES
SSCLB708	7'	15-40	FAST	8	0.780	NO
SSCLBF708	7'	15-25	FAST	7	0.860	YES
SSCLB804	8'	10-25	FAST	6½	0.770	YES
SSCLB806	8'	12-30	FAST	7	0.775	YES
SSCLB806H	8'	15-40	FAST	8	0.780	YES
JIG STYLE						
SSCJB60XF	6'	15-40	FAST	6½	0.940	NO
SSCJB60	6'	20-40	FAST	9	0.740	YES
SSCJB65F	6'6"	15-40	FAST	7	0.925	YES
SSCJB65	6'6"	20-40	FAST	9	0.775	NO
SSCJB65H	6'6"	30-80	FAST	10	0.855	YES
SSCJB70F	7'	20-40	FAST	7	0.975	YES
SSCJB70	7'	20-50	FAST	9	0.790	NO
SSCJB70H	7'	30-80	FAST	10	0.875	YES
SSCJB80F	8'	20-30	FAST	7	1.000	YES
SSCJB80H	8'	30-80	FAST	10	0.920	YES
FAST TAPER JIG & BAIT						
SSCJBF60	6'	20-40	FAST	8	0.740	YES
SSCJBF65	6'6"	20-40	FAST	8	1.015	YES
SSCJBF65XH	6'6"	30-50	FAST	-	-	YES
SSCJBF65H	6'6"	30-50	FAST	11	1.050	NO
SSCJBF70	7'	30-50	FAST	9	1.080	YES
SSCJBF70M	7'	30-40	FAST	-	-	YES
SSCJBF70H	7'	40-60	FAST	11	1.100	YES
SSCJBF80	8'	20-40	FAST	9	1.145	YES
SSCJBF80H	8'	30-50	FAST	9	1.160	YES
SSCJBF85	8'6"	20-50	FAST	9	0.990	YES

New State-of-the Art Blanks from Seeker

The combination of Super "S" Glass 120-gram graphite and the latest epoxy Eho4 resin system make these blanks the most powerful, strongest and fastest recoiling we've ever built.

When you're fishing for 200 and 300-pound yellowfin tuna, you're looking for great lifting power with the greatest compression strength with a fast recoil. After 3 years of testing, these blanks were designed to produce what we believe are the most powerful blanks on the market today.

Everyone who's seen these new blanks from Seeker has commented on their superior action and appreciates their look—we combined the classic look with the new state-of-the-art material and resin system with a modern brown and tangerine tint finish.



CTS MAKOI BLANKS



LONG DISTANCE CASTING


The CTS Makoi brings together the best of European rod design and construction while meeting demanding requirements.

CTS is an innovative company with a fresh approach to fishing rod design and manufacture. CTS has a tradition of excellence that is recognized worldwide. The CTS Makoi series of rods is no exception. Designed and built with no expense spared, these innovative blanks are without doubt some of the best available.

Starting at the core of the blank we have our carbon helix core to create improved hoop strength and response with minimal weight. The tip section boasts our MRT (modulus replacement technology). This allows us to place glass where it is needed and remove glass from where it's not needed, leaving a blank tip area that is 25% lighter than previous models. The tip design improves response and strength at the same time.

The butt section has combined an intermediate modulus carbon with twill weave carbon finishing. This creates a super slim line section that is powerful with a robust and responsive nature.

No.	Casting Wt.	Length =		Rod Wt.	Reel Seat	Ferrule	Color
		Tip & Handle					
DON305	4 to 6	13'6"		17.6 oz.	24 mm	Tip over handle	Translucent Black
DON307	4 to 6	13'6"		18.0 oz.	24 mm	Tip over handle	Translucent Black
DON405	6 to 8	13'6"		20.2 oz.	24 mm	Tip over handle	Translucent Charcoal
DON405L	6 to 8	15'		N/A	24 mm	Tip over handle	Translucent Charcoal
DON605	8 to 10	13'		N/A	26 mm	Tip over handle	Translucent Black



ENGLISH SURF

Great Britain, which has no space program, must channel all her frustration into surf casting. Over there baits are big, the fish lie far from shore, and English surf casters continue to dominate distance casting. Featuring level butt sections, zoned action tips and machined graphite spigot ferrules, the Cono-flex assortment ranges from conventional style surf cannons built for casts up to 600 feet—to sleek spin sticks that feel perfect for winging 3oz. ballistics.

No.	Description	Length Butt/Tip	Butt Dia.	Tip 64th's	Lure Weight	Action	Weight oz.
GRAPHITE/KEVLAR SURF BLANKS							
CON1	Injection	5'7"4"=12'	1.000	9.5	6oz.+bait	Fast	18.2
CON2	Cobra	5'7"4"=12'	.970	9.5	5oz.+bait	Fast	14.0
CON3	Super Bass	4'7"4"=11'	.875	10.0	4oz.+bait	Fast	10.0
CON4	Sea Match	4'6"4"=10'	.665	6.5	¾oz-2½oz.	Medium	7.0
CON5	Sea Match II	4'6"4"=10'	.665	8.0	1-3oz.	Medium	7.0
X-WEAVE GRAPHITE BLANKS							
CON6	Mirage	4'8"4"=12'	.943	7.5	2½oz-4½oz.	Fast	11.4
CON7	Nevada	6'6"4"=12'	.709	7.5	1-3oz.	Medium	9.3
CON8	Cast N' Snatch	3½"/5½"=9'	.715	7.0	2-4oz.	Extra-Fast	7.7
CON9	Cast N' Snatch II	5½"/5½"=11'	.715	7.5	2-4oz.	Extra-Fast	9.6
CON10	Flounder Basher	4'4"/6'10"=11'9"	.880	8.5	1-3oz.	Extra-Fast	14.0

SCORPION IGFA SERIES X-WEAVE BOAT RODS

- All blanks 8 feet
- All made of X-Weave extra tough graphite
- 2 Piece blanks spigotted and reinforced in center
- All medium-fast action

No.	Description	Blank	Pieces	Butt Dia.	Tip Dia.	Weight oz.
CON11	Scorpion 50lb. 1pc.	50lb.	1	.951	9	8.16
CON12	Scorpion 50lb. 2pc.	50lb.	2	N/A	N/A	N/A
CON13	Scorpion 30lb. 1pc.	30lb.	1	.940	8	7.6
CON14	Scorpion 30lb. 2pc.	30lb.	2	.940	8	8.3
CON15	Scorpion 20lb. 1pc.	20lb.	1	.915	8	6.0
CON16	Scorpion 20lb. 2pc.	20lb.	2	.910	8	7.1
CON17	Scorpion 12/16lb. 1pc.	12/16lb.	1	.885	7	6.0
CON18	Scorpion 12/16lb. 2pc.	12/16lb.	2	.875	7	6.9

XFAST TIP ACTIONS, HEAVY POWER, MODERATE TAPERS

CLEAR POINT BLANKS

Solid unbreakable clear fiberglass tip on a combination of high density graphite core, covered by longitudinal glass fibers.

All blanks are 7' in length. Finished in black spiral with clear tip.

No.	Butt Size	Tip Size	Line Wt.
BWSML	.633	7	10-12
BWCL	.770	8	12-15
BWS	.775	7	15-20
BWSH	.840	10	20-30



Place a Blank order for \$1,500.00 & we will pay **YOU** to Pick them up!

Merrick Tackle will give you a \$50 credit to be used towards your order!*

- You must place your order at least 24 hours before pick-up.
- All blanks must be in stock.
- Take advantage of big savings.

MERRICK TACKLE BLANKS

Quality Solid, Gloss White or Gloss Black Painted Blanks

No.	Butt Dia.	Length	Tip#	Line Weight	Wood Butt No.
MTCH2-	.48	72"	12	15-30	MT31
MTCH4-	.52	77.2"	12	20-40	MT32
MTCH6-	.56	77.2"	20	30-60	MT32
MTCH8-	.64	77.2"	22	50-80	MT33

Specify color:
B Black
W White

Wood Butts Are Located In index



ZZIPLEX LTD

Fast tipped, heavy power

Premier English blanks. Zziplex has a true understanding of how and why materials and designs integrate, which is essential in producing these state-of-the-art products. With the development of higher spec production machinery by CDI USA Zziplex has produced blanks to even higher specifications fully unleashing the true power of Carbon Fibre.

No.	Description	Overall Length	Tip Length	Tip Dia. 64th's	Butt Length	Butt Dia. (in.)	Lure Weight-oz.
<i>Color: Dark Smoke Gray</i>							
ZIP0036	3500	12'8"	7'	9/64	6'0"	0.938	2-5
ZIP0150	F5000	13'2"	7'6"	11/64	6'0"	1.000	2-6
ZIP0075	4500	13'0"	7'4"	9/64	6'0"	0.938	2-6
ZIP0363	Primo Synchro	13'2"	7'6"	11/64	6'0"	1.000	3-6
ZIP0367	Dymic HST	13'2"	7'6"	11/64	6'0"	1.000	4-6 1/4
ZIP0380	Dymic LT13	13'0"	7'6"	11/64	5'4"	1.000	2-6 1/4
ZIP0382	Dymic LT14	14'0"	8'0"	11/64	6'4"	1.000	2-6 1/4
ZIP0390	Dymic LT Bullet	14'0"	8'0"	11/64	6'4"	1.000	4-8
ZIP0170	XTR Groundcaster	13'8"	8'0"	12/64	6'0"	1.062	4-7
ZIP0200	V Max F1	13'2"	7'2"	11/64	6'4"	1.000	3 1/4-6
ZIP0202	V Max F2	14'0"	8'0"	11/64	6'4"	1.000	3-6
ZIP0204	V Max F3	13'2"	7'2"	9/64	6'4"	1.000	2-5 1/4
ZIP0011	Sea Raider II	10'0"	7'0"	9/64	3'4"	0.812	6
ZIP0026	Powertex Bass	12'8"	8'0"	9/64	5'0"	0.875	1-4 1/4
ZIP0130	LDC Carp	12'6"	6'3"	8/64	6'3"	0.875	1-4
<i>Color: Green</i>							
ZIP0361	Primo Phase Taper	12'8"	7'0"	9/64	6'0"	1.000	3-6
ZIP0132	Quattra Carp	12'6"	6'3"	8/64	6'3"	0.750	1-3



Blanks are unfinished black spiral and easy to wrap.

GATORGLASS LAMINATING U.S.A.

ITEM#	LENGTH	TIP	DESCRIPTION	ITEM#	LENGTH	TIP	DESCRIPTION
GG6702R	7'	9	10-17 lb. Plug/Spin	GGKC30	5'3"	16	IGFA 30 lb.
GG6702L	7'	8	8-15 lb. Plug/Spin	GGKC50	5'6"	20	IGFA 50 lb.
GG6702H	7'	9	12-20 lb. Plug/Spin	GGKC80	5'6"	24	IGFA 80 lb.
GGB1030	7'	7.5	10-30 lb. X Fast Live Bait	GGKC130	5'6"	28	IGFA 130 lb.
GGB1240	7'	8.5	12-40 lb. Fast Live Bait	GGUNLIMITED	5'8"	30	Unlimited
GGB1550	7'	9.5	15-50 lb. Fast Live Bait	GGTUNA72	6'	30	Unlimited
GGBS580	6'6"	9	12-20 lb. Plug/Spin	GGKC3084	7'	16	IGFA 30 lb.
GGBS586	7'	9	12-20 lb. Plug/Spin	GGKC5086	7'2"	18	IGFA 50 lb.
GGBS592	7'6"	9	12-20 lb. Plug/Spin	GGKC5096	8'	18	IGFA 50 lb.
GGBS596	8'	9	12-20 lb. Plug/Spin	GGT70L	7'	12	15-30 lb. Boat
GGFT586	7'	7	6-12 lb. Spin	GGT70XH	7'	16	20-50 lb. Boat
GGFT700	7'	8	10-17 lb. Spin	GGT80L	8'	12	15-30 lb. Boat
GGGATOR	5'10"	12	30-50 lb. Fast Stand Up	GGT80H	8'	14	15-40 lb. Boat
GGGATOR55	4'7"	12	30-50 lb. Fast Stand Up	GGT80XH	8'	16	20-50 lb. Boat
GGGATOR74	6'2"	12	30-50 lb. Fast Stand Up	GGT90L	9'	12	15-30 lb. Boat
GGGATOR80	6'6"	12	30-50 lb. Fast Stand Up	GGT90H	9'	14	15-40 lb. Boat
GGGATORH	5'10"	14	50-80 lb. Fast Stand Up	GGT90XH	9'	16	20-50 lb. Boat
GGGATORH55	4'7"	14	50-80 lb. Fast Stand Up	GGU674H	6'2"	10	15-30 lb. Troll
GGGATORH80	6'6"	14	50-80 lb. Fast Stand Up	GGU674XH	6'2"	11	20-50 lb. Troll
GGGATORL	5'10"	9	16-30 lb. Fast Stand Up	GGU686L	7'2"	9	12-25 lb. Spin/Conv.
GGGATORL55	4'7"	9	16-30 lb. Fast Stand Up	GGU686H	7'2"	10	15-30 lb. Spin/Conv.
GGGATORL80	6'6"	9	16-30 lb. Fast Stand Up	GGU686XH	7'2"	11	20-50 lb. Troll
GGGATORXH	5'10"	16	60-100 lb. Fast Stand up	GGU690H	7'6"	10	15-30 lb. Spin/Conv.
GGGATORXH55	4'7"	16	80-100 lb. Fast Stand Up	GGU696L	8'	9	12-25 lb. Spin/Conv.
GGKC12	5'3"	10	IGFA 12 lb.	GGU696H	8'	10	15-30 lb. Spin/Conv.
GGKC20	5'3"	12	IGFA 20 lb.	GGU696XH	8'	11	20-50 lb. Spin/Conv.