



ONE PIECE SURF BLANK (BLACK)

NO.	Length	Line	Lure	Tip	Butt
SU1153M	11'6"	15-30	3-6	12	1.06
SU1153	11'6"	15-30	3-6	13	1.14
SU1154M	11'6"	20-30	4-8	12	1.105
SU1155	11'6"	20-40	6-10	14	1.165

LIFT POLE BLANKS (HONEY)

The fiberglass version of a calcutta pole.

NO.	Length
LIGHT	10'
Skipjack up to 15 lbs.	
MEDIUM	10'
Albacore 15-40 lbs.	
HEAVY	10'
Tuna 50+ lbs.	



"S" GLASS IGFA BLANKS (BLACK)

Designed for big fish: Giant Tuna / Blue Marlin


NO.	Length	Line	Lure	Tip	Butt
SGIGFA50H	5'8"	50+	-	17	0.87
SGIGFA80H	5'9"	80+	-	23	0.995
SGIGFA130	5'10"	130+	-	29	1.18

SEEKER BLUES

BLUE "S" GLASS BLANKS (limited supply)

Greater Lifting Power. We call them the extreme blanks because 'S' Glass is 30-percent stronger than 'E' glass and has more lifting power, too. 'S' Glass is as strong as graphite but without the stiffness. You'll be surprised when you feel the action and power.

NO.	Length	Line	Lure	Tip	Butt
EX6460XXH	6'	50-130	-	14	1.05
EX270H8	8'	15-40	-	8	0.995
EX6480	8'	20-50	-	8	1.085
EX665	6'6"	20-50	-	9	0.910
EX6465H	6'6"	30-80	-	10	1.065
EX660	6'	20-50	-	9	0.91
EX6455XXH	5'6"	50-130	-	14	0.99
EX6460XH	6'	40-100	-	12	1.025
EX6455XH	5'6"	40-100	-	12	0.965
EX270H7	7'	15-40	-	8	0.925
EX870	7'	15-40	-	8	0.960
EX670	7'	20-50	-	9	0.97
EX6470	7'	20-50	-	9	1.08



Note

Many of the special order blanks from most companies are able to be drop shipped to save time.

Ask for details.



All Seeker rods are available. Call us for a price.



DEFINITION OF MODULUS

Modulus is a measurement of the stiffness of the fibers when describing graphite. The higher the modulus number, the stiffer and more sensitive the rod. A modulus of 10-15 million is typical, 33-42 million indicates a medium range and is sometimes referred to as IM6. Very sensitive rods can go as high as 50+ million.

COMPOSITE GRAPHITE/"E" SALTWATER ROD BLANKS

A composite of E-Glass fiberglass and uni-directional 30 million modulus graphite make these the newest and lightest saltwater blanks available. SEEKER™ has done extensive research on mandrel and pattern design to offer the ultimate in a composite blank.

SEEKER'S™ resin system, E-glass and graphite are combined so that there are alternation layers in both materials in the butt section on the blank. SEEKER'S™ unique use of E-Glass provides unequalled durability and strength throughout the length of the blank while the unidirectional graphite adds stiffness for hook setting and fish fighting power at a 30% to 40% weight savings in the blank!

Available in a honey gold color that transitions to natural graphite charcoal color in the butt. Also available in jet black E-Glass that transitions to natural graphite charcoal color in the butt.

All blanks are one piece unless otherwise noted.

COMPOSITE GRAPHITE SALTWATER BLANKS

Color: Black with Charcoal Butt

ITEM	LNTH.	LINE	ACTION	TIP	BUTT	SPECIAL ORDER
LIVE BAIT						
CLB602	6'2"	8-12	FAST	6	0.620	YES
CLB604	6'	8-12	FAST	6½	0.640	YES
CLB606	6'	12-20	FAST	7	0.680	YES
CLB702	7'	8-15	FAST	6	0.700	YES
CLB704	7'	10-25	FAST	6½	0.735	NO
CLB706	7'	12-30	FAST	7	0.765	YES
CLB708	7'	15-40	FAST	8	0.780	NO
CLBF708	7'	15-25	FAST	7	0.860	YES
CLB804	8'	10-25	FAST	6½	0.770	YES
CLB806	8'	12-30	FAST	7	0.775	YES
CLB806H	8'	15-40	FAST	8	0.780	YES
JIG STYLE						
CJB60XF	6'	15-40	FAST	6½	0.940	NO
CJB60	6'	20-40	FAST	9	0.740	YES
CJB65F	6'6"	15-40	FAST	7	0.925	YES
CJB65	6'6"	20-40	FAST	9	0.775	NO
CJB65H	6'6"	30-80	FAST	10	0.855	YES
CJB70F	7'	20-40	FAST	7	0.975	YES
CJB70	7'	20-50	FAST	9	0.790	NO
CJB70H	7'	30-80	FAST	10	0.875	YES
CJB80F	8'	20-30	FAST	7	1.000	YES
CJB80H	8'	30-80	FAST	10	0.920	YES
FAST TAPER JIG & BAIT						
CJBF60	6'	20-40	FAST	8	0.740	YES
CJBF65	6'6"	20-40	FAST	8	1.015	YES
CJBF65MH	6'6"	30-50	FAST	-	-	YES
CJBF65H	6'6"	30-50	FAST	11	1.050	NO
CJBF70	7'	30-50	FAST	9	1.080	YES
CJBF70M	7'	30-40	FAST	-	-	YES
CJBF70H	7'	40-60	FAST	11	1.100	YES
CJBF80	8'	20-40	FAST	9	1.145	YES
CJBF80H	8'	30-50	FAST	9	1.160	YES
CJBF85	8'6"	20-50	FAST	9	0.990	YES
TUNA						
CTS55H	5'6"	30-80	FAST	10	0.830	YES
CTS55XH	5'6"	40-60	FAST	12	0.825	YES
CTS60H	6'	30-60	FAST	10	0.830	YES
CTS60XH	6'	40-100	FAST	12	0.855	NO
FAST TAPER						
CTSF50XXH	5'	60-100	FAST	14	0.900	YES
CTSF55XH	5'6"	50-80	FAST	12	0.875	NO
CTSF55XXH	5'6"	60-100	FAST	14	0.930	YES
CTSF60XH	6'	50-80	FAST	12	1.060	YES
CTSF60XXH	6'	60-130	FAST	14	1.060	NO
CTSF63XXH	6'3"	60-100	FAST	14	1.100	YES





	<u>LNGTH.</u>	<u>LINE</u>	<u>LURE</u>	<u>TIP</u>	<u>BUTT</u>	<u>SPECIAL ORDER</u>
MEDIUM ACTION / LIVE BAIT & JIG						
CSB807	8'	20-30	-	9	0.785	NO
CSB907	9'	20-30	-	9	0.860	YES
CSB909	9'	25-50	-	10	0.940	YES
CSJ90	9'	20-30	-	8	0.940	NO
BASS CASTING - SPINNING & POPPING						
CBS705	7'	8-15	3/8 - 3/4	5	0.575	YES
CBS706	7'	8-20	1/2 - 1	5 1/2	0.580	YES
CBS707	7'	10-25	3/8 - 1 1/2	5 1/2	0.585	YES
INSHORE						
CBW598	5'9"	15-25	3/4 - 1 1/2	7	0.790	YES
CBW658	6'6"	15-25	1/2 - 2	7	0.800	NO
CSW705	7'	8-15	3/8 - 3/4	6	0.640	YES
CSW706	7'	10-17	1/2 - 1	6 1/2	0.665	NO
CSW708	7'	12-20	3/4 - 1 1/2	7	0.680	YES
CBW709	7'	20-30	1-3	8	0.800	NO
CBW809	8'	20-30	-	8	0.875	YES
CSW857	8'6"	10-17	-	7	0.800	YES
CSW858	8'6"	12-20	3/4 - 2 1/2	7	0.820	NO
BRITISH STYLE SURF CASTING - ALL TWO PIECE						
CSU100	10'	12-25	1-3	6 1/2	0.965	NO
CSU110	11'	12-30	2-4	6 1/2	0.965	NO
CSU115	11'6"	15-40	5-8	9	0.945	NO
CSU120	12'	15-40	5-8	9	0.945	NO
CSU125	12'6"	15-40	5-8	9	0.945	NO
CSU130	13'	15-40	-	-	-	YES



PREMIUM QUALITY "E" GLASS/BORON SALTWATER ROD BLANKS

The hottest new blanks from Southern California - developed by a group of experts. Manufactured in a modern facility utilizing specialty built equipment, tools and materials. Stocked blanks are Black. All are available in Gold as a special order.

PREMIUM QUALITY SALTWATER ROD BLANKS



Color: All blanks are black and one-piece, unless otherwise noted.

<u>ITEM</u>	<u>LNGTH.</u>	<u>LINE</u>	<u>LURE</u>	<u>TIP</u>	<u>BUTT</u>	<u>SPECIAL ORDER</u>
FAST ACTION LIVE BAIT						
LB602	6'	8-20	-	6	0.710	YES
LB604	6'	10-25	-	6 1/2	0.785	YES
LB606	6'	12-30	-	7	0.805	YES
LB658	6'6"	15-40	-	8	0.865	YES
LB7000	7'	8-15	-	5 1/2	0.680	YES
LB701	7'	8-15	-	6	0.785	NO
LB702	7'	8-20	-	6	0.830	YES
LB704	7'	10-25	-	6 1/2	0.900	NO
LB706	7'	12-30	-	7	0.930	YES
LB708	7'	15-40	-	8	0.955	NO
LB79	7'9"	10-25	-	7	0.940	YES
LB799	7'9"	20-50	-	8	0.980	YES
LB803M	8'	8-20	-	6	0.845	YES
LB804	8'	10-25	-	6 1/2	0.965	YES
PT80	8'	10-25	-	7	0.890	NO
LB806	8'	12-30	-	7	0.980	NO
LB806H	8'	15-40	-	8	0.995	YES
LB855	8'6"	10-25	-	6	0.970	NO
LB90	9'	15-40	-	8	0.970	NO
FAST TIP JIG & HEAVY BAIT						
JB60XF	6'	15-40	-	6 1/2	0.940	YES
JB65F	6'6"	15-40	-	7	0.925	YES
JB70F	7'	20-40	-	7	0.975	YES
JB75F	7'6"	20-40	-	7	1.000	YES





ITEM	LNTH.	LINE	LURE	TIP	BUTT	SPECIAL ORDER
JIG & HEAVY BAIT						
JB60L	6'	20-40	-	9	0.805	YES
JB60	6'	20-50	-	9	0.870	YES
JB65L	6'6"	20-40	-	9	0.855	YES
JB65	6'6"	20-50	-	9	0.950	NO
JB65H	6'6"	30-80	-	10	0.990	NO
JB65XH	6'6"	40-100	-	11	0.995	NO
JB70L	7'	20-40	-	9	0.920	NO
JB70	7'	20-50	-	9	0.975	YES
JB70H	7'	30-80	-	10	1.015	NO
JB80	8'	20-50	-	9	0.930	NO
JB80H	8'	30-80	-	10	1.080	NO
JB80XH	8'	40-100	-	12	1.045	NO
FAST TAPER JIG AND HEAVY BAIT						
JBF60L	6'	20-40	-	9	0.935	YES
JBF60	6'	20-50	-	9	0.950	YES
JBF65L	6'6"	20-40	-	9	0.965	YES
JBF65	6'6"	20-50	-	9	1.060	YES
JBF65H	6'6"	30-80	-	10	1.090	YES
JBF80	8'	20-50	-	10	1.210	YES
SS65XF	6'6"	30-80	-	8	1.085	YES
LONG RANGE STAND UP TUNA						
TS55	5'6"	20-50	-	9	0.885	YES
TS55H	5'6"	30-80	-	10	0.900	YES
TS55XH	5'6"	40-100	-	12	0.930	NO
TS55XXH	5'6"	50-130	-	14	0.950	NO
TS59XXH	5'9"	60-150	-	16	1.050	NO
TS60H	6'	30-80	-	10	0.895	NO
TS60XH	6'	40-100	-	12	0.970	NO
TS63XXH	6'	50-130	-	14	1.000	NO
FAST TAPER STAND UP TUNA - Specify (B) Black or (W) White						
TSF55XL-B	5'6"	15-30	-	9	0.800	YES
TSF55XL-W	5'6"	15-30	-	9	0.800	YES
TSF55L-B	5'6"	20-40	-	9	0.935	YES
TSF55L-W	5'6"	20-40	-	9	0.935	YES
TSF55-B	5'6"	20-50	-	9	0.990	YES
TSF55-W	5'6"	20-50	-	9	0.990	YES
TSF55H-B	5'6"	30-80	-	10	0.975	YES
TSF55H-W	5'6"	30-80	-	10	0.975	YES
TSF55XH-B	5'6"	40-100	-	12	1.030	NO
TSF55XH-W	5'6"	40-100	-	12	1.030	NO
TSF55XXH-B	5'6"	50-130	-	14	0.995	NO
TSF55XXH-W	5'6"	50-130	-	14	0.995	NO
TSF60H-B	6'	30-80	-	10	0.990	NO
TSF60H-W	6'	30-80	-	10	0.990	NO
TSF60XH-B	6'	40-100	-	12	1.090	YES
TSF60XH-W	6'	40-100	-	12	1.090	YES
TSF60XXH-B	6'	50-130	-	14	1.055	YES
TSF60XXH-W	6'	50-130	-	14	1.055	YES
MEDIUM ACTION LIVE BAIT & JIG						
SB803	8'	10-15	-	6½	0.830	NO
SB805	8'	15-25	-	7	0.855	NO
SB806	8'	15-30	-	7	0.900	YES
SB807	8'	20-30	-	9	0.965	NO
SB903	9'	12-20	-	6½	0.860	NO
SB906	9'	15-30	-	7	0.930	NO
SB907	9'	20-30	-	9	0.970	NO
SB908	9'	25-40	-	9	1.015	NO
SB909	9'	30-50	-	10	1.015	NO
JIG/BAIT & SURF						
SJ85	8'6"	20-30	-	8	1.160	NO
SJ90	9'	20-30	-	8	1.200	NO
SJ90F	9'	20-50	-	8	1.240	NO
TWO-PIECE SURF						
SU80	8'	12-20	1-3	6½	0.900	YES
SU90	9'	12-20	1-4	6½	0.960	NO
SU100L	10'	12-20	2-4	7	1.055	NO
SU105H	10'6"	20-40	4-8	14	1.205	NO
SU120	12'	15-30	3-6	7	1.270	YES
SU150	15'	15-40	4-8	7	1.580	YES





ITEM	LNGTH.	LINE	LURE	TIP	BUTT	SPECIAL ORDER
BREAKWATER BASS						
BW607XF	6'	12-20	-	6	0.770	YES
BW639XF	6'3"	20-30	-	7	0.895	YES
EAST & GULF COAST PLUG & SPINNING - Specify (B) Black or (W) White						
PS72-B	7'2"	10-20	-	7	0.700	NO
PS72-W	7'2"	10-20	-	7	0.700	NO
PS78-B	7'8"	12-30	-	7	0.780	NO
PS78-W	7'8"	12-30	-	7	0.780	NO
PS80-B	8'	15-25	-	6	0.815	NO
PS80-W	8'	15-25	-	6	0.815	NO
PS85-B	8'6"	20-40	-	8	0.985	NO
PS85-W	8'6"	20-40	-	8	0.985	NO
PS90-B	9'	15-25	-	6	1.076	YES
PS90-W	9'	15-25	-	6	1.076	YES
ROCK COD & GAFF						
RC70	7'	40-100	-	20	0.940	YES
RC75	8'	40-100	-	20	0.970	YES
4GAFF	4'	-	-	30(1/4 I.D.)	0.765	NO
6GAFF	6'	-	-	30(1/4 I.D.)	0.930	NO
8GAFF	8'	-	-	30(1/4 I.D.)	1.050	NO
REGULATION TROLLING WEST COAST STYLE						
R12	5'6"	12lb.	-	10	0.745	YES
R20	5'6"	20lb.	-	12	0.745	YES
R30	5'6"	30lb.	-	14	0.745	YES
R50	5'6"	50lb.	-	16	0.870	YES
R80	5'6"	80lb.	-	24	0.995	YES
R130	5'6"	130lb.	-	30	1.180	YES
ONE-PIECE BAIT & TROLLING - Specify (B) Black or (W) White						
BT20-B	7'	18-25	-	10	0.850	NO
BT20-W	7'	18-25	-	10	0.850	NO
BT30-B	7'	25-40	-	14	0.905	NO
BT30-W	7'	25-40	-	14	0.905	NO
BT50-B	7'	40-60	-	16	0.995	NO
BT50-W	7'	40-60	-	16	0.995	NO
R20LG-B	7'	20	-	12	0.890	YES
R20LG-W	7'	20	-	12	0.890	YES
R30LG-B	7'	30	-	14	0.925	YES
R30LG-W	7'	30	-	14	0.925	YES
MARLIN LIVE BAIT						
MLB16	7'	16	-	9	0.820	NO
MLB20	7'	20	-	9	0.890	YES
MLB30	7'	30	-	9	0.905	NO
MLB50	7'	50	-	9	0.930	YES
MLB30H	7'3"	30	-	10	0.900	YES



IGFA TROLLING ROD BLANKS

Available in black or white paint finish, a heavy duty trolling rod blank for the finest custom trolling rods. Designed especially for East Coast, Gulf Coast, Hawaii and Australia. Designed for standard AFTCO Uni-butt ferrules. Up to 6" of the blank butt may be trimmed off without affecting the butt diameter. The blanks are smoothly polished and finished with several coats of white or black epoxy paint for an impeccable finish.

IGFA TROLLING ROD BLANKS - Specify (B) Black or (W) White. Please specify when ordering.

I.G.F.A. TROLLING						
IGFA12	5'8"	12	-	11	0.745	YES
IGFA16	5'8"	16	-	12	0.745	YES
IGFA20-B	5'8"	20	-	13	0.745	NO
IGFA20-W	5'8"	20	-	13	0.745	NO
IGFA30-B	5'8"	30	-	16	0.745	NO
IGFA30-W	5'8"	30	-	16	0.745	NO
IGFA30H	5'8"	30	-	16	0.745	YES
IGFA50-B	5'8"	50	-	17	0.870	NO
IGFA50-W	5'8"	50	-	17	0.870	NO
IGFA50H	5'8"	50	-	17	0.870	YES
IGFA80STUBBIE	3'7"	80	-	23	0.995	YES
IGFA80-B	5'9"	80	-	23	0.995	NO
IGFA80-W	5'9"	80	-	23	0.995	NO
IGFA80H	5'9"	80	-	23	0.995	YES
IGFA130-B	5'10"	130	-	29	1.180	NO
IGFA130-W	5'10"	130	-	29	1.180	NO
IGFA180-B	6'6"	180	-	23	1.180	NO
IGFA180-W	6'6"	180	-	23	1.180	NO
IGFA180H	6'6"	UNLMT	-	23	1.315	YES
ONE-PIECE FULL LENGTH I.G.F.A.						
IGFA12LG	7'	12	-	11	0.850	YES
IGFA16LG	7'	16	-	12	0.870	YES
IGFA20LG	7'	20	-	13	0.880	YES
IGFA30LG	7'	30	-	16	0.930	YES
IGFA50LG	7'	50	-	17	0.970	YES
IGFA80LG	6'6"	80	-	24	1.010	YES



FIBERGLASS "E" GLASS/BORON FRESHWATER LIGHT SALTWATER ROD BLANKS

A versatile line of freshwater and light saltwater blanks. These blanks feature special thin-wall designs and a high density lamination process that reduces weight and increases performance. Two-piece models feature our TRANSFLEX™ ferrule, that produces smooth power-transition between the tip and butt sections of the blank. This gives our two-piece blanks the strength and feel of a one piece rod.

FIBERGLASS FRESHWATER LIGHT/ SALTWATER BLANKS


Color: Black. Blanks are one piece, unless specified.

ITEM	LNGTH.	LINE	LURE	TIP	BUTT	SPECIAL ORDER
FRESHWATER SPINNING						
SP5011	5'	2-4	1/16 - 1/4	5 1/2	0.370	NO
SP5501	5'6"	1-4	1/32 - 3/16	4 1/2	0.465	NO
SP6011	6'	2-6	1/16 - 1/4	5 1/2	0.420	NO
SP6521	6'6"	2-8	1/8 - 3/8	5 1/2	0.610	NO
SP7031	7'	4-10	1/4 - 5/8	5 1/2	0.680	YES
SP7041	7'	6-12	1/4 - 5/8	5	0.685	NO
SP7531	7'6"	4-10	1/4 - 1/2	5 1/2	0.725	YES
2-PIECE FRESHWATER SPINNING						
SP551	5'6"	2-6	1/8 - 5/16	5	0.500	YES
SP601	6'	2-6	1/8 - 5/16	5 1/2	0.540	YES
SP602	6'	2-8	1/8 - 3/8	5	0.490	YES
SP603	6'	4-10	1/4 - 1/2	5	0.550	YES
SP604	6'	6-12	1/4 - 5/8	5	0.640	YES
SP652	6'	2-8	1/8 - 3/8	5	0.535	YES
SP653	6'6"	4-10	1/4 - 1/2	5	0.590	YES
SP654	6'6"	6-12	1/4 - 5/8	5 1/2	0.635	YES
SP700	7'	1-4	1/32 - 3/16	4 1/2	0.465	YES
SP703	7'	4-10	1/4 - 1/2	5	0.640	YES
SP704	7'	6-12	1/4 - 5/8	5 1/2	0.660	YES
SP753	7'6"	4-10	1/4 - 1/2	6	0.665	YES
SP754	7'6"	6-12	1/4 - 5/8	5 1/2	0.790	YES
BASS SPINNING						
BS552	5'6"	4-10	1/8 - 3/8	4 1/2	0.605	NO
BS553	5'6"	6-12	1/8 - 5/8	5	0.610	YES
BS591	5'9"	4-8	1/16 - 5/16	4 1/2	0.535	YES
BS604	6'	8-15	1/4 - 3/4	5	0.655	NO
BS655	6'6"	8-17	3/8 - 3/4	5	0.705	YES
BS701	7'	4-8	1/16 - 5/16	4 1/2	0.630	YES
BS705	7'	8-17	3/8 - 3/4	5	0.765	YES
BS706	7'	8-20	1/2 - 1	6	0.775	NO
BS756	7'6"	8-20	1/2 - 1	4 1/2	0.845	YES
BASS CASTING						
BC604	6'	6-15	3/8 - 1/2	5	0.660	NO
BC605	6'	8-17	1/4 - 3/4	5	0.675	NO
BC606	6'	8-20	3/8 - 1	5 1/2	0.675	NO
BC607	6'	10-25	3/8 - 1 1/4	5	0.690	YES
BC705	7'	8-20	1/4 - 3/4	5	0.785	YES
BC706	7'	10-20	3/8 - 1	5 1/2	0.785	YES
BASS FLIPPING STICK						
BF758	7'6"	12-30	3/8 - 2	7	0.810	YES
BF758X(2 pc.)	7'6"	12-30	3/8 - 2	7	0.810	YES
MUSKY						
MU606	6'	12-30	1-3	11	0.810	NO
POPPING						
P704	7'	8-15	1/4 - 3/4	5 1/2	0.685	NO
P706	7'	10-20	1/2 - 1	6	0.775	NO
P708	7'	12-25	1-3	8	0.825	YES






ITEM	LNGTH.	LINE	LURE	TIP	BUTT	SPECIAL ORDER
STEELHEAD, SALMON MOOCHING & DOWNRIGGER - ALL 2 PIECE BLANKS						
SH792	7'9"	6-15	1/4 - 5/8	5	0.720	YES
SH804	8'	8-20	3/8 - 1	5	0.810	YES
SH832	8'3"	6-15	1/4 - 5/8	4 1/2	0.775	YES
SH851	8'6"	6-12	1/8 - 1/2	4 1/2	0.705	YES
SH854	8'6"	8-20	3/8 - 1	5	0.865	YES
SH904	9'	8-20	3/8 - 1	5	0.910	YES
SH1004	10'	8-20	3/8 - 1	5	1.000	YES
SH1056	10'6"	10-20	3/8 - 1 1/2	7	0.850	YES
SALMON MOOCHING - ALL 2 PIECE BLANKS						
SA853F	8'6"	10-25	5/8 - 1 1/2	5 1/2	0.940	YES
SA896F	8'9"	12-30	1 - 2 1/2	8	0.920	YES
DOWNRIGGER - ALL 2 PIECE BLANKS						
SP7021	7'	2-8	-	-	-	YES
DR822	8'2"	6-15	3/4 - 1	5	0.795	YES
CLASSIC T.M. SERIES - SALTWATER / FRESHWATER SPINNING						
110	6'	2-6	-	4 1/2	0.400	YES
120-512	5'6"	2-8	-	5	0.560	YES
130-612	6'6"	4-10	-	5 1/2	0.665	YES
130-7	7'	4-10	-	5 1/2	0.735	YES
147	7'	6-12	-	6 1/2	0.830	YES
FAST ACTION LIVE BAIT						
1956	6'	8-20	-	6	0.710	YES
195H-6	6'	10-25	-	7	0.710	YES
196-6	6'	10-25	-	6 1/2	0.790	YES
196H-6	6'	12-30	-	7	0.820	YES
196-7	7'	10-25	-	6 1/2	0.875	NO
196L-8	8'	8-20	-	6	0.950	YES
196-8	8'	10-25	-	6 1/2	0.950	YES
196H-8	8'	12-30	-	8	0.960	YES
210	7'6"	10-30	-	7	0.850	NO
220	8'6"	10-30	-	7	0.915	NO
229	9'	10-30	-	6	0.815	YES
270-6	6'	12-30	-	7	0.800	YES
270-7	7'	12-30	-	8	0.925	NO
270H-7	7'	15-40	-	8	0.925	YES
270-8	8'	12-30	-	7	0.990	YES
270H-8	8'	15-40	-	8	0.995	YES
865	6'6"	15-40	-	8	0.920	YES
865H	6'6"	20-50	-	9	0.975	YES
865XH	6'6"	25-60	-	10	1.020	YES
870	7'	15-40	-	8	0.960	NO
970	7'	15-40	-	7	0.975	YES
6865	6'6"	15-40	-	8	0.970	YES
6870	7'	20-50	-	8	1.005	YES
JIG & HEAVY BAIT						
660L	6'	20-40	-	8	0.820	YES
660	6'	20-50	-	9	0.910	YES
665L	6'6"	20-40	-	8	0.855	YES
665	6'6"	20-50	-	9	0.910	YES
665H	6'6"	30-80	-	10	1.025	YES
665XH	6'6"	40-100	-	11	1.025	YES
670L	7'	20-40	-	9	0.915	YES
670	7'	20-50	-	9	0.970	YES
670-8	8'	20-50	-	9	1.050	YES
670-9	8'	20-50	-	9	1.115	YES
670H	7'	30-80	-	10	1.045	YES
670XH	7'	40-100	-	11	0.990	YES
670H-8	8'	30-80	-	10	1.100	YES
690J	9'	15-40	-	9	1.015	YES





ITEM	LNTH.	LINE	LURE	TIP	BUTT	SPECIAL ORDER
FAST TAPER JIG & BAIT						
6460L	6'	20-40	-	8	0.920	YES
6460	6'	20-50	-	9	0.990	YES
6465L	6'6"	20-40	-	8	0.965	YES
6465	6'6"	20-50	-	9	1.035	YES
6465H	6'6"	30-80	-	10	1.065	YES
6470	7'	20-50	-	9	1.080	YES
6480	8'	20-50	-	8	1.085	YES
LONG RANGE STAND UP TUNA						
655	5'6"	20-50	-	9	0.885	YES
655H	5'6"	30-80	-	10	0.900	YES
655XH	5'6"	40-100	-	12	0.990	YES
655XXH	5'6"	50-130	-	14	0.935	YES
660H	6'	30-80	-	10	0.945	YES
660XXH	6'	50-130	-	14	0.990	YES
FAST TAPER STAND UP TUNA						
6450XXH	5'	50-130	-	14	0.965	YES
6455L	5'6"	20-40	-	8	0.900	YES
6455	5'6"	20-50	-	9	0.945	YES
6455H	5'6"	30-80	-	10	0.950	YES
6455XH	5'6"	40-100	-	12	0.965	YES
6455XXH	5'6"	50-130	-	14	0.990	YES
6460H	5'6"	30-80	-	10	1.015	YES
6460XH	5'6"	40-100	-	12	1.025	YES
6460XXH	5'6"	50-130	-	14	1.050	YES
JIG & SURF						
530	9'	15-40	-	9	0.975	YES
ROCK COD						
775-7	7'	50-100	-	18	0.945	YES
775-712	7'6"	50-100	-	20	0.970	YES
775-8	8'	50-100	-	20	0.990	NO
SPECIALTY						
200	7'	10-20	-	7	0.775	YES
330	7'	15-40	-	12	0.830	YES
400	7'	10-30	-	7	0.775	YES
500	7'	20-30	-	8	0.880	YES
600	7'	25-60	-	8	1.020	YES
610H	7'	30-80	-	10	1.117	YES
700	7'9"	15-50	-	10	0.990	YES
800	8'	20-60	-	8	1.080	YES
820	7'6"	15-50	-	8	1.025	YES
TROLLING						
SM20	5'8"	20	-	12	0.600	YES
SM30	5'8"	30	-	14	0.625	YES
SM50	5'8"	50	-	16	0.870	YES
SM80	5'8"	80	-	20	0.900	YES
SM130	5'8"	130	-	26	1.005	YES



FREE FREIGHT POLICY FOR BLANKS

Blanks 8'11" or under: Quantity shipping must total \$500.00 (before discounts and not including other merchandise). Free freight does not apply to backorders.

Oversized Blanks 9' and over: Quantity shipping must total \$1500.00 (before discounts and not including other merchandise). Free freight does not apply to backorders under \$500.00 or closeouts.

SEE POLICY PAGES FOR COMPLETE FREIGHT DETAILS.

SUPER SEEKER PROJECT X

COMPOSITE GRAPHITE SALTWATER BLANKS

Super strong Graphite - S-Glass - Epoxy
Color: Reddish Brown



ITEM	LNGTH.	LINE
SSCLBF706	7'	12-20
SSCLBF704	7'	10-15
SSCLB804	8'	12-20
SSCLB806	8'	15-25
SSCLB806H	8'	20-30

**all special order*

New State-of-the Art Blanks from Seeker

The combination of Super "S" Glass 120-gram graphite and the latest epoxy Eho4 resin system make these blanks the most powerful, strongest and fastest recoiling we've ever built.

When you're fishing for 200 and 300-pound yellowfin tuna, you're looking for great lifting power with the greatest compression strength with a fast recoil. After 3 years of testing, these blanks were designed to produce what we believe are the most powerful blanks on the market today.

Everyone who's seen these new blanks from Seeker has commented on their superior action and appreciates their look—we combined the classic look with the new state-of-the-art material and resin system with a modern brown and tangerine tint finish.



LONG DISTANCE CASTING

The CTS Makoi brings together the best of European rod design and construction while meeting demanding requirements.

CTS is an innovative company with a fresh approach to fishing rod design and manufacture. CTS has a tradition of excellence that is recognized worldwide. The CTS Makoi series of rods is no exception. Designed and built with no expense spared, these innovative blanks are without doubt some of the best available.

Starting at the core of the blank we have our carbon helix core to create improved hoop strength and response with minimal weight. The tip section boasts our MRT (modulus replacement technology). This allows us to place glass where it is needed and remove glass from where it's not needed, leaving a blank tip area that is 25% lighter than previous models. The tip design improves response and strength at the same time.

The butt section has combined an intermediate modulus carbon with twill weave carbon finishing. This creates a super slim line section that is powerful with a robust and responsive nature.

No.	Length	Line	Lure	Pieces
DONPH662	5'6"	30-50	5-12	1
DONPH663	5'6"	50-80	8-16	1
DONPH772	6'	30-50	5-12	1
DONPH723	6'	50-80	8-16	1



CTS MAKOI BLANKS



No.	Casting Wt.	Length = Tip & Handle	Rod Wt.	Reel Seat	Ferrule	Color
DON305	4 to 6	13'6"	17.6 oz.	24 mm	Tip over handle	Translucent Black
DON307	4 to 6	13'6"	18.0 oz.	24 mm	Tip over handle	Translucent Black
DON405	6 to 8	13'6"	20.2 oz.	24 mm	Tip over handle	Translucent Charcoal
DON405L	6 to 8	15'	N/A	24 mm	Tip over handle	Translucent Charcoal
DON605	8 to 10	13'	N/A	26 mm	Tip over handle	Translucent Black