

See policy pages for information on how to qualify for bigger discounts & free freight on blanks.



Blanks

Most blanks are stocked, some have to be special ordered.

SCV

St. Croix's new high-modulus/high-strain graphite is the ultimate in high performance, and delivers greater strength without sacrificing fishing performance. Results in fast, quick-loading rods that cast with unbelievable ease and accuracy. Combined with our new 100% carbon-matte scrim to create blanks with weights up to 20% lighter than competitive models.

SCIV

An extraordinary high-performance, high-modulus graphite. Produces extremely lightweight rods with crisp, fast actions and an incredible transfer of power. Also very sensitive.

SCIII

An advanced high-modulus graphite that delivers maximum durability and sensitivity. Not as fast as SCIV, but creates rods with a smooth, light feel in the hand. Superb power.

SCII

Powerful, durable graphite. Very light and sensitive. Great performance vs. cost.

SCIW

St. Croix's newest, advanced graphite material. They took their reliable standard modulus SCII graphite and created a new woven layout. The result is a blank with superior hoop strength and incredibly high impact-resistance. Used exclusively in their new Premier Saltwater offshore rods.

SCI

St. Croix's own specialized linear fiberglass matrix. Stronger, lighter and higher in modulus than ordinary fiberglass. Produces a softer action than graphite that is ideal for trolling and fishing fast-reaction baits such as crank baits and spinner baits.

E-GLASS

Traditional, premium-quality fiberglass with our custom resin system. Very durable and dependable. Designed for rugged saltwater use.

ITEM NO.	TYPE	LGTH.	PCS.	ACTION	LINE WGT. RATING	BUTT DIA.	TIP SIZE	BLANK WGT.	SPECIAL ORDER
SC V FLY - COLOR: Gloss Pearl Brown Finish									
5F8644	TROUT	8'6"	4	FAST PLUS	4WT.	0.325	4	1.4	YES
5F9044	TROUT	9'	4	FAST PLUS	4WT.	0.335	4	1.6	YES
5F8654	TROUT	8'6"	4	FAST PLUS	5WT.	0.33	4	1.4	YES
5F9054	TROUT	9'	4	FAST PLUS	5WT.	0.34	4	1.7	YES
5F9055	TROUT	9'	5	FAST PLUS	5WT.	0.345	4	1.9	YES
5F10054	TROUT	10'	4	FAST PLUS	5WT.	0.37	4	2.1	YES
5F8664	TROUT	8'6"	4	FAST PLUS	6WT.	0.34	4	1.5	YES
5F9064	TROUT	9'	4	FAST PLUS	6WT.	0.345	4	1.7	YES
5F9065	TROUT	9'	5	FAST PLUS	6WT.	0.36	4	2	YES
5F10064	TROUT	10'	4	FAST PLUS	6WT.	0.385	4	2.1	YES
5F9074	STEELHEAD/BASS/SW	9'	4	FAST PLUS	7WT.	0.36	4.5	1.8	YES
5F9674	STEELHEAD	9'6"	4	FAST PLUS	7WT.	0.36	4.5	1.9	YES
5F10074	STEELHEAD	10'	4	FAST PLUS	7WT.	0.39	4	2.3	YES
5F9084	BASS/SALMON/STLHD/SW	9'	4	FAST PLUS	8WT.	0.385	4	2	YES
5F9085	BASS/SALMON/STLHD/SW	9'	5	FAST PLUS	8WT.	0.38	4.5	2.2	YES
5F9684	STEELHEAD/SALMON	9'6"	4	FAST PLUS	8WT.	0.38	4.5	2.0	YES
5F10084	STEELHEAD/SALMON	10'	4	FAST PLUS	8WT.	0.41	4	2.5	YES
5F9094	SW/SALMON/PIKE	9'	4	FAST PLUS	9WT.	0.395	4	2.2	YES
5F90104	SW/SALMON/MUSKY	9'	4	FAST PLUS	10WT.	0.41	4.5	2.3	YES

MERRICK TACKLE

STRATOSPHERE BLANKS

Solid fiberglass blanks, all painted black and packed individually in poly bags. These blanks are out of this world. Check the index to find the recommended wood butts.

No.	Description	Line Wt.	Length	Butt Size	Tip	Use Wood Butt #
SHA0321	.480 x .187 x 76"	10-20	76"	0.48	12	MT31
SHA0320	.546 x .187 x 76"	12-20	76"	0.546	12	MT33
SHA0126	.546 x .240 x 80"	20-30	80"	0.546	16	MT33
SHA0077	.595 x .280 x 76"	30-50	76"	0.595	18	MT33
SHA0482	.695 x .343 x 86"	60-80	86"	0.695	20	Sleeve Butt
STANDUP TAPER						
SHA1351	.695 x .210 x 72"	30-80	72"	0.695	14	Sleeve Butt



Sleeve Butts
&
Wood Butts
are located
in the index.



Blanks

ITEM NO.	TYPE	LGTH.	PCS.	ACTION	LINE WGT. RATING	BUTT DIA.	TIP SIZE	BLANK WGT.	SPECIAL ORDER
SC IV FLY - <i>Color: Matte Spruce Green</i>									
4F7624	TROUT	7'6"	4	FAST	2WT.	0.245	3.0	0.90	YES
4F7934	TROUT	7'9"	4	FAST	3WT.	0.290	3.5	1.00	YES
4F7644	TROUT	7'6"	4	FAST	4WT.	0.315	4.0	1.30	YES
4F8044	TROUT	8'	4	FAST	4WT.	0.320	4.0	1.40	YES
4F8644	TROUT	8'6"	4	FAST	4WT.	0.325	4	1.4	YES
4F9042	TROUT	9'	2	FAST	4WT.	0.345	4.0	1.70	YES
4F9044	TROUT	9'	4	FAST	4WT.	0.335	4	1.8	YES
4F8054	TROUT	8'	4	FAST	5WT.	0.330	4.0	1.50	YES
4F8654	TROUT/JACKLIN	8'6"	4	FAST	5WT.	0.33	4	1.50	YES
4F9052	TROUT	9'	2	FAST	5WT.	0.360	4.5	1.80	YES
4F9054	TROUT	9'	4	FAST	5WT.	0.34	4	1.7	YES
4F9055	TROUT	9'	5	FAST	5WT.	0.345	4	2.10	YES
4F10054	TROUT	10'	4	FAST	5WT.	0.37	4	2.3	YES
4F9062	TROUT	9'	2	FAST	6WT.	0.365	4.5	1.90	YES
4F9064	TROUT	9'	4	FAST	6WT.	0.345	4	1.7	YES
4F9065	TROUT	9'	5	FAST	6WT.	0.36	4	2.1	YES
4F10064	TROUT	10'	4	FAST	6WT.	0.385	4	2.6	YES
4F9074	STEELHAD/BASS/SW	9'	4	FAST	7WT.	0.35	4.5	1.7	YES
4F9674	STEELHEAD	9'6"	4	FAST	7WT.	0.36	4.5	2.1	YES
4F10074	STEELHEAD	10'	4	FAST	7WT.	0.39	4.5	2.7	YES
4F8984	BASS-CLOUSER	8'9"	4	MOD-FAST	8WT.	0.380	4.5	2	YES
4F9082	BASS/STEELHEAD	9'	2	FAST	8WT.	0.415	4.5	2.30	YES
4F9084	BASS/STEELHEAD/SW	9'	4	FAST	8WT.	0.385	4.5	2.0	YES
4F9085	BASS/STEELHEAD/SW	9'	5	FAST	8WT.	0.38	4.5	2.3	YES
4F9684	STEELHEAD/SALMON	9'6"	4	FAST	8WT.	0.38	4.5	2.3	YES
4F10084	STEELHEAD/SALMON	10'	4	FAST	8WT.	0.415	4.5	2.8	YES
4F9092	SALTWATER/SALMON	9'	2	FAST	9WT.	0.425	4.5	2.50	YES
4F9094	SALT/SALMON/PIKE	9'	4	FAST	9WT.	0.395	4.5	2.2	YES
4F10694	SALTWATER-POPOVICS	10'6"	4	FAST	9WT.	0.510	5.0	3.2	YES
4F90104	SALT/SALMON/MUSKY	9'	4	FAST	10WT.	0.41	4.5	2.4	YES
4F90124	SALTWATER	9'	4	FAST	12WT.	0.44	5.0	3	YES
4F126674	SPEY	12'6"	4	MOD-FAST	6/7WT.	0.47	4.5	3.8	YES
4F13784	SPEY	13'	4	MOD-FAST	7/8WT.	0.485	4.5	4.5	YES
4F14894	SPEY	14'	4	MOD-FAST	8/9WT.	0.535	5	5.0	YES
4F159104	SPEY	15'	4	MOD-FAST	9/10WT.	0.6	5.5	5.5	YES
SC III FLY - <i>Color: Canteen Green Pearl Finish</i>									
3F7624	TROUT	7'6"	4	MOD-FAST	2WT.	0.25	3	0.9	YES
3F6032	TROUT	6'	2	MOD-FAST	3WT.	0.29	3.5	0.7	YES
3F7032	TROUT	7'	2	MOD-FAST	3WT.	0.28	3.5	0.8	YES
3F7934	TROUT	7'9"	4	MOD-FAST	3WT.	0.285	3.5	1	YES
3F6644	TROUT	6'6"	4	MOD-FAST	4WT.	0.28	3.5	0.9	YES
3F7644	TROUT	7'6"	4	MOD-FAST	4WT.	0.295	3.5	1	YES
3F8044	TROUT	8'	4	MOD-FAST	4WT.	0.32	4	1.4	YES
3F8644	TROUT	8'6"	4	MOD-FAST	4WT.	0.325	4	1.5	YES
3F9042	TROUT	9'	2	MOD-FAST	4WT.	0.38	4.5	1.9	YES
3F9044	TROUT	9'	4	MOD-FAST	4WT.	0.335	4.5	1.8	YES
3F8054	TROUT/PANFISH	8'	4	MOD-FAST	5WT.	0.34	4.5	1.5	YES
3F8654	TROUT/PANFISH	8'6"	4	MOD-FAST	5WT.	0.33	4.5	1.5	YES
3F9052	TROUT/PANFISH	9'	2	MOD-FAST	5WT.	0.39	4.5	2	YES
3F9054	TROUT/PANFISH	9'	4	MOD-FAST	5WT.	0.34	4.5	1.9	YES
3F9062	TROUT/PANFISH	9'	2	MOD-FAST	6WT.	0.405	4.5	2.1	YES
3F9064	TROUT/PANFISH	9'	4	MOD-FAST	6WT.	0.345	4.5	1.9	YES
3F9074	BASS/STEEL/SALT	9'	4	MOD-FAST	7WT.	0.355	4.5	2	YES
3F9674	STEELHEAD	9'6"	4	MOD-FAST	7WT.	0.355	4.5	2.1	YES
3F9082	BASS/SALM/STEEL/SALT	9'	2	MOD-FAST	8WT.	0.41	4.5	2.2	YES
3F9084	BASS/SALM/STEEL/SALT	9'	4	MOD-FAST	8WT.	0.375	4.5	2.1	YES
3F9684	STEEL/SALMON	9'6"	4	MOD-FAST	8WT.	0.38	4.5	2.3	YES
3F9092	SALT/SALMON/PIKE	9'	2	MOD-FAST	9WT.	0.43	4.5	2.4	YES
3F9094	SALT/SALMON/PIKE	9'	4	MOD-FAST	9WT.	0.395	4.5	2.3	YES
3F90104	SALMON/MUSKY/SALT	9'	4	MOD-FAST	10WT.	0.405	4.5	2.4	YES
3F13783	SPEY	13'	3	MOD-FAST	7/8WT.	0.465	5.5	4.8	YES
3F149103	SPEY	14'	3	MOD-FAST	9/10WT.	0.59	6	5.8	YES
3F1510113	SPEY	15'	3	MOD-FAST	10/11WT.	0.595	6.5	6.8	YES



Blanks

ITEM NO.	TYPE	LGTH.	PCS.	ACTION	LINE WGT. RATING	BUTT DIA.	TIP SIZE	BLANK WGT.	SPECIAL ORDER
SC II FLY- <i>Color: Satin Black Finish</i>									
2F7642	TROUT	7'6"	2	MOD-FAST	4WT.	0.32	4	1.1	YES
2F7644	TROUT	7'6"	4	MOD-FAST	4WT.	0.33	4.5	1.5	YES
2F8042	TROUT	8'	2	MOD-FAST	4WT.	0.38	4.5	1.5	YES
2F8044	TROUT	8'	4	MOD-FAST	4WT.	0.34	4.5	1.6	YES
2F8052	TROUT/PANFISH	8'	2	MOD-FAST	5WT.	0.4	4.5	1.6	YES
2F8054	TROUT/PANFISH	8'	4	MOD-FAST	5WT.	0.36	4.5	1.8	YES
2F8652	TROUT/PANFISH	8'6"	2	MOD-FAST	5WT.	0.425	4.5	1.9	YES
2F8654	TROUT/PANFISH	8'6"	4	MOD-FAST	5WT.	0.38	4	2	YES
2F9052	TROUT/PANFISH	9'	2	MOD-FAST	5WT.	0.43	4	1.9	YES
2F9054	TROUT/PANFISH	9'	4	MOD-FAST	5WT.	0.395	4.5	2.1	YES
2F7662	TROUT/PANFISH-YOUTH	7'6"	2	MOD-FAST	6WT.	0.365	4.5	1.3	YES
2F9062	TROUT/PANFISH	9'	2	MOD-FAST	6WT.	0.455	4.5	2.1	YES
2F9064	TROUT/PANFISH	9'	4	MOD-FAST	6WT.	0.435	4.5	2.6	YES
2F9082	BASS/SALM/STEEL/SALT	9'	2	MOD-FAST	8WT.	0.48	4.5	2.5	YES
2F9084	BASS/SALM/STEEL/SALT	9'	4	MOD-FAST	8WT.	0.495	4.5	2.7	YES
2F9092	SALT/SALMON/PIKE	9'	2	MOD-FAST	9WT.	0.48	4.5	2.5	YES
2F9094	SALT/SALMON/PIKE	9'	4	MOD-FAST	9WT.	0.53	4.5	2.9	YES

ITEM NO.	TYPE	LGTH.	PCS.	PWR.	ACTION	LINE WGT.	LURE WGT.	BUTT DIA.	TIP SIZE	BLANK WGT.	SPECIAL ORDER
SC 1V CASTING											
4C69MLXF	DROP SHOT	6'9"	1	ML	X-FAST	6-10	1/8 - 1/2	0.445	4.5	1.90	YES
4C63MF	SNIPER SPINNERBAIT	6'3"	1	M	FAST	10-17	1/4 - 5/8	0.440	4.5	1.50	YES
4C66MF	JERKBAIT	6'6"	1	M	FAST	10-17	1/4 - 5/8	0.450	4.5	1.60	YES
4C68MXF	TOP WATER	6'8"	1	M	X-FAST	8-14	1/4 - 5/8	0.470	4.5	1.80	YES
4C70MF	TEASER	7'	1	M	FAST	10-17	1/4 - 5/8	0.480	5.5	2.20	YES
4C66MHF	JIG-N-WORM	6'6"	1	MH	FAST	12-20	3/8 - 1	0.425	6.0	2.50	YES
4C70MHF	SWEEPER SPINBAIT	7'	1	MH	FAST	12-20	3/8 - 1	0.540	6.0	2.80	YES
4C73MHF	CAROLINA RIG	7'3"	1+	MH	FAST	12-25	3/8 - 1 1/4	0.605	6.5	3.10	YES
4C76MHMF	PITCHIN'	7'6"	1+	MH	M-FAST	12-25	3/8 - 1 1/4	0.305	6.0	3.70	YES
4C70HF	SLOP-N-FROG	7'	1	H	FAST	14-25	3/8 - 1 1/2	0.570	6.0	2.90	YES
4C79HF	SWIM BAIT	7'9"	1	H	FAST	14-30	1-4	0.600	6.0	3.20	YES
4C80HMF	FLIPPIN'	8'	1+	H	M-FAST	14-30	1/2 - 2	0.650	6.5	4.40	YES
4C73XHF	BIG JIG	7'3"	1	XH	FAST	17-30	1/2 - 2 1/2	0.600	6.0	3.60	YES
4C80XHF	MEGA SWIM BAIT	8'	1	XH	FAST	20-50	3-8	0.640	7.0	4.40	YES
SC 1V SPINNING											
4S60LF	FINESSE RIG	6'	1	L	FAST	4-8	1/16 - 1/4	0.350	4.0	1.20	YES
4S66MLF	JIG-N-RIG	6'6"	1	ML	FAST	4-10	1/8 - 3/8	0.450	4.0	1.40	YES
4S70MLF	LINDY RIG	7'	1	ML	FAST	4-10	1/8 - 3/8	0.470	4.0	1.70	YES
4S76MLF	LIVE BAIT RIG	7'6"	1	ML	FAST	4-10	1/8 - 3/8	0.445	4.0	1.80	YES
4S80MLF	SLIP STICK	8'	1+	ML	FAST	4-10	1/8 - 3/8	0.520	4.5	2.80	YES
4S510MXF	SKIPPIN'	5'10"	1	M	X-FAST	8-12	3/16 - 5/8	0.425	4.5	1.30	YES
4S63MXF	VERTICAL JIG	6'3"	1	M	X-FAST	6-10	1/8 - 1/2	0.440	4.5	1.40	YES
4S670MF	TUBE	7'	1	M	FAST	6-12	3/16 - 5/8	0.455	5.5	1.80	YES
4S70MM	SHALLOW CRANKER	7'	1	M	MOD	4-10	1/8 - 3/8	0.425	5.0	1.60	YES
4S70MHM	DEEP CRANKER	7'	1	MH	MOD	6-12	1/4 - 3/4	0.445	5.0	2.00	YES
SC V SPINNING - <i>Color: Gloss Brown Pearl Finish</i>											
5S59ULF	TROUT/PANFISH	5'9"	1	UL	FAST	2-4	1/32 - 3/16	0.290	4	0.6	YES
5S60LF	TROUT/PAN/WALL	6'	1	L	FAST	4-8	1/16 - 5/16	0.350	4	0.7	YES
5S66LF	TROUT/PANFISH	6'6"	1	L	FAST	4-8	1/16 - 5/16	0.355	4	1.2	YES
5S60MLF	TROUT/PANFISH/WALLEYE	6'	1	ML	FAST	4-10	1/8 - 3/8	0.425	4	1	YES
5S66MLF	TROUT/PANFISH/WALLEYE	6'6"	1	ML	FAST	4-10	1/8 - 3/8	0.450	4	1.3	YES
5S70MLF	BASS/WALLEYE	7'	1	ML	FAST	4-10	1/8 - 3/8	0.470	4	1.4	YES
5S60MF	BASS/WALLEYE	6'	1	M	FAST	6-12	3/16 - 5/8	0.430	4.5	1.1	YES
5S63MXF	BASS/WALLEYE	6'3"	1	M	X-FAST	6-10	1/8 - 3/8	0.440	4.5	1.3	YES
5S66MF	BASS/WALLEYE	6'6"	1	M	FAST	6-12	3/16 - 5/8	0.455	4.5	1.4	YES
5S70MF	BASS/WALLEYE	7'	1	M	FAST	6-12	3/16 - 5/8	0.455	4.5	1.7	YES
SC V CASTING - <i>Color: Gloss Brown Pearl Finish</i>											
5C60MF	BASS/WALLEYE	6'	1	M	FAST	10-17	1/4 - 3/4	0.430	4.5	1.3	YES
5C66MF	BASS/WALLEYE	6'6"	1	M	FAST	10-17	1/4 - 3/4	0.450	4.5	1.5	YES



Blanks

ITEM NO.	TYPE	LGTH.	PCS.	PWR.	ACTION	LINE WGT.	LURE WGT.	BUTT DIA.	TIP SIZE	BLANK WGT.	SPECIAL ORDER
5C68MXF	BASS/WALLEYE	6'8"	1	M	X-FAST	8-14	$\frac{3}{16} - \frac{5}{8}$	0.475	4.5	1.5	YES
5C70MF	BASS/WALLEYE	7'	1	M	FAST	10-17	$\frac{1}{4} - \frac{3}{4}$	0.470	5	2	YES
5C66MHF	BASS/PIKE	6'6"	1	MH	FAST	10-20	$\frac{3}{8} - 1$	0.520	6	2.1	YES
5C70MHF	BASS/PIKE	7'	1	MH	FAST	10-20	$\frac{3}{8} - 1$	0.540	6	2.6	YES
5C70HF	BASS/PIKE	7'	1	H	FAST	12-25	$\frac{3}{8} - 1\frac{1}{2}$	0.575	7.5	2.6	YES
SC III SPINNING - Color: Matte Gray Finish											
3S50ULF	TROUT/PANFISH	5'	1	UL	FAST	2-4	$\frac{1}{32} - \frac{3}{16}$	0.285	4	0.7	YES
3S56ULF2	TROUT/PANFISH	5'6"	2	UL	FAST	2-4	$\frac{1}{32} - \frac{3}{16}$	0.285	4.5	0.8	NO
3S60ULF	TROUT/PANFISH	6'	1	UL	FAST	2-4	$\frac{1}{32} - \frac{3}{16}$	0.33	4	0.9	NO
3S66ULF	TROUT/PANFISH	6'6"	1	UL	FAST	2-6	$\frac{1}{32} - \frac{3}{16}$	0.32	4	1	YES
3S70ULF	TROUT/PANFISH	7'	1	UL	FAST	2-6	$\frac{1}{32} - \frac{3}{16}$	0.33	4.5	1.2	YES
3S70ULM2	TROUT/PANFISH	7'	2	UL	MOD.	2-6	$\frac{1}{32} - \frac{3}{16}$	0.34	4.5	1.1	YES
3S60LF	TROUT/PAN/WALL	6'	1	L	FAST	4-8	$\frac{1}{16} - \frac{5}{16}$	0.345	4.5	1.1	YES
3S66LF	TROUT/PAN/WALL	6'6"	1	L	FAST	4-8	$\frac{1}{16} - \frac{5}{16}$	0.345	4.5	1.5	YES
3S66LF2	TROUT/PAN/WALL	6'6"	2	L	FAST	4-8	$\frac{1}{16} - \frac{5}{16}$	0.335	4.5	1.3	YES
3S90LM2	SPINNING DRIFT	9'	2	L	MOD.	4-8	$\frac{1}{16} - \frac{3}{8}$	0.425	4.5	2.1	YES
3S60MLF	BASS/WALLEYE	6'	1	ML	FAST	4-10	$\frac{1}{8} - \frac{3}{8}$	0.41	5	1.3	NO
3S66MLF	BASS/WALLEYE	6'6"	1	ML	FAST	4-10	$\frac{1}{8} - \frac{3}{8}$	.42	5	1.6	NO
3S66MLF2	BASS/WALLEYE	6'6"	2	ML	FAST	4-10	$\frac{1}{8} - \frac{3}{8}$	.4	5	1.5	NO
3S70MLF	BASS/WALLEYE	7'	1	ML	FAST	4-10	$\frac{1}{8} - \frac{3}{8}$	0.44	5	1.8	YES
3S70MLF2	BASS/WALLEYE	7'	2	ML	FAST	4-10	$\frac{1}{8} - \frac{3}{8}$	0.4	5	1.6	NO
3S76MLXF	BASS/WALLEYE	7'6"	1	ML	X-FAST	4-10	$\frac{1}{8} - \frac{3}{8}$	0.505	5.5	2.1	YES
3S76MLF2	BAS/WALL/STEEL	7'6"	2	ML	FAST	4-10	$\frac{1}{8} - \frac{1}{2}$	0.49	4.5	1.9	YES
3S96MLF2	CAST/SPIN	9'6"	2	ML	FAST	4-10	$\frac{1}{8} - \frac{5}{8}$	0.430	4.5	2.4	NO
3S80MLM2	FLOAT-N-FLY	8'	2	ML	MOD.	4-8	$\frac{1}{16} - \frac{5}{16}$	0.39	5	1.7	NO
3S130MLF2	SPINNING/FLOAT	13'	2	ML	FAST	4-10	$\frac{1}{8} - \frac{5}{8}$	0.49	4.5	5.0	NO
3S56MF	BASS/WALLEYE	5'6"	1	M	FAST	6-12	$\frac{3}{16} - \frac{5}{8}$	0.485	5	1.4	YES
3S59MXF	BASS/WALLEYE	5'9"	1	M	X-FAST	6-10	$\frac{1}{8} - \frac{3}{8}$	0.495	4.5	1.3	NO
3S60MF	BASS/WALLEYE	6'	1	M	FAST	6-12	$\frac{3}{16} - \frac{5}{8}$	0.495	5	1.5	NO
3S63MXF	BASS/WALLEYE	6'3"	1	M	X-FAST	6-10	$\frac{1}{8} - \frac{3}{8}$	0.505	5	1.5	YES
3S66MF	BASS/WALLEYE	6'6"	1	M	FAST	6-12	$\frac{3}{16} - \frac{5}{8}$	0.51	5.5	1.8	NO
3S66MF2	BASS/WALLEYE	6'6"	2	M	FAST	6-12	$\frac{3}{16} - \frac{5}{8}$	0.410	5.5	1.9	YES
3S70MF	BASS/WALLEYE	7'	1	M	FAST	6-12	$\frac{3}{16} - \frac{5}{8}$	0.515	6	2.2	NO
3S76MF	BASS/INSHORE SW	7'6"	1	M	FAST	8-15	$\frac{1}{4} - \frac{3}{4}$	0.575	5.5	2.5	YES
3S86MF2	CAST/SPIN	8'6"	2	M	FAST	6-12	$\frac{3}{8} - \frac{3}{4}$	0.485	5	2.8	YES
3S66MHF	BASS/PIKE	6'6"	1	MH	FAST	8-17	$\frac{1}{4} - \frac{3}{4}$	0.515	6	2.1	NO
3S70MHF	BASS/PIKE	7'	1	MH	FAST	8-17	$\frac{1}{4} - \frac{3}{4}$	0.520	6.0	2.5	YES
3S86MHF2	CAST/SPIN	8'6"	2	MH	FAST	8-17	$\frac{3}{8} - 1\frac{1}{4}$	0.515	6.5	3.5	YES
SC III CASTING - Color: Matte Gray Finish											
3C66MLF	BASS/WALLEYE	6'6"	1	ML	FAST	8-14	$\frac{3}{16} - \frac{5}{8}$	0.430	5.0	1.7	YES
3C69MLXF	BASS DROPSHOT	6'9"	1	ML	X-FAST	6-10	$\frac{1}{8} - \frac{1}{2}$	0.450	5.0	1.9	YES
3C56MF	BASS	5'6"	1	M	FAST	10-17	$\frac{1}{4} - \frac{3}{4}$	0.49	5.5	1.4	YES
3C60MF	BASS/WALLEYE	6'	1	M	FAST	10-17	$\frac{1}{4} - \frac{3}{4}$	0.505	5.5	1.6	YES
3C62MXF	BASS/WALLEYE	6'2"	1	M	X-FAST	8-14	$\frac{3}{16} - \frac{5}{8}$	0.51	5	1.7	YES
3C66MF	BASS/WALLEYE	6'6"	1	M	FAST	10-17	$\frac{1}{4} - \frac{3}{4}$	0.515	6	2	YES
3C66MM	CRANKBAIT	6'6"	1	M	MOD.	8-14	$\frac{1}{4} - \frac{5}{8}$	0.415	5.5	1.4	YES
3C68MXF	BASS/WALLEYE	6'8"	1	M	X-FAST	8-14	$\frac{3}{16} - \frac{5}{8}$	0.515	5	2	YES
3C70MM	CRANKBAIT	7'	1	M	MOD.	8-14	$\frac{1}{4} - \frac{5}{8}$	0.415	5.5	1.5	YES
3C70MF	BASS/WALLEYE	7'	1	M	FAST	10-17	$\frac{1}{4} - \frac{3}{4}$	0.525	6.5	2.3	YES
3C80MF	STEEL/IN SHORE	8'	1	M	FAST	8-20	$\frac{3}{8} - 3$	0.59	6	3.1	YES
3C90MF2	CAST/SPIN	9'	2	M	FAST	6-12	$\frac{3}{8} - \frac{3}{4}$	0.485	4.5	3.1	YES
3C96MF2	CAST/SPIN	9'6"	2	M	FAST	6-12	$\frac{3}{8} - \frac{3}{4}$	0.485	4.5	3.4	YES
3C60MHF	BASS/WALLEYE	6'	1	M	FAST	10-20	$\frac{3}{8} - 1$	0.515	6.5	2.0	YES
3C66MHF	BASS/PIKE/SALT	6'6"	1	MH	FAST	10-20	$\frac{3}{8} - 1$	0.605	6.5	2.6	YES
3C66MHM	CRANKBAIT	6'6"	1	MH	MOD.	10-20	$\frac{3}{8} - 1$	0.435	5.5	1.9	YES
3C610MHF	BASS/PIKE	6'10"	1+	MH	FAST	12-25	$\frac{3}{8} - 1\frac{1}{4}$	0.775	6.5	112-215	YES
3C73MHF	BASS PITCHIN' STCK	7'3"	1+	MH	FAST	12-25	$\frac{3}{8} - 1\frac{1}{4}$	0.6	6.5	3.7	YES
3C70MHF	BASS/PIKE/SALT	7'	1	MH	FAST	10-20	$\frac{3}{8} - 1$	0.605	6.5	2.9	YES
3C70MHXF	BASS/PIKE/SALT	7'	1	MH	X-FAST	10-17	$\frac{1}{4} - \frac{3}{4}$	0.535	6	2.8	YES
3C70MHM	CRANKBAIT	7'	1	MH	MOD.	10-20	$\frac{3}{8} - 1$	0.445	5.5	2.1	YES
3C90MHF2	CAST/SPIN	9'	2	MH	FAST	8-17	$\frac{3}{8} - 1\frac{1}{4}$	0.56	5	3.3	YES
3C66HF	BASS/PIKE/SALT	6'6"	1	H	FAST	12-25	$\frac{3}{8} - 1\frac{1}{2}$	0.58	7.5	2.5	YES
3C70HF	BASS/PIKE/SALT	7'	1	H	FAST	12-25	$\frac{3}{8} - 1\frac{1}{2}$	0.605	6.5	2.8	YES
3C70HM	CRANKBAIT	7'	1	H	MOD.	12-25	$\frac{3}{8} - 1\frac{3}{8}$	0.475	6.5	2.6	YES
3C710HF	BASS FLIPPIN'STCK	7'10"	1+	H	FAST	12-30	$\frac{1}{2} - 2$	0.775	7.5	3.8	YES
3C80HF	BACK BOUNCING	8'	1	H	FAST	12-30	1-6	0.625	6	3.6	YES



Blanks

ITEM NO.	TYPE	LGTH.	PCS.	PWR.	ACTION	LINE WGT.	LURE WGT.	BUTT DIA.	TIP SIZE	BLANK WGT.	SPECIAL ORDER
SC III MUSKY - Color: Matte Grey Finish											
3M66MHF	MUSKY/BUCK/SALT	6'6"	1	MH	FAST	17-40	3/4 - 3	0.585	9	3.5	NO
3M70MHF	MUSKY/BUCK/SALT	7'	1	MH	FAST	17-40	3/4 - 3	0.6	8	3.5	NO
3M76MHF	MUSKY/BUCK/SALT	7'6"	1	MH	FAST	17-40	3/4 - 3	0.63	8	3.6	YES
3M62HF	MUSKY/BUCK/SALT	6'2"	1	H	FAST	20-50	1-5	0.645	11	3.8	NO
3M69HF	MUSKY/BUCK/SALT	6'9"	1	H	FAST	20-50	1-5	0.655	9	4.3	NO
3M76HF	MUSKY/BUCK/SALT	7'6"	1	H	FAST	20-50	1-6	0.645	9.0	4.6	YES
3M80HF	MUSKY/BUCK/SALT	8'	1	H	FAST	20-50	1-6	0.655	9.0	4.9	YES
SC II SPINNING - Color: Satin Black Finish											
2S46ULM	TROUT/PANFISH	4'6"	1	UL	MOD.	2-6	1/16 - 1/4	0.265	4	0.5	YES
2S50ULM	TROUT/PANFISH	5'	1	UL	MOD.	2-6	1/16 - 1/4	0.280	4	0.6	NO
2S56ULF2	TROUT/PANFISH	5'6"	2	UL	FAST	2-6	1/32 - 3/16	0.280	4	0.7	NO
2S60ULF2	TROUT/PANFISH	6'	2	UL	FAST	2-6	1/32 - 3/16	0.305	4	0.8	NO
2S60ULF	TROUT/PANFISH	6'	1	UL	FAST	2-6	1/32 - 3/16	0.285	4.5	0.9	YES
2S66ULF	TROUT/PANFISH	6'6"	1	UL	FAST	2-6	1/32 - 3/16	0.315	4	1.0	YES
2S66ULF2	TROUT/PANFISH	6'6"	2	UL	FAST	2-6	1/32 - 3/16	0.310	4.5	1.1	YES
2S70ULF2	TROUT/PANFISH	7'	2	UL	FAST	2-6	1/32 - 3/16	0.320	4.5	1.1	YES
2S56LF	TROUT/WALL/PAN	5'6"	1	L	FAST	4-8	1/16 - 5/16	0.315	4.5	0.8	NO
2S60LF	TROUT/WALL/PAN	6'	1	L	FAST	4-8	1/16 - 5/16	0.330	4.5	1.0	YES
2S60LF4	TROUT/WALL/PAN	6'	4	L	FAST	4-8	1/16 - 5/16	0.310	4	1.1	YES
2S66LF	TROUT/WALL/PAN	6'6"	1	L	FAST	4-8	1/16 - 5/16	0.345	4.5	1.2	YES
2S66LF2	TROUT/WALL/PAN	6'6"	2	L	FAST	4-8	1/16 - 5/16	0.335	4.5	1.3	YES
2S86LM2	FLOAT-N-FLY	8'6"	2	L	MOD.	4-8	1/16 - 5/16	0.385	4.5	1.7	YES
2S60MLF	BASS/WALLEYE	6'	1	ML	FAST	4-10	1/8 - 1/2	0.390	5	1.4	YES
2S60MLF2	BASS/WALLEYE	6'	2	ML	FAST	4-10	1/8 - 1/2	0.445	4.5	1.7	NO
2S66MLF	BASS/WALLEYE	6'6"	1	ML	FAST	4-10	1/8 - 1/2	0.395	4.5	1.6	YES
2S66MLF2	BASS/WALLEYE	6'6"	2	ML	FAST	4-10	1/8 - 1/2	0.41	4.5	1.5	NO
2S66MLF3	BASS/WALLEYE	6'6"	3	ML	FAST	4-10	1/8 - 1/2	0.470	4	2.0	YES
2S70MLF	BASS/WALLEYE	7'	1	ML	FAST	4-10	1/8 - 1/2	0.435	5	1.8	YES
2S70MLF2	BASS/WALLEYE	7'	2	ML	FAST	4-10	1/8 - 1/2	0.485	4.5	1.9	NO
2S76MLF	BASS/WALLEYE	7'6"	1	ML	FAST	4-10	1/8 - 1/2	0.450	4.5	2.1	YES
2S56MF	BASS/WALLEYE	5'6"	1	M	FAST	6-12	1/4 - 5/8	0.440	5.5	1.1	YES
2S60MF	BASS/WALLEYE	6'	1	M	FAST	6-12	1/4 - 5/8	0.465	5	1.4	YES
2S60MF2	BASS/WALL/PIKE	6'	2	M	FAST	6-12	1/4 - 5/8	0.475	4.5	1.5	YES
2S66MF	BASS/WALL/PIKE	6'6"	1	M	FAST	6-12	1/4 - 5/8	0.495	5	1.6	YES
2S66MF2	BASS/WALL/PIKE	6'6"	2	M	FAST	6-12	1/4 - 5/8	0.530	4.5	1.8	YES
2S70MF	BASS/WALL/PIKE	7'	1	M	FAST	6-12	1/4 - 5/8	0.505	5	1.8	NO
2S70MF2	BASS/WALL/PIKE	7'	2	M	FAST	6-12	1/4 - 5/8	0.555	4.5	2.0	YES
2S70MF3	BASS/WALL/PIKE	7'	3	M	FAST	6-12	1/4 - 5/8	0.535	4.5	2.3	YES
2S60MHF	BASS/PIKE/SALT	6'	1	MH	FAST	8-14	3/8 - 3/4	0.475	6	1.7	YES
2S66MHF	BASS/PIKE/SALT	6'6"	1	MH	FAST	8-14	3/8 - 3/4	0.510	6	1.9	NO
2S66MHF2	BASS/PIKE/SALT	6'6"	2	MH	FAST	8-17	1/2 - 1	0.540	5	2.1	NO
2S70MHF	BASS/PIKE/SALT	7'	1	MH	FAST	8-14	3/8 - 3/4	0.520	6	2.2	YES
2S70HF	BASS/PIKE/SALT	7'	1	H	FAST	10-20	1/2 - 1 1/2	0.540	6	2.9	NO
2S70HF2	BASS/PIKE/SALT	7'	2	H	FAST	10-20	1/2 - 1 1/2	0.570	5	3.1	NO
2S70XHF	MUSKY/PIKE/SALT	7'	1	XH	FAST	12-25	3/4 - 2	0.580	7	3.3	YES
SC II CASTING - Color: Gloss Black Pearl Finish											
2C76LM	TROUT TROLLING	7'6"	1	L	MOD.	4-10	1/16 - 3/8	0.445	4.5	2.2	YES
2C60MLF2	BASS/WALLEYE	6'	2	ML	FAST	4-10	1/8 - 1/2	0.425	5	1.5	YES
2C66MLF	BASS/WALLEYE	6'6"	1	ML	FAST	8-14	3/16 - 5/8	0.415	5.5	2.0	YES
2C70MLF	BASS/WALLEYE	7'	1	ML	FAST	8-14	3/16 - 5/8	0.45	5.5	2.1	YES
2C56MF	BASS	5'6"	1	M	FAST	10-17	1/4 - 3/4	0.45	5.5	1.3	YES
2C60MF	BASS/WALLEYE/PIKE	6'	1	M	FAST	10-17	1/4 - 3/4	0.48	5.5	1.6	NO
2C66MF	BASS/WALLEYE/PIKE	6'6"	1	M	FAST	10-17	1/4 - 3/4	0.510	6	2.0	NO
2C66MF2	BASS/WALLEYE/PIKE	6'6"	2	M	FAST	10-17	1/4 - 3/4	0.535	4.5	1.9	YES
2C66MM	CRANKBAIT	6'6"	1	M	MOD.	8-14	1/4 - 5/8	0.42	5	1.4	YES
2C70MF	BASS/WALLEYE/PIKE	7'	1	M	FAST	10-17	1/4 - 3/4	0.52	6	2.2	NO
2C70MM	CRANKBAIT	7'	1	M	MOD.	8-14	1/4 - 5/8	0.43	5	1.5	YES
2C60MHF	BASS/PIKE/SALT	6'	1	MH	FAST	10-20	3/8 - 1	0.485	6.0	1.8	YES
2C66MHF	BASS/PIKE/SALT	6'6"	1	MH	FAST	10-20	3/8 - 1	0.540	6.5	2.2	YES
2C66MHF2	BASS/PIKE/SALT	6'6"	2	MH	FAST	10-20	3/8 - 1	0.565	5.0	2.4	YES
2C66MHM	CRANKBAIT	6'6"	1	MH	MOD.	10-20	3/8 - 1	0.445	6.0	1.9	YES
2C70MHF	BASS/PIKE/SALT	7'	1	MH	FAST	10-20	3/8 - 1	0.555	6.5	2.7	NO
2C70MHM	CRANKBAIT	7'	1	MH	MOD.	10-20	3/8 - 1	0.460	5.5	2.3	YES
2C66HF	BASS/PIKE/SALT	6'6"	1	H	FAST	12-25	1/2 - 1 1/2	0.575	6.5	3.0	YES
2C610HMF	BASS/PIKE/SALT	6'10"	1	H	MOD-FAST	12-25	1/4 - 1	0.605	6.5	2.6	YES
2C70HF	BASS/PIKE/SALT	7'	1	H	FAST	12-25	1/2 - 1 1/2	0.585	6.5	3.3	YES
2C70HF2	BASS/PIKE/SALT	7'	2	H	FAST	12-25	1/2 - 1 1/2	0.645	7.0	3.2	YES



Blanks

ITEM NO.	TYPE	LGTH.	PCS.	PWR.	ACTION	LINE WGT.	LURE WGT.	BUTT DIA.	TIP SIZE	BLANK WGT.	SPECIAL ORDER
2C70HM	CRANKBAIT	7'	1	H	MOD.	12-25	1/2 - 1 3/8	0.480	6.0	2.6	YES
2C76HF	BASS FLIPPIN'STCK	7'6"	1+	H	FAST	12-25	1/2 - 1 1/2	0.585	6.5	3.5	NO
SC II MUSKY/SALT - Color: Gloss Black Pearl Finish											
2M610MF	MUSKY/BUCK/SALT	6'10"	1	M	FAST	17-30	1/2 - 2	0.600	8	3.5	NO
2M66MHF	MUSKY/ALLPURPOSE/SALT	6'6"	1	MH	FAST	20-50	3/4 - 3	0.655	8.5	3.4	YES
2M70MHF	MUSKY/ALLPURPOSE/SALT	7'	1	MH	FAST	20-50	3/4 - 3	0.670	8.5	3.8	NO
2M70MHF2	MUSKY/ALLPURPOSE/SALT	7'	2	MH	FAST	20-50	3/4 - 3	0.600	8	3.7	YES
2M76MHF	MUSKY/ALLPURPOSE/SALT	7'6"	1	MH	FAST	20-50	3/4 - 3	0.715	7	5.4	NO
2M80MHF	MUSKY/ALLPURPOSE/SALT	8'	1	MH	FAST	20-50	3/4 - 3	0.735	7.5	5.8	YES
2M70HF2	MUSKY/JERK/SALT	7'	2	H	FAST	30-65	2-6	0.655	11	4.3	YES
2M63XHF	MUSKY/JERK/SALT	6'3"	1	XH	FAST	36-80	3-8	0.640	10	4.2	YES
2M69XHF	MUSKY/JERK/SALT	6'9"	1	XH	FAST	36-80	3-8	0.655	10.5	4.7	YES
SC II SALMON/ STEELHEAD - Color: Satin Black Finish											
2S106ULS2	NOODLE	10'6"	2	UL	SLOW	2-6	1/16 - 1/4	0.420	5.0	2.2	NO
2S90LM2	DRIFT	9'	2	L	MOD	4-8	1/8 - 3/8	0.435	5.5	2.6	YES
2S116LM2	DRIFT/FLOAT	11'6"	2	L	MOD	4-10	1/16 - 1/2	0.455	6.5	3.1	YES
2S130LM2	FLOAT	13'	2	L	MOD	2-6	1/16 - 3/8	0.470	5.0	3.3	YES
2S76MLF2	SPINNING	7'6"	2	ML	FAST	6-12	1/8 - 1/2	0.495	5.0	2.0	NO
2C106MLMF2	DRIFT	10'6"	2	ML	MOD-FAST	8-14	1/8 - 1/2	0.465	6.0	3.3	YES
2C80MXF	PLUGGING	8'	1	M	X-FAST	8-20	3/8 - 3	0.600	5.5	3.4	NO
2C86MF2	CAST/SPIN	8'6"	2	M	FAST	8-12	3/8 - 3/4	0.485	4.5	3.0	NO
2C96MF2	CAST/SPIN	9'6"	2	M	FAST	8-12	3/8 - 3/4	0.485	4.5	3.2	YES
2C106MMF2	DRIFT	10'6"	2	M	MOD-FAST	8-20	1/4 - 3/4	0.52	5.5	4.0	YES
2C86MHF2	CAST/SPIN	8'6"	2	MH	FAST	8-17	3/8 - 1 1/4	0.525	4.5	3.1	YES
2C96MHF2	CAST/SPIN	9'6"	2	MH	FAST	8-17	3/8 - 1 1/4	0.51	4.5	3.3	YES
2C80HF	BACKBOUNCING	8'	1	H	MOD-FAST	12-25	1-4	0.585	6.0	3.1	NO
2C80HF2	BACKBOUNCING	8'	2	H	FAST	15-40	3/4-3	0.75	7.0	4.8	YES
2C86HF2	CAST/SPIN	8'6"	2	H	FAST	12-25	1/2-2	0.58	6.0	3.6	YES
2C80XHF	CASTING	8'	1	XH	FAST	15-40	2-8	0.64	7.0	3.7	NO
SC II INSHORE SALTWATER - Color: Satin Green Finish											
GI70LM	SPIN/CAST	7"	1	L	MOD	6-12	1/8 - 3/8	0.415	5	1.7	NO
GI66MHF	SPINNING	6'6"	1	MH	FAST	10-20	1/2 - 1 1/2	0.505	6	2.1	NO
SC III / SC IIW SURF - Color: Matte Grey Finish											
3SRS80M	SPINNING	8'	1	M	MOD-FAST	6-17	1/2 - 2	0.695	6.5	4.3	NO
3SRS90M	SPINNING	9'	1	M	MOD-FAST	6-20	1/2 - 2 1/2	0.73	7	5.7	NO
3SRS100M	SPIN/CAST	10'	1	M	MOD-FAST	6-20	3/4 - 4	0.745	8	7.3	NO
3SRS100M2	SPIN/CAST	10'	2	M	MOD-FAST	6-20	3/4 - 4	0.81	8	8.2	NO
3SRS100MH	SPIN/CAST	10'	1	MH	MOD-FAST	10-25	2-6	0.885	9	14.0	NO
3SRS110H2	SPIN/CAST	11'	2	H	MOD-FAST	15-50	Up to 12	0.8	12	10.5	NO
SC II / SC IIW SURF - Color: Satin Black Finish											
2SRS70L	SPINNING	7'	1	L	MOD-FAST	4-8	1/4 - 5/8	0.57	5	2.4	NO
2SRS70ML	SPINNING	7'	1	ML	MOD-FAST	6-10	3/8 - 3/4	0.6	6.5	2.9	NO
2SRS70M	SPINNING	7'	1	M	MOD-FAST	8-17	1/2 - 2	0.575	7.5	3.4	YES
2SRS80M	SPINNING	8'	1	M	MOD-FAST	6-17	1/2 - 2	0.645	8	4.8	NO
2SRS86M2	SPIN/CAST	8'6"	2	M	MOD-FAST	6-17	1/2 - 2	0.84	8	5.6	NO
SC II / SC IIW SURF - Color: Satin Black Finish											
2SRS100M2	SPIN/CAST	10'	2	M	MOD-FAST	6-20	3/4 - 4	0.815	8	8.3	NO
2SRS106MH2	SPIN/CAST	10'6"	2	MH	MOD-FAST	10-25	2-6	0.88	12	12.8	NO
2SRS116MH2	SPIN/CAST	11'6"	2	MH	MOD-FAST	10-25	2-6	0.99	12	13.7	NO
2SRS106H2	SPIN/CAST	10'6"	2	H	MOD-FAST	15-30	4-8	0.885	15	12.6	NO
2SRC120XH2	CASTING	12'	2	XH	MOD-FAST	20-60	4-16	1.2	14	18.0	NO

CLEAR PLASTIC ZIPPER BAGS

Standard Duty 2.0 mil. 100 per pack.

No.	Size "	No.	Size "
Z22	2x2	Z66	6x6
Z33	3x3	Z69	6x9
Z44	4x4	Z810	8x10
Z48	4x8	Z1012	10x12
Z58	5x8	Z1212	12x12

Special order sizes available in bulk packs of 1000. Call for details.



Blanks

ITEM NO.	TYPE	LGTH.	PCS.	PWR.	ACTION	LINE WGT.	LURE WGT.	BUTT DIA.	TIP SIZE	BLANK WGT.	SPECIAL ORDER
SC I, SC II, SC IIW MULTI-DYNAMIC SALTWATER - Color: <i>Satin Black Finish</i>											
2SWC60MF	BOAT	6'	1	M	FAST	15-30	N/A	0.715	9	4.6	YES
2SWC66MF	BOAT	6'6"	1	M	FAST	15-30	N/A	0.725	9	5.3	NO
2SWC70MF	BOAT	7'	1	M	FAST	15-30	N/A	0.73	9	6.1	YES
2SWC60MHF	BOAT	6'	1	MH	FAST	20-40	N/A	0.73	11	5.5	YES
2SWC66MHF	BOAT	6'6"	1	MH	FAST	20-40	N/A	0.74	11	6.3	YES
2SWC70MHF	BOAT	7'	1	MH	FAST	20-40	N/A	0.75	11	7.1	YES
2SWS76MHF	TARPON/SPIN	7'6"	1	MH	FAST	20-40	N/A	0.71	9	7.4	NO
2SWC60HF	BOAT	6'	1	H	FAST	30-50	N/A	0.8	12	7.3	YES
2SWC66HF	BOAT	6'6"	1	H	FAST	30-50	N/A	0.83	12	8.5	NO
2SWC70HF	BOAT	7'	1	H	FAST	30-50	N/A	0.85	12	10.0	YES
2SWC76HF	TARPON	7'6"	1	H	FAST	20-50	N/A	0.71	11	7.7	YES
2SWC80HF	TARPON	8'	1	H	FAST	20-50	N/A	0.72	11	8.9	NO
SC I CRANKBAIT/TROLLING - Color: <i>Satin Black Finish</i>											
1C66MM	CRANKBAIT/BASS/WALLEYE	6'6"	1	M	MOD.	10-17	1/4 - 3/4	0.59	5.0	2.5	YES
1C70MM	CRANKBAIT/BASS/WALLEYE	7'	1	M	MOD.	10-17	1/4 - 3/4	0.595	5.0	2.8	YES
1C80MM	TROLLING	8'	1+	M	MOD.	10-20	-	0.66	7.5	4.0	YES
AVID SOLID CARBON ICE BLANK - Color: <i>Matte Grey Finish</i>											
SCB24UL	SPINNING	24"	1	UL	FAST	-	-	0.125	2.5	-	NO
SCB28UL	SPINNING	28"	1	UL	FAST	-	-	0.125	2.5	-	NO
SCB28ML	SPINNING	28"	1	ML	FAST	-	-	0.125	3.0	-	NO
SCB28M	SPINNING	28"	1	M	FAST	-	-	0.155	3.5	-	NO
SCB32M	SPINNING	32"	1	M	FAST	-	-	0.155	3.5	-	NO

Ask about our Dropship Programs

MERRICK TACKLE

SALT WATER GRAPHITE BLANKS

97% graphite, light weight, sensitive fast action one piece blank. Fast taper for better tip action. With clear finish showing the weave of the graphite material, that is gray in color. Individually placed in cellophane bags.

No.	Length	Tip Size	Butt Size
SWG601M	6'	6	.425
SWG601H	6'	6	.525
SWG661M	6'6"	6	.455
SWG661H	6'6"	6	.530
SWG701M	7'	7	.460
SWG701H	7'	8	.525
SWG761M	7'6"	8	.525
SWG761H	7'6"	8	.623

