



To see a full color chart,  
go to our website.

**AFFINITY SERIES SINGLE HANDED FLY BLANKS**

The Affinity series blanks represent the forefront of blank design utilizing all the features of the CTS blank technology program. The Affinity Series boasts CTS's "Vero Core", variable weight helical core. Born from the desire to create lighter more efficiently engineered blanks, this new helical technology starts with a super lightweight helical reinforcement at the tip and progresses to a more powerful helical that delivers the cross sectional stiffness renowned in the Affinity heritage. New for 2010 is the introduction of our super low resin systems. Utilizing materials with resin contents up to 30% less than standard materials, CTS's latest blank lineup are lighter, stronger and narrower. Increasing bending limits, response and improved casting. Thanks to our constant taper system, the Affinity Series load beautifully to deliver the punch needed for distance and accuracy

**AFFINITY MX**

High Performance Freshwater Fly  
An extremely smooth and forgiving fast action that is easy to load and delivers predictably, in short the MX provides the angler with a quicker recovery and more punch in the short to medium range  
Taper: Moderate Fast  
Action: Fast

Material: 57msi Carbon  
Core: VeroCore Carbon Helix  
Options Available: 2,3,5,6pc.  
#0-#10 Wt., 6'6"-10'

| No.         | Length | Pcs. | Weight | Weight Oz. | Butt Dia. | Tip |
|-------------|--------|------|--------|------------|-----------|-----|
| CTFSM763-4  | 7'6"   | 4    | 3      | .750       | .285      | 4.5 |
| CTFSM803-4  | 8'     | 4    | 3      | .800       | .285      | 4.5 |
| CTFSM863-4  | 8'6"   | 4    | 3      | .900       | .315      | 4.5 |
| CTFSM903-4  | 9'     | 4    | 3      | 1.01       | .325      | 4.5 |
| CTFSM764-4  | 7'6"   | 4    | 4      | .800       | .290      | 4.5 |
| CTFSM864-4  | 8'6"   | 4    | 4      | 1.01       | .315      | 4.5 |
| CTFSM904-4  | 9'     | 4    | 4      | 1.20       | .330      | 4.5 |
| CTFSM865-4  | 8'6"   | 4    | 5      | 1.12       | .335      | 4.5 |
| CTFSM905-4  | 9'     | 4    | 5      | 1.25       | .350      | 4.5 |
| CTFSM906-4  | 9'     | 4    | 6      | 1.37       | .355      | 4.5 |
| CTFSM966-4  | 9'6"   | 4    | 6      | 1.50       | .370      | 4.5 |
| CTFSM1006-4 | 10'    | 4    | 6      | 1.62       | .390      | 4.5 |
| CTFSM907-4  | 9'     | 4    | 7      | 1.50       | .370      | 4.5 |
| CTFSM1007-4 | 10'    | 4    | 7      | 1.70       | .395      | 4.5 |
| CTFSM908-4  | 9'     | 4    | 8      | 1.56       | .380      | 4.5 |
| CTFSM909-4  | 9'     | 4    | 9      | 1.68       | .390      | 4.5 |
| CTFSM9010-4 | 9'     | 4    | 10     | 1.70       | .425      | 4.5 |

**AFFINITY X**

High Performance Fast Action Fly  
Short to medium casting strokes delivering improved control and accuracy. The latest generation of our Affinity X series has a lower diameter to improve strength and agility. A delicate tip area loads the blank smoothly and quickly into the solid upper mid area making it perfect for delicate situations. Matched with a strong butt area this blank delivers plenty of power down low when needed  
Taper: Fast  
Action: Fast-Extra Fast

Material: 57msi Carbon  
Core: VeroCore Carbon Helix  
Options available: 2,3,5,6 Pc.  
0-14 Wt. ,6'6"-10'6"

| No.        | Length | Weight | Pc. | Weight Oz. | Butt Dia. | Tip |
|------------|--------|--------|-----|------------|-----------|-----|
| CTSF862-4  | 8'6"   | 2      | 4   | .930       | .300      | 3.5 |
| CTSF863-4  | 8'6"   | 3      | 4   | 1.0        | .330      | 4.0 |
| CTSF903-4  | 9'     | 3      | 4   | 1.18       | .325      | 4.0 |
| CTSF1003-4 | 10'    | 3      | 4   | 1.43       | .365      | 4.0 |
| CTSF904-4  | 9'     | 4      | 4   | 1.31       | .345      | 4.5 |
| CTSF1004-4 | 10'    | 4      | 4   | 1.56       | .375      | 4.5 |
| CTSF865-4  | 8'6"   | 5      | 4   | 1.18       | .345      | 4.5 |

| No.         | Length | Weight | Pc. | Weight Oz. | Butt Dia. | Tip |
|-------------|--------|--------|-----|------------|-----------|-----|
| CTSFX905-4  | 9'     | 5      | 4   | 1.37       | .360      | 4.5 |
| CTSFX965-4  | 9'6"   | 5      | 4   | 1.43       | .365      | 4.5 |
| CTSFX1005-4 | 10'    | 5      | 4   | 1.68       | .400      | 4.5 |
| CTSFX906-4  | 9'     | 6      | 4   | 1.50       | .370      | 4.5 |
| CTSFX966-4  | 9'6"   | 6      | 4   | 1.56       | .395      | 4.5 |
| CTSFX1006-4 | 10'    | 6      | 4   | 1.81       | .410      | 4.5 |
| CTSFX907-4  | 9'     | 7      | 4   | 1.50       | .390      | 4.5 |
| CTSFX967-4  | 9'6"   | 7      | 4   | 1.68       | .415      | 4.5 |
| CTSFX1007-4 | 10'    | 7      | 4   | 1.93       | .415      | 4.5 |
| CTSFX908-4  | 9'     | 8      | 4   | 1.68       | .395      | 4.5 |
| CTSFX1008-4 | 10'    | 8      | 4   | 2.0        | .435      | 4.5 |
| CTSFX909-4  | 9'     | 9      | 4   | 1.75       | .415      | 4.5 |
| CTSFX1009-4 | 10'    | 9      | 4   | 2.12       | .455      | 4.5 |
| CTSFX9010-4 | 9'     | 10     | 4   | 1.87       | .435      | 5.0 |
| CTSFX9012-4 | 9'     | 12     | 4   | 2.13       | .450      | 5.0 |
| CTSFX9014-4 | 9'     | 14     | 4   | 2.50       | .495      | 5.5 |

**AFFINITY SWITCH**

High Performance Fast Action Fly  
Based on our world leading Affinity X model, the Affinity X Switch has increased tip power for added line control combined with a modified mid area to aid rod loading to deliver distance to each cast.  
Taper: Moderate Fast  
Action: Moderate Fast

Material: 57msi Carbon  
Core: VeroCore Carbon Helix  
Options available: 2,3,5,6Pc.,  
5-11 Wt., 10'6"-12'

| No.          | Length | Weight | Pcs. | Weight Oz. | Butt Dia. | Tip |
|--------------|--------|--------|------|------------|-----------|-----|
| FCTSFS1065-4 | 10'6"  | 5      | 4    | 1.81       | .380      | 4.5 |
| CTSFS1066-4  | 10'6"  | 6      | 4    | 1.87       | .390      | 4.5 |
| CTSFS1067-4  | 10'6"  | 7      | 4    | 2.06       | .395      | 4.5 |
| CTSFS1068-4  | 10'6"  | 8      | 4    | 2.12       | .425      | 4.5 |
| CTSFS1109-4  | 11'    | 9      | 4    | 2.62       | .450      | 5.0 |
| CTSFS12010-4 | 12'    | 10     | 4    | 3.0        | .485      | 5.0 |

**REVO SALT**

High performance Saltwater Fly  
The new benchmark for heavy saltwater fly. This model has been designed specifically to bridge the gap between spinning and fly. We have take the lifting/fish fighting power of spin and combined this with the cast ability and presentation level of a fly blank. The Revo series has a moderate progressive upper half with the ability to load easily and smoothly. It has the lower mid power to deliver exceptional distance and low down power to really fight fish when the angler demands it.  
Taper: XX Fast  
Action: Moderate Fast

Material: 57msi Carbon  
Core: VeroCore Carbon Helix  
Options available: 2,3 Pc.,  
8-24 Wt., 8'-10'

| No.         | Length | Weight | Pcs. | Weight Oz. | Butt Dia. | Tip |
|-------------|--------|--------|------|------------|-----------|-----|
| CTSFR9010-4 | 9'     | 10     | 4    | 2.5        | .495      | 5   |
| CTSFR9012-4 | 9'     | 12     | 4    | 2.90       | .545      | 5   |
| CTSFR9014-4 | 9'     | 14     | 4    | 3.18       | .585      | 5.5 |
| CTSFR8316-3 | 8'3"   | 16     | 3    | 3.80       | .500      | 5.5 |
| CTSFR8018-3 | 8'     | 18     | 3    | 4.11       | .520      | 6.0 |

**COLORS**  
\* Standard color: matte black \* Custom colors available  
**Semi Transparent Color High Gloss:** Cobalt, Honey Brown, Golden Olive, Deep Blue, Emerald, Golden Brown, Forest Green, Charcoal, Chestnut, Olive, Silver, Golden Plum, Titanium  
**Solid Color High Gloss:** Alpine White, Jet Black, Tangerine, Candy Apple Red, Pink, Latte, Lemon  
**Satin Finish:** Satin Green, SatinOlive, Satin Blue

To see a full color chart,  
go to our website.



**VINTAGE**

High Performance Small Stream Fly  
Blending the tradition of cane actions into high performance materials the Vintage series is perfect for small streams where a delicate presentation is needed. The Vintage series has a very gentle loading action.

Taper: Moderate Slow  
Action: Moderate  
Material: 57msi Carbon  
Core: VeroCore Carbon Helix  
Options available: 2,3,5,6 Pc.  
0-6 Wt., 6'6"-9'

| No.        | Length | Weight | Pcs. | Weight Oz. | Butt Dia. | Tip |
|------------|--------|--------|------|------------|-----------|-----|
| CTSFV801-4 | 8'     | 1      | 4    | .560       | .240      | 4   |
| CTSFV762-4 | 7'6"   | 2      | 4    | .560       | .260      | 4   |
| CTSFV862-4 | 8'6"   | 2      | 4    | .750       | .270      | 4   |
| CTSFV763-4 | 7'6"   | 3      | 4    | .625       | .260      | 4   |
| CTSFV863-4 | 8'6"   | 3      | 4    | .687       | .270      | 4   |
| CTSFV764-4 | 7'6"   | 4      | 4    | .687       | .275      | 4   |
| CTSFV864-4 | 8'6"   | 4      | 4    | .875       | .295      | 4   |
| CTSFV904-4 | 9'     | 4      | 4    | 1.00       | .300      | 4   |
| CTSFV865-4 | 8'6"   | 5      | 4    | .937       | .290      | 4   |
| CTSFV905-4 | 9'     | 5      | 4    | 1.06       | .320      | 4   |

**COMPETITION FLY CASTING**

Extremely powerful distance casting fly blanks. Up to the minute designs that are currently winning competitions around the world.

Taper: Extra Fast  
Action: Extra Fast  
Material: 57msi Carbon  
Core: VeroCore Carbon Helix

| No.        | Length | Weight | Pcs. | Weight Oz. | Butt Dia. | Tip |
|------------|--------|--------|------|------------|-----------|-----|
| CTSFC963-2 | 9'6"   | 38 gr. | 2    | 3.00       | .525      | 5   |
| CTSFC964-2 | 9'6"   | 39 gr. | 2    | 3.06       | .540      | 5   |
| CTSFC965-2 | 9'6"   | 40 gr. | 2    | 3.20       | .560      | 5.5 |

**QUARTZ FLY**

Gentle Action Fly  
Smooth loading with great power. S-Glass construction enables this blank to almost bend backwards. Great for tight situations and soft presentation.

Taper: Moderate  
Action: Moderate  
Material: Un-directional S-Glass  
Options Available: 3pc,3-8 Wt.  
7'-8'6"

| No.        | Length | Weight | Pcs. | Weight Oz. | Butt Dia. | Tip |
|------------|--------|--------|------|------------|-----------|-----|
| CTSFZ764-2 | 7'6"   | 4      | 2    | 1.40       | .385      | 4.5 |
| CTSFZ804-2 | 8'     | 4      | 2    | 1.50       | .390      | 4.5 |
| CTSFZ805-2 | 8'     | 5      | 2    | 1.70       | .400      | 5   |
| CTSFZ806-2 | 8'     | 6      | 2    | 1.78       | .410      | 5   |

**AFFINITY FLOAT**

Super Light High End Center Pin Float Blank  
A series of blanks with performance and sensitivity that is in a class of its own. Sensitive fast casting action, balanced with smooth subtle loading characteristics, once hooked up makes this one of the most unique blank series on the market today. The CTS variable weight helical core greatly improves tip lightness and sensitivity. Extensive CAD has helped us engineer a very smooth loading blank

Taper: Moderate  
Action: Fast  
Material: 57msi Carbon  
Core: VeroCore Carbon Helix  
Options Available: 2 pc. 3-12 lb.  
11'-15'

| No.         | Length | Weight   | Pcs. | Weight Oz. | Butt Dia. | Tip |
|-------------|--------|----------|------|------------|-----------|-----|
| CTSFF1363-3 | 13'6"  | 4-8 lb.  | 3    | 3.12       | .455      | 4.5 |
| CTSFF1503-2 | 15'    | 4-8 lb.  | 3    | 3.80       | .490      | 4.5 |
| CTSFF1364-3 | 13'6"  | 6-10 lb. | 3    | 3.31       | .470      | 4.5 |
| CTSFF1504-3 | 15'    | 6-10 lb. | 3    | 4.25       | .490      | 4.5 |

**AFFINITY DOUBLE HANDED FLY BLANKS**

Over the past years many double handed anglers worldwide have added feedback towards the development of the present CTS Affinity two handed rods. This has resulted in a superb series of highly efficient casting and fishing tools. The Affinity series has become not only accepted, but has become well respected within the entire community of double handed anglers fishing their favorite rivers worldwide. The Affinity series of blanks represents the forefront of blank design utilizing all the features of the CTS blank technology program. Boasting CTS's 'VeroCore' variable weight helical core. Born from the desire to create lighter, more efficiently engineered blank the new helical technology starts with a super light weight helical reinforcement at the tip and progresses to a more powerful helical that delivers the cross sectional stiffness renowned in the Affinity heritage

**AFFINITY PLUS DH**

The newly released DQ taper increases tip power and loading into the butt. While the super low resins content carbons increase response and reduce weight, the classic progressive tape, flex and speed of recovery will allow efficient delivery of all contemporary two handed line systems. Skagit shooting heads and classic underhand power delivery technique will inherently require tip loading. The Affinity Plus DH tapers with a very economic stroke, utilizing only minimal applied dominant underhand power. Minimal anchor "touch and go" delivers typical of classic Scandi shooting head line systems will require utilizing only the top 2/3 of the affinity Plus DH tapers for maximum performance. The affinity plus DH tapers have the butt reserve to transfer power well into the cork when asked.

Taper: Fast Progressive  
Action: Med. Fast Progressive  
Material: 57msi Carbon  
Core: VeroCore Carbon Helix  
Options Available: 3-6 Pcs.,3/4-11/12 Lb.  
11'-18'

| No.          | Length | Weight | Pcs. | Weight Oz. | Butt Dia. | Tip |
|--------------|--------|--------|------|------------|-----------|-----|
| CTSDQ1263-4  | 12'6"  | 3-4    | 4    | 1.19       | .360      | 5   |
| CTSDQ1264-4  | 12'6"  | 4-5    | 4    | 2.56       | .375      | 5   |
| CTSDQ1165-4  | 11'6"  | 5-6    | 4    | 2.40       | .350      | 4.5 |
| CTSDQ1265-4  | 12'6"  | 5-6    | 4    | 2.87       | .375      | 5   |
| CTSDQ1305-4  | 13'    | 5-6    | 4    | 3.12       | .400      | 5   |
| CTSDQ1266-4  | 12'6"  | 6-7    | 4    | 3.06       | .400      | 5   |
| CTSDQ1306-4  | 13'    | 6-7    | 4    | 3.25       | .415      | 5   |
| CTSDQ1406-4  | 14'    | 6-7    | 4    | 3.75       | .445      | 5   |
| CTSDQ1506-4  | 15'    | 6-7    | 4    | 4.20       | .560      | 5.5 |
| CTSDQ1307-4  | 13'    | 7-8    | 4    | 3.50       | .425      | 5.5 |
| CTSDQ1367-4  | 13'6"  | 7-8    | 4    | 3.68       | .470      | 5.5 |
| CTSDQ1407-4  | 14'    | 7-8    | 4    | 4.12       | .480      | 5.5 |
| CTSDQ1507-4  | 15'    | 7-8    | 4    | 4.62       | .490      | 5.5 |
| CTSDQ1607-4  | 16'    | 7-8    | 4    | 4.90       | .505      | 5.5 |
| CTSDQ1308-4  | 13'    | 8-9    | 4    | 4.06       | .485      | 5.5 |
| CTSDQ1408-4  | 14'    | 8-9    | 4    | 4.37       | .485      | 5.5 |
| CTSDQ1409-4  | 14'    | 9-10   | 4    | 4.87       | .490      | 5.5 |
| CTSDQ1509-4  | 15'    | 9-10   | 4    | 5.43       | .530      | 5.5 |
| CTSDQ1609-4  | 16'    | 9-10   | 4    | 5.70       | .550      | 6   |
| CTSDQ15010-4 | 15'    | 10-11  | 4    | 6.37       | .565      | 6   |
| CTSDQ16010-4 | 16'    | 10-11  | 4    | 6.43       | .570      | 6   |



To see a full color chart, go to our website.

**AFFINITY SK DH**

The Affinity SK DH blanks are ideal tools for managing the sustained anchor of Skagit shooting heads with extreme sink tips in tow, they also manage all short to long belly floating classic Spey tapers with ease and will do especially well with the challenging line management of full sink classic Spey tapers. When compared to the Affinity Plus DH blanks the SK will have slightly less flex (stiffer) in the top 2/3 and have more flex (softer) in the bottom 1/3. This is done to easier manage anchor release of Skagit shooting heads with heavily grained tips with heavy flies in tow as well the release of full sink classic Spey lines. With Skagit shooting heads the Affinity SK DH tapers come to the front to manage the sustained anchor of extreme sink tips and heavily weighted flies with an absolute minimal amount of expended energy on the part of the caster. Line management of these lines is best done with a very economic short stroke and underhand dominant.

Taper: Regressed Butt; Action: Progressive; Material: 57msi Carbon  
 Core: VeroCore Carbon Helix  
 Options Available: 3,5,6 Pc.  
 4/5-10/11 #,11'-16'

| No.         | Length | Weight | Pcs. | Weight Oz. | Butt Dia. | Tip |
|-------------|--------|--------|------|------------|-----------|-----|
| CTSDK1265-4 | 12'6"  | 5-6    | 4    | 2.75       | .380      | 5   |
| CTSDK1306-4 | 13'    | 6-7    | 4    | 3.37       | .435      | 5   |
| CTSDK1406-4 | 14'    | 6-7    | 4    | 3.50       | .450      | 5   |
| CTSDK1267-4 | 12'6"  | 7-8    | 4    | 3.37       | .410      | 5   |
| CTSDK1307-4 | 13'    | 7-8    | 4    | 3.81       | .440      | 5   |
| CTSDK1367-4 | 13'6"  | 7-8    | 4    | 4.06       | .470      | 5   |
| CTSDK1407-4 | 14'    | 7-8    | 4    | 4.18       | .490      | 5   |
| CTSDK1368-4 | 13'6"  | 8-9    | 4    | 4.31       | .500      | 5   |
| CTSDK1508-4 | 15'    | 8-9    | 4    | 5.05       | .510      | 5   |
| CTSDK1369-4 | 13'6"  | 9-10   | 4    | 4.50       | .500      | 5   |
| CTSDK1409-4 | 14'    | 9-10   | 4    | 4.81       | .515      | 5   |
| CTSDK1509-4 | 15'    | 9-10   | 4    | 5.30       | .545      | 5.5 |

**SALMON/STEELHEAD**

Constructed with out highest modulus carbons to keep the profile and weight to a minimum. The Isometric extra fast action loads incredibly quickly to an even full flexing butt with a smooth loading large arc.

Taper: Isometric; Action: Extra Fast; Material: 57msi Carbon  
 Core: VeroCore Carbon Helix  
 Options Available: 3,4 Pc.  
 8'-11'

| No.          | Length | Pcs. | Rating    | Blank Oz. | Butt Dia. | Tip |
|--------------|--------|------|-----------|-----------|-----------|-----|
| CTSEST801-2  | 8'     | 2    | 1/8 - 1   | 1.43      | .360      | 5   |
| CTSEST901-2  | 9'     | 2    | 1/8 - 1   | 1.75      | .375      | 5   |
| CTSEST1001-2 | 10'    | 2    | 1/8 - 1   | 2.18      | .415      | 5   |
| CTSEST702-2  | 7'     | 2    | 1/2 - 1.5 | 1.25      | .350      | 5   |
| CTSEST802-2  | 8'     | 2    | 1/2 - 1.5 | 1.75      | .360      | 5   |
| CTSEST902-2  | 9'     | 2    | 1/2 - 1.5 | 2.06      | .400      | 5   |
| CTSEST1002-2 | 10'    | 2    | 1/2 - 1.5 | 2.50      | .425      | 5.5 |
| CTSEST703-2  | 7'     | 2    | 3/4 - 2   | 1.62      | .380      | 5   |
| CTSEST803-2  | 8'     | 2    | 3/4 - 2   | 1.87      | .390      | 5   |
| CTSEST903-2  | 9'     | 2    | 3/4 - 2   | 2.10      | .410      | 5.5 |
| CTSEST903-4  | 9'     | 4    | 3/4 - 2   | 2.21      | .430      | 5.5 |
| CTSEST1003-2 | 10'    | 2    | 3/4 - 2   | 3.00      | .455      | 5.5 |
| CTSEST804-2  | 8'     | 2    | 1 - 2 1/2 | 2.10      | .415      | 5.5 |
| CTSEST904-2  | 9'     | 2    | 1 - 2 1/2 | 2.56      | .450      | 5.5 |
| CTSEST1004-2 | 10'    | 2    | 1 - 2 1/2 | 3.10      | .475      | 5.5 |
| CTSEST805-2  | 8'     | 2    | 1 1/2 - 3 | 2.31      | .430      | 5.5 |
| CTSEST905-2  | 9'     | 2    | 1 1/2 - 3 | 2.80      | .460      | 5.5 |
| CTSEST905-4  | 9'     | 4    | 1 1/2 - 3 | 3.06      | .470      | 5.5 |
| CTSEST1005-2 | 10'    | 2    | 1 1/2 - 3 | 3.50      | .510      | 6   |
| CTSEST1105-2 | 11'    | 2    | 1 1/2 - 3 | 3.93      | .525      | 6   |
| CTSEST906-2  | 9'     | 2    | 2 - 4     | 3.43      | .500      | 5.5 |
| CTSEST966-2  | 9'6"   | 2    | 2-4       | 3.93      | .510      | 5.5 |
| CTSEST1006-2 | 10'    | 2    | 2-4       | 4.25      | .530      | 7   |
| CTSEST1106-2 | 11'    | 2    | 2-4       | 5.00      | .585      | 6   |

**VAPORTRAIL**

Long Distance, Lightweight

This series features the slower rod action that many Northeast anglers prefer but does it with an incredible blend of lightweight high modulus carbons in an extremely thin profile blank. These rods load evenly in that familiar smooth and forgiving arc while having a flexible tip that provides the ability to work Poppers, Swimmers and bucktails well. The extremely thin taper cuts effortlessly through the wind often encountered casting from the beaches and rock piles of the Striper Coast. The high modulus carbon blend with no woven fiber adds casting performance never before experienced in slower action rods. These rods surpass the performance of the legendary GSB series while being lighter in the hand. Given their very thin diameter these blanks have an amazing amount of reserve power. These rods do not collapse under a powerful cast and their pulling power can turn the most powerful fish in the strongest undertow. These rods are rated precisely and perform very well even at the extremes of their ratings and surprisingly cast below their ratings with authority.

Taper: Moderate  
 Action: Moderate  
 Material: 57msi Carbon  
 Core: VeroCore Carbon Helix  
 Options Available: 3pc, 13'

| No.         | Length | Pcs. | Rating | Blank Oz. | Butt Dia. | Tip |
|-------------|--------|------|--------|-----------|-----------|-----|
| CTSVT1108-2 | 11'    | 2    | 2-4    | 6.2       | .610      | 6.5 |
| CTSVT1108-1 | 11'    | 1    | 1-3    | 5.9       | .640      | 6.5 |
| CTSVT1109-2 | 11'    | 2    | 3-6    | 8.1       | .660      | 6.5 |
| CTSVT1109-1 | 11'    | 1    | 3-6    | 7.2       | .690      | 7   |
| CTSVT1110-2 | 11'    | 2    | 4-8    | 8.6       | .700      | 8   |
| CTSVT1208-2 | 12'    | 2    | 2-4    | 7.2       | .648      | 7   |
| CTSVT1209-2 | 12'    | 2    | 3-6    | 8.8       | .680      | 7   |
| CTSVT1210-2 | 12'    | 2    | 4-8    | 10.0      | .700      | 7.5 |

**S8 SURF**

High Performance Surf

The S8 Surf series is the lightest, most powerful long range casting blanks in the world today. These blanks feature a zoned action; the butt is stiff and tapers into a moderate midsection and then a fast action tip. This design transfers all the power you put into the cast efficiently to your payload. The Surf series excels at casting plugs and poppers at large predatory fish and has become a favorite of many who chase Roosters and Jacks on Mexican beaches. Metals are put in orbit and schools on the far side of the bar are no longer safe. The S8 works well built as spinners or conventional and the heavier rated rods perform extremely well as weight and bait heavers targeting stripers, drum and sharks.

Taper: Extra Fast  
 Action: Fast  
 Material: 57msi Carbon  
 Core: VeroCore Carbon Helix  
 Options Available: 3,4,5pc. 11'-14'3" 16oz. rating.

| No.         | Length | Pcs. | Rating | Blank Oz. | Butt Dia. | Tip |
|-------------|--------|------|--------|-----------|-----------|-----|
| CTSSE1061-2 | 10'6"  | 2    | 1-4    | 7.2       | .852      | 8   |
| CTSSE1101-2 | 11'    | 2    | 2-4    | 9.3       | .848      | 8   |
| CTSSE1102-2 | 11'    | 2    | 3-6    | 10.0      | .877      | 9   |
| CTSSE1160-2 | 11'6"  | 2    | 1-3    | 8.2       | .887      | 8   |
| CTSSE1160-5 | 11'6"  | 5    | 1-3    | 8.9       | .690      | 8   |
| CTSSE1200-2 | 12'    | 2    | 1-3    | 8.4       | .890      | 7.5 |
| CTSSE1201-2 | 12'    | 2    | 2-4    | 10.5      | .910      | 9   |
| CTSSE1202-2 | 12'    | 2    | 3-6    | 12.5      | .908      | 10  |
| CTSSE1203-2 | 12'    | 2    | 5-8    | 13.5      | .910      | 10  |
| CTSSE1204-2 | 12'    | 2    | 8-12   | 14.4      | .910      | 10  |
| CTSSE1205-2 | 12'    | 2    | 10-14  | 15.5      | .900      | 10  |
| CTSSE1260-2 | 12'6"  | 2    | 1-3    | 10.0      | .895      | 8   |
| CTSSE1261-2 | 12'6"  | 2    | 2-4    | 11.5      | .925      | 9   |
| CTSSE1362-2 | 13'6"  | 2    | 3-6    | 14.0      | .925      | 9   |
| CTSSE1363-2 | 13'6"  | 2    | 5-8    | 12.6      | .900      | 9   |
| CTSSE1364-2 | 13'6"  | 2    | 8-12   | 15.0      | .922      | 10  |
| CTSSE1365-2 | 13'6"  | 2    | 10-14  | 16.2      | .922      | 10  |

To see a full color chart,  
go to our website.



**S7 SURF**

Based on our world leading S8 series, the S7 is an easier casting more moderate action blank. Superlight carbon blank with the CTS helical core in the tip section and a sturdy carbon/glass butt. Narrow tip diameter for minimum wind resistance. This blank is a bait fisherman's dream.

Taper: Fast

Action: Moderate fast

Material: 33msi carbon tip/33msi carbon/glass butt

Core: VeroCore Carbon Helix

| No.         | Length | Pc. | Rating | Blank Oz. | Butt Dia. | Tip |
|-------------|--------|-----|--------|-----------|-----------|-----|
| CTSSV1102-2 | 11'    | 2   | 3-6    | 7.7       | .855      | 8   |
| CTSSV1103-2 | 11'    | 2   | 5-8    | 8.1       | .855      | 8.5 |
| CTSSV1104-2 | 11'    | 2   | 6-10   | 9.6       | .900      | 9   |
| CTSSV1202-2 | 12'    | 2   | 3-6    | 9.8       | .855      | 8.5 |
| CTSSV1203-2 | 12'    | 2   | 5-8    | 10.4      | .900      | 9   |
| CTSSV1204-2 | 12'    | 2   | 6-10   | 12.1      | .900      | 9   |
| CTSSV1304-2 | 13'    | 2   | 6-10   | 15-2      | .977      | 9   |
| CTSSV1305-2 | 13'    | 2   | 8-12   | 16-0      | .987      | 9   |

**SURF & JETTY**

The SJ series was designed with the northeast fisherman in mind. Constructed from 44msi carbon these blanks are extremely light for what they are capable of handling, whether you are throwing a lure or working a bucktail on your favorite rock the PJ series of blanks are the perfect choice. Now available are five one piece models for the angler that demands a state of the art one piece blank in 9' & 10' models.

Taper: Fast

Action: Mod-Fast

Material: 44msi Carbon Blend

Core: VeroCore Carbon Helix

| No.         | Length | Pc. | Rating      | Blank Oz. | Butt Dia. | Tip |
|-------------|--------|-----|-------------|-----------|-----------|-----|
| CTSCB800-2  | 8'     | 2   | 1/2 - 1 5/8 | 2.6       | .480      | 6   |
| CTSCB901-2  | 9'     | 2   | 3/4 - 2     | 4.0       | .560      | 6.5 |
| CTSCB901-1  | 9'     | 1   | 3/4 - 2     | 5.5       | .675      | 6   |
| CTSCB903-2  | 9'     | 2   | 2 - 4       | 5.4       | .650      | 7   |
| CTSCB903-1  | 9'     | 1   | 2 - 4       | 6.5       | .785      | 7   |
| CTSCB905-1  | 9'     | 1   | 3 - 6       | 7.5       | .795      | 7.5 |
| CTSCB1001-2 | 10'    | 2   | 1 - 3       | 4.7       | .545      | 7   |
| CTSCB1003-2 | 10'    | 2   | 2 - 4       | 6.2       | .790      | 7   |
| CTSCB1003-1 | 10'    | 1   | 2 - 4       | 7.5       | .844      | 7   |
| CTSCB1005-2 | 10'    | 2   | 3 - 6       | 8.4       | .835      | 8   |
| CTSCB1005-1 | 10'    | 1   | 3 - 6       | 9.4       | .874      | 7.5 |
| CTSCB1006-2 | 10'    | 2   | 4 - 8       | 9.0       | .928      | 9   |

**INSHORE**

The Inshore line up is quickly becoming a huge hit with the Long Island crowd. The BS702 & 3 are perfect for targeting double digit fluke, Porgies and Sea Bass. The BS703 & 4 are the go to rod for chasing striper's in the inshore waters on the East coast. The BS705 & 6 have the strength to handle anything that

Taper: Fast

Action: Fast

Material: 33msi Carbon

Core: VeroCore Carbon Helix

| No.      | Length | Line Wt. | Lure          | Power   | Blank Oz. | Butt Dia. | Tip |
|----------|--------|----------|---------------|---------|-----------|-----------|-----|
| CTSBS702 | 7'     | 12-15    | 1/2 - 2       | Lt.     | 3.6       | .590      | 6   |
| CTSBS703 | 7'     | 15-20    | 7/8 - 2 1/2   | Med.    | 3.8       | .700      | 6.5 |
| CTSBS704 | 7'     | 20-30    | 1 - 3 1/4     | Med-Hvy | 4.4       | .685      | 6.5 |
| CTSBS705 | 7'     | 30-50    | 1 1/4 - 4 1/4 | Hvy.    | 5.5       | .725      | 7   |
| CTSBS706 | 7'     | 50-80    | 1 5/8 - 5 3/4 | X-Hvy   | 6.5       | .658      | 7   |

**TUNA JIGGING**

The Tuna Jigging series features a moderate taper design with a stiffer tip for a responsive jigging action designed for braided line. Super smooth loading mid section progressive through to the butt. The lighter models are becoming extremely popular with the inshore striped bass hunters with

there moderate action. They perform exceptional with today's rubber baits.

Taper: Medium

Action: Moderate

Material: 33msi Carbon

Core: VeroCore Carbon Helix

| No.      | Length | Lure Gr. | Power   | Blank Oz. | Butt Dia. | Tip |
|----------|--------|----------|---------|-----------|-----------|-----|
| CTSBJ562 | 5'6"   | 80-170   | Med     | 2.6       | .465      | 7.5 |
| CTSBJ563 | 5'6"   | 120-220  | Med-Hvy | 3.3       | .460      | 8   |
| CTSBJ564 | 5'6"   | 180-330  | Hvy     | 4.0       | .490      | 8.5 |
| CTSBJ565 | 5'6"   | 250-450  | X-Hvy   | 4.8       | .530      | 9   |
| CTSBJ702 | 7'     | 80-170   | Med     | 4.4       | .540      | 8   |
| CTSBJ703 | 7'     | 120-220  | Med-Hvy | 4.9       | .560      | 8   |
| CTSBJ704 | 7'     | 180-330  | Hvy     | 5.5       | .580      | 9   |
| CTSBJ705 | 7'     | 250-450  | X-Hvy   | 7.0       | .630      | 9   |

**SEAMASTER POPPER  
BLUE WATER POPPING**

The Seamaster popping series features a smooth loading design perfect for casting and working poppers with a progressive transition to a powerful butt. Manufactured with a combination of high modulus carbons & satin weave eglass in conjunction with the CTS VeroCore Helix makes this series some of the slimmest, lightest and strongest on the market today.

Taper: Medium Fast

Action: Moderate

Material: 33msi Carbon/E-Glass Blend

Core: VeroCore Carbon Helix

| No.         | Length | Lure Gr. | Power  | Blank Wt. | Butt Dia. | Tip |
|-------------|--------|----------|--------|-----------|-----------|-----|
| CTSBO764-2  | 7'6"   | 75-120   | Hvy    | 7.6       | .680      | 9   |
| CTSBO805-2  | 8'     | 100-150  | X-Hvy  | 8.8       | .695      | 9   |
| CTSBO-806-2 | 8'     | 130-200  | XX-Hvy | 12.8      | .695      | 10  |

**GAMEMASTER STROKER**

Taper: Extra Fast

Action: Fast

Material: 33msi Carbon/Glass Blend

| No.      | Length | Class | Power  | Blank Wt. | Butt Dia. | Tip |
|----------|--------|-------|--------|-----------|-----------|-----|
| CTSBG563 | 5'6"   | 30lb. | Hvy    | 8.12      | .815      | 24  |
| CTSBG564 | 5'6"   | 50lb. | X-Hvy  | 11.58     | .900      | 26  |
| CTSBG604 | 6'     | 50lb. | X-Hvy  | 12.0      | .980      | 29  |
| CTSBG565 | 5'6"   | 80lb. | XX-Hvy | 12.1      | .900      | 29  |

**GAMEMASTER CHAIR**

Taper: Extra Fast

Action: Moderate Fast

Material: 33msi Carbon/Glass Blend

| No.      | Length | Class | Power   | Blank Wt. | Butt Dia. | Tip |
|----------|--------|-------|---------|-----------|-----------|-----|
| CTSBH565 | 5'6"   | 80    | X-Hvy   | 13.0      | .985      | 16  |
| CTSBH566 | 5'6"   | 100   | XX-Hvy  | 13.5      | .985      | 17  |
| CTSBH567 | 5'6"   | 130   | XXX-Hvy | 15.6      | 1.00      | 18  |

**GAMEMASTER LEVER**

**STAND-UP SHORT STROKER-EXTRA FAST ACTION**

The Gamemaster Stroker series features a softer tip for excellent shock absorption locking into a powerful mid section and a exceptionally powerful butt. Our advanced glass construction maintains rod straightness, enhances rod response and maintains rod action over many years of use.

Taper: Super Fast

Action: Extra Fast

Material: 33msi Carbon/Glass Blend

| No.      | Length | Class  | Power   | Blank Wt. | Butt Dia. | Tip |
|----------|--------|--------|---------|-----------|-----------|-----|
| CTSBG403 | 4'     | 30lb.  | Hvy     | 6.90      | .830      | 24  |
| CTSBG404 | 4'     | 50lb.  | X-Hvy   | 7.10      | .840      | 27  |
| CTSBG405 | 4'     | 80lb.  | XX-Hvy  | 7.85      | .889      | 30  |
| CTSBG407 | 4'     | 130lb. | XXX-Hvy | 8.80      | .970      | 33  |





To see a full color chart, go to our website.

**ELITE SERIES**

The Elite series of blanks are at the forefront in design technology, Boasting CTS's 57msi MRT Technology. Born from the desire to create lighter more efficiently engineered blanks, this new layup process allows us to entirely change the material used in different areas of a 1pc. blank. Also incorporated is our VeroCore, Varribile weight helical core. This helical technology starts with a super light weight helical reinforcement at the tip and progresses to a more powerful helical that delivers the cross sectional stiffness that enhances blank response and feedback. The unique triple taper system in the Elite series starts at the mandrel design and is then finished off at our layup process where no fewer than three different grades of carbon complete the blank. This taper system provides sensitive tips, beautiful transmitting mid areas and super powerful butt. New for 2010 is the introduction of our super low resin systems. Utilizing materials with resin contents up to 30% less than standard materials, CTS's latest blank lineup are lighter, stronger and narrower. Increasing bending limits, response and improved casting. Simply put, the Elite series is packed full of technology to provide blanks unmatched for power, weight and precision.

**ELITE MAG**

The Elite Mag series combines the finesse of a sensitive smooth action tip with superb butt power to cover most light line fishing demands. This series is un-surpassed and has a perfect balance between weight, power and sensitivity.

Taper: Fast  
 Action: Extra Fast  
 Material: 57msi Carbon  
 Core: VeroCore Carbon Helix  
 Options Available: 2,3 Pc., 5'6"-7'6"

| No.         | Length | Lure       | Blank Wt. | Butt Dia. | Tip |
|-------------|--------|------------|-----------|-----------|-----|
| CTSES6600   | 6'6"   | 1/16 - 1/8 | .880      | .310      | 4   |
| CTSES6600-3 | 6'6"   | 1/16 - 1/8 | .895      | .320      | 4   |
| CTSES660    | 6'6"   | 1/8 - 1/4  | .910      | .330      | 4   |
| CTSES700    | 7'     | 1/8 - 1/4  | 1.0       | .345      | 4   |

| No.        | Pcs. | Length | Lure        | Blank Wt. | Butt Dia. | Tip |
|------------|------|--------|-------------|-----------|-----------|-----|
| CTSES661   | 1    | 6'6"   | 1/8 - 3/8   | 1.0       | .360      | 4.5 |
| CTSES662   | 1    | 6'6"   | 1/8 - 3/8   | 1.27      | .370      | 4.5 |
| CTSES663   | 1    | 6'6"   | 1/4 - 1/2   | 1.37      | .405      | 5   |
| CTSES703   | 1    | 7'     | 1/4 - 1/2   | 1.56      | .430      | 5   |
| CTSES664   | 1    | 6'6"   | 1/4 - 3/4   | 1.50      | .435      | 5   |
| CTSES664-3 | 3    | 6'6"   | 1/4 - 3/4   | 1.54      | .430      | 5   |
| CTSES704   | 1    | 7'     | 1/4 - 3/4   | 1.68      | .455      | 5   |
| CTSES565   | 1    | 5'6"   | 3/8 - 1     | 1.62      | .425      | 5.5 |
| CTSES605   | 1    | 6'     | 3/8 - 1     | 1.62      | .435      | 5.5 |
| CTSES665   | 1    | 6'6"   | 3/8 - 1     | 1.75      | .460      | 5.5 |
| CTSES705   | 1    | 7'     | 3/8 - 1     | 2.06      | .485      | 5.5 |
| CTSES566   | 1    | 5'6"   | 5/8 - 1 1/4 | 1.87      | .455      | 6   |
| CTSES606   | 1    | 6'     | 5/8 - 1 1/4 | 1.90      | .470      | 6   |
| CTSES666   | 1    | 6'6"   | 5/8 - 1 1/4 | 2.00      | .485      | 6   |
| CTSES706   | 1    | 7'     | 5/8 - 1 1/4 | 2.31      | .515      | 6   |
| CTSES567   | 1    | 5'6"   | 3/4 - 2     | 1.97      | .462      | 6   |
| CTSES607   | 1    | 6'     | 3/4 - 2     | 2.12      | .475      | 6   |
| CTSES667   | 1    | 6'6"   | 3/4 - 2     | 2.37      | .525      | 6.5 |
| CTSES707   | 1    | 7'     | 3/4 - 2     | 2.75      | .525      | 6.5 |

**ELITE SLOW JIG**

Elite Slow Jig series has an easy loading stiffer tip, smooth lock up and moderate taper. Works great for fishing soft baits in deep water. This series is great for smooth bait presentation with a gentle positive lock up with power to fight larger fish. The 12-20lb. & 15-30lb. are excellent flippin & pitching blanks.

Taper: Medium  
 Action: Moderate/Fast  
 Material: 57msi Carbon  
 Core: VeroCore Carbon Helix  
 Options Available: 2,3 Pc., 5'6"-7'6"

| No.        | Pcs. | Length | Lure        | Blank Wt. | Butt Dia. | Tip |
|------------|------|--------|-------------|-----------|-----------|-----|
| CTSEM601   | 1    | 6'     | > - 1/4     | 1.00      | .380      | 5   |
| CTSEM661   | 1    | 6'6"   | > - 1/4     | 1.06      | .390      | 5   |
| CTSEM701   | 1    | 7'     | > - 1/4     | 1.19      | .402      | 5   |
| CTSEM701-2 | 2    | 7'     | > - 1/4     | 1.31      | .415      | 5   |
| CTSEM662   | 1    | 6'6"   | > - 3/8     | 1.06      | .398      | 5   |
| CTSEM702   | 1    | 7'     | > - 3/8     | 1.20      | .410      | 5   |
| CTSEM702-2 | 2    | 7'     | > - 3/8     | 1.56      | .425      | 5   |
| CTSEM663   | 1    | 6'6"   | 1/4 - 1/2   | 1.25      | .445      | 5.5 |
| CTSEM703   | 1    | 7'     | 1/4 - 1/2   | 1.62      | .465      | 5.5 |
| CTSEM703-2 | 2    | 7'     | 1/4 - 1/2   | 1.74      | .473      | 5.5 |
| CTSEM763   | 1    | 7'6"   | 1/4 - 1/2   | 1.83      | .485      | 5.5 |
| CTSEM763-2 | 2    | 7'6"   | 1/4 - 1/2   | 2.06      | .480      | 5.5 |
| CTSEM664   | 1    | 6'6"   | 1/4 - 3/4   | 1.62      | .485      | 5.5 |
| CTSEM664-2 | 2    | 6'6"   | 1/4 - 3/4   | 1.56      | .455      | 5.5 |
| CTSEM704   | 1    | 7'     | 1/4 - 3/4   | 1.79      | .487      | 5.5 |
| CTSEM704-2 | 2    | 7'     | 1/4 - 3/4   | 1.89      | .480      | 5.5 |
| CTSEM764   | 1    | 7'6"   | 1/4 - 3/4   | 2.01      | .495      | 5.5 |
| CTSEM764-2 | 2    | 7'6"   | 1/4 - 3/4   | 2.18      | .500      | 5.5 |
| CTSEM804-2 | 2    | 8'     | 1/4 - 3/4   | 2.47      | .540      | 5.5 |
| CTSEM665   | 1    | 6'6"   | 1/4 - 1     | 1.62      | .475      | 5.5 |
| CTSEM665-2 | 2    | 6'6"   | 1/4 - 1     | 1.90      | .490      | 5.5 |
| CTSEM705   | 1    | 7'     | 1/4 - 1     | 1.75      | .505      | 5.5 |
| CTSEM705-2 | 2    | 7'     | 1/4 - 1     | 2.08      | .500      | 6   |
| CTSEM765   | 1    | 7'6"   | 1/4 - 1     | 1.95      | .500      | 6   |
| CTSEM766   | 1    | 7'6"   | 5/8 - 1 1/4 | 2.56      | .545      | 6   |
| CTSEM766-2 | 2    | 7'6"   | 5/8 - 1 1/4 | 2.90      | .567      | 6   |

**ELITE ULTRAFINE**

The UltraFine series features a super light tip for bite detection, moderate lock up and a smooth transition the butt. Excellent for applications where a delicate presentation and power upon hook up is needed.

Taper: Moderate  
 Action: Moderate Fast  
 Material: 57msi Carbon  
 Core: VeroCore Carbon Helix  
 Options Available: 2,3 Pc., 6'-7'6"

| No.        | Pcs. | Length | Lure       | Blank Wt. | Butt Dia. | Tip |
|------------|------|--------|------------|-----------|-----------|-----|
| CTSEU700-2 | 2    | 7'     | 1/32 - 1/8 | .750      | .320      | 4   |
| CTSEU701-2 | 2    | 7'     | 1/16 - 1/4 | .980      | .330      | 4   |
| CTSEU802-2 | 2    | 8'     | 1/8 - 1/4  | 1.21      | .385      | 4   |

**ELITE SD**

The Elite SD series has a super sensitive tip area to detect the finest of strikes. The mid area is progressive loading to the butt section evenly for greater casting distance. Based on our finesse style system the SD is perfect for working small lures off the beach or rocks.

Taper: Moderate  
 Action: Fast  
 Material: 57msi Carbon  
 Core: VeroCore Carbon Helix  
 Options Available: 3, 4 Pc., 8'-10'

| No.         | Pcs. | Length | Lure        | Blank Wt. | Butt Dia. | Tip |
|-------------|------|--------|-------------|-----------|-----------|-----|
| CTSSD901-2  | 2    | 9'     | 1/4 - 5/8   | 1.80      | .445      | 4.5 |
| CTSSD961-2  | 2    | 9'6"   | 1/4 - 5/8   | 2.18      | .445      | 4.5 |
| CTSSD802-2  | 2    | 8'     | 3/8 - 1     | 1.80      | .435      | 4.5 |
| CTSSD902-2  | 2    | 9'     | 3/8 - 1     | 2.20      | .465      | 4.5 |
| CTSSD803-2  | 2    | 8'     | 3/8 - 1 1/4 | 2.12      | .450      | 5   |
| CTSSD903-2  | 2    | 9'     | 3/8 - 1 1/4 | 2.58      | .490      | 5   |
| CTSSD704-2  | 2    | 7'     | 1/2 - 1 5/8 | 1.80      | .445      | 5   |
| CTSSD804-2  | 2    | 8'     | 1/2 - 1 5/8 | 2.50      | .465      | 5   |
| CTSSD904-2  | 2    | 9'     | 1/2 - 1 5/8 | 3.08      | .530      | 5   |
| CTSSD805-2  | 2    | 8'     | 3/4 - 2     | 2.75      | .525      | 5   |
| CTSSD905-2  | 2    | 9'     | 3/4 - 2     | 3.75      | .550      | 5   |
| CTSSD1005-2 | 2    | 10'    | 3/4 - 2     | 4.25      | .555      | 5   |
| CTSSD906-2  | 2    | 9'     | 1 - 3       | 4.80      | .560      | 6   |