

Blank Action & Warranty




BLANK ACTION - PACBAY blanks incorporate several blank actions based on category and usage. They extend from the “slow action” which has a progressive deflection from tip to butt, a “moderate action” which will deflect in the upper 1/2 , “fast action” deflecting in the upper 1/3, and “extra fast action” which deflects in the upper 1/4 of the blank. (refer to PB blank action chart)

POWER RATINGS - All **PACBAY** blanks have been rated for power using the established industry parameters for line class according to categorical applications. Some examples would be power ratings of 0 to 6 for spinning and casting applications. Light, medium, and heavy for saltwater as well as specific line class ratings denoted in the actual model numbers.

LINE RANGE - All **PACBAY** blanks have been evaluated and assigned a range of line test ratings that allow the blank and line to perform at their best. There may be many variables determining optimum performance according to application, however, each blank’s ideal line rating would fall in the middle of the suggested range.

FLY LINE RATINGS - All of **PACBAY**’s fly rod blanks have been rated for use with weight forward fly lines, however double taper lines will apply as well. Each blank has been designed to cast a specific line weight, however, angler preference according to casting style or fishing application may determine a need to use a line weight up or down for ideal usage.

***quickLine** **DATA** - Please note that the data provided for the Quickline blanks is based on the Common Cents System and is not subject to the definitions above. The terms used by the Common Cents System are objective and are defined, in detail, at the link listed below.
<http://www.common-cents.info/>



Rod Blanks

PACBAY Blank LIFETIME WARRANTY

Since most blanks will change hands at least once after their original sale, PacBay’s warranty is transferable from rod builder to angler(s) and will cover workmanship and material defects for the life of the blank. Any blank you feel to be defective should be returned, at your expense, to PacBay. Upon careful examination, any blank found to be defective will be replaced. As each multi-piece ferrule is custom fit, it is necessary to return all sections for warranty consideration. Please have all components removed prior to returning the blank, as we assume no responsibility for their loss. All returned blanks will be disposed. Handling Fee: There is a \$20.00 handling fee per blank replacement payable by check, money order, or credit card.

Warranty does not cover:

- A. Consequential or incidental damages such as the loss of fishing reel, components or rod customizing and assembly expenses affecting finished rod cost.
- B. Damage due to misuse, neglect or normal wear and tear.
- C. Damage caused to the blank during rod assembly or resulting from improper assembly, such as over-tight thread wraps, improper spline locating technique, etc.
- D. Additions or modifications to the blank such as shortening, sectioning or tip top sizing.
- E. Any blank built into a rod for which it was not intended, such as: a fly blank built into a spinning rod.

This warranty provides specific legal rights and you may have other rights which vary from state to state.

Your Dealer is not Authorized to Make Repairs or Replacements under this Warranty

All PacBay replacements will be made with the same PacBay blank model as the one returned, or if no longer available, with the closest PacBay blank in action and/or value.



Quickline Premium Rod Blanks



GLOSS BLACK - The Quickline series of rod blanks is lighter and more sensitive than anything we have offered before, providing premium performance and craftsmanship to rod builders who require the very best. In addition to some time honored lengths and actions there are also application specific models offered as well. Try one yourself and see why Quickline is the new flagship of our rod blank lineup.

Item#	Description	Weight (ounces)	Butt Dia. (inches)	Tip Size (64ths)	Intrinsic Power* (ERN for fly, grams for non-fly)	AA* (action angle)	CCF* (frequency for fly blanks)
FAF904-4	QUICKLINE 9'0" 4pc 4weight	1.3	.34	3.5	5.5	72	86
FAF905-4	QUICKLINE 9'0" 4pc 5weight	1.5	.34	4.0	6.76	72	89
FAF906-4	QUICKLINE 9'0" 4pc 6weight	1.6	.35	4.0	7.15	70	89
FAF907-4	QUICKLINE 9'0" 4pc 7weight	1.6	.36	4.0	7.9	69	92
FAF908-4	QUICKLINE 9'0" 4pc 8weight	1.9	.38	4.5	9.16	67	91
FAF909-4	QUICKLINE 9'0" 4pc 9weight	1.9	.38	4.5	10.7	68	94
FAF9010-4	QUICKLINE 9'0" 4pc 10weight	2.0	.38	5.0	11.8	66	95
FAF1004-4	QUICKLINE 10'0" 4pc 4weight (Czech Nymph)	1.7	.39	4.0	5.2	68	85
FAF1005-4	QUICKLINE 10'0" 4pc 5weight (Czech Nymph)	1.9	.39	4.0	6.49	71	83
FASW1106-4	QUICKLINE 11'0" 4pc 6weight (Switch)	2.2	.40	4.0	6.62	70	79
FASW1107-4	QUICKLINE 11'0" 4pc 7weight (Switch)	2.1	.40	4.0	7.15	71	79
FASW1108-4	QUICKLINE 11'0" 4pc 8weight (Switch)	2.3	.40	4.0	7.9	71	84
FASY1409-4	QUICKLINE 14'0" 4pc 9weight (Spey)	5.5	.65	4.5	15.3	82	63
FASY1510-4	QUICKLINE 15'0" 4pc 10weight (Spey)	6.6	.70	4.5	14.69	77	65
QLMBC782	QUICKLINE MAG BASS BLANK 6'6" MEDIUM	1.8	.425	4.5	547.7	75	
QLMBC783	QUICKLINE MAG BASS BLANK 6'6" MED-HEAVY	2.1	.440	5.0	656.6	73	
QLMBC784	QUICKLINE MAG BASS BLANK 6'6" MED-HEAVY	2.2	.450	5.5	770.0	75	
QLMBC785	QUICKLINE MAG BASS BLANK 6'6" HEAVY	2.7	.450	5.0	812.3	76	
QLMBC843	QUICKLINE MAG BASS BLANK 7' MED-HEAVY	2.1	.500	4.5	694.7	70	
QLMBC844	QUICKLINE MAG BASS BLANK 7' MED-HEAVY	2.9	.475	4.5	1068.8	80	
QLMBC845	QUICKLINE MAG BASS BLANK 7' HEAVY	2.7	.490	4.5	1144.4	82	
QLMBC846	QUICKLINE MAG BASS BLANK 7' HEAVY	3.5	.525	5.5	1614.2	81	
QLMBC904	QUICKLINE MAG BASS BLANK 7'6" MED-HEAVY	3.3	.540	4.5	1232.6	81	


* These fields represent Common Cents System (CCS) data. The Common Cents system is an objective system for measuring the physical properties of a rod or rod blank.

Rod Blanks

quickLine™

MAGBASS

Glossy Black, Light, Fast,
High Performance Freshwater Blanks.



Item#	Description	2012 MSRP	Weight (grams)	Butt Dia. (inches)	Tip Size (64ths of an inch)	Intrinsic Power* (grams)	AA (action angle)
QLMBC782	QUICKLINE MAG BASS BLANK 6'6" MEDIUM	\$109.99	51.8	.425	4.5	548	75
QLMBC783	QUICKLINE MAG BASS BLANK 6'6" MED-HEAVY	\$114.14	58.4	.440	5.0	657	73
QLMBC784	QUICKLINE MAG BASS BLANK 6'6" MED-HEAVY	\$129.52	60.7	.450	5.5	770	75
QLMBC785	QUICKLINE MAG BASS BLANK 6'6" HEAVY	\$140.86	75.3	.450	5.0	812	76
QLMBC843	QUICKLINE MAG BASS BLANK 7' MED-HEAVY	\$134.42	60.1	.500	4.5	695	70
QLMBC844	QUICKLINE MAG BASS BLANK 7' MED-HEAVY	\$145.27	84.1	.475	4.5	1069	80
QLMBC845	QUICKLINE MAG BASS BLANK 7' HEAVY	\$155.62	76.0	.490	4.5	1144	82
QLMBC846	QUICKLINE MAG BASS BLANK 7' EX-HEAVY	\$169.20	101.3	.525	5.5	1614	81
QLMBC904	QUICKLINE MAG BASS BLANK 7'6" MED-HEAVY	\$177.13	94.2	.540	4.5	1233	81


*Intrinsic power in the above table, is the amount of weight (in grams) necessary to deflect the blank's tip a distance equivalent to 1/3 the length of the entire blank.



quickLine™

Popping

Glossy Black, Light, Fast,
High Performance Freshwater Blanks.



Item#	Description
QLP841	QUICKLINE POPPING BLANK 7' LITE
QLP842	QUICKLINE POPPING BLANK 7' MED-LITE
QLP843	QUICKLINE POPPING BLANK 7' MED
QLP844	QUICKLINE POPPING BLANK 7' MED-HEAVY
QLP902	QUICKLINE POPPING BLANK 7'6" MED-LITE
QLP903	QUICKLINE POPPING BLANK 7'6" MED
QLP904	QUICKLINE POPPING BLANK 7'6" MED-HEAVY


Weight (grams)	Butt Dia. (inches)	Tip Size (64ths of an inch)	Intrinsic Power* (grams)	AA (action angle)
38.0	0.455	4.0	212	67
39.0	0.575	4.0	340	73
44.0	0.600	4.5	438	72
52.0	0.600	4.5	580	75
42.0	0.590	4.5	317	74
50.0	0.590	4.5	416	70
57.0	0.620	4.5	532	71

*Intrinsic power in the above table, is the amount of weight (in grams) necessary to deflect the blank's tip a distance equivalent to 1/3 the length of the entire blank.



quickLine™ SpinJig

Glossy Black, Light, Fast,
High Performance Freshwater Blanks.



Item#	Description
QLSJ780	QUICKLINE SPIN JIG BLANK 6'6" EX-LITE
QLSJ781	QUICKLINE SPIN JIG BLANK 6'6" LITE
QLSJ782	QUICKLINE SPIN JIG BLANK 6'6" MED-LITE
QLSJ783	QUICKLINE SPIN JIG BLANK 6'6" MED
QLSJ902	QUICKLINE SPIN JIG BLANK 7'6" MED-LITE
QLSJ903	QUICKLINE SPIN JIG BLANK 7'6" MED
QLSJ904	QUICKLINE SPIN JIG BLANK 7'6" MED-HEAVY

Weight (grams)	Butt Dia. (inches)	Tip Size (64ths of an inch)	Intrinsic Power* (grams)	AA (action angle)
37	0.505	4.0	237	71
37	0.550	4.5	403	73
38	0.595	4.5	552	78
39	0.599	4.5	736	77
42	0.650	4.5	575	78
50	0.650	5.0	769	75
63	0.655	5.0	871	75

*Intrinsic power in the above table, is the amount of weight (in grams) necessary to deflect the blank's tip a distance equivalent to 1/3 the length of the entire blank.



Tradition II Blanks



Tradition II

MATTE GREY - With the new IM6 material combined with **PACBAY** standard actions and our popular color scheme, these blanks continue the tradition created by meticulous research and development for the original **PACBAY** line of blanks. The rich matte gray color works well with the wide variety of new guide and thread colors available today.

	MODEL	LENGTH	LINE WT	PCS	ACTION	TIP [1/64"]	BUTT OD.	WT.[oz.]
2-PIECE FLY	T2F662	6'6"	2	2	SLOW	3.5	0.26"	0.70
	T2F704	7'	4	2	MODERATE	3.5	0.27"	0.98
	T2F764	7'6"	4	2	MODERATE	4.5	0.27"	1.09
	T2F765	7'6"	5	2	MODERATE	5.0	0.31"	1.50
	T2F793	7'9"	3	2	MODERATE	3.5	0.32"	1.20
	T2F804	8'	4	2	MOD-FAST	3.5	0.31"	1.20
	T2F805	8'	5	2	MOD-FAST	4.5	0.35"	1.26
	T2F806	8'	6	2	MOD-FAST	4.0	0.36"	1.55
	T2F865	8'6"	5	2	MOD-FAST	4.0	0.34"	1.50
	T2F8614/15	8'6"	14/15	2	MOD-FAST	6.0	0.67"	4.40
3-PIECE FLY	T2F866	8'6"	6	2	MOD-FAST	5.0	0.39"	1.90
	T2F904	9'	4	2	MOD-FAST	4.5	0.35"	1.65
	T2F905	9'	5	2	MOD-FAST	3.5	0.36"	1.55
	T2F906	9'	6	2	MOD-FAST	4.0	0.39"	1.80
	T2F907	9'	7	2	MOD-FAST	5.0	0.38"	1.86
	T2F908	9'	8	2	MOD-FAST	4.5	0.39"	2.04
	T2F909	9'	9	2	MOD-FAST	5.5	0.41"	2.04
	T2F9010	9'	10	2	MOD-FAST	4.5	0.51"	2.82
	T2F9012	9'	12	2	MOD-FAST	6.0	0.53"	3.59
	T2F1005	10'	5	2	MODERATE	3.5	0.39"	1.90
4-PIECE FLY	T2F1008	10'	8	2	MODERATE	4.5	0.47"	2.29
	T2F1009	10'	9	2	MODERATE	4.5	0.46"	2.53
	T2F804-3	8'	4	3	MOD-FAST	4.0	0.31"	1.20
	T2F9010-3	9'	10	3	MOD-FAST	5.5	0.45"	2.82
	T2F9012-3	9'	12	3	MOD-FAST	5.5	0.57"	3.59
	T2F1005-3	10'	5	3	MOD-FAST	4.5	0.44"	1.90
	T2F1008-3	10'	8	3	MOD-FAST	4.0	0.44"	2.29
	T2F1307/08-3	13'	7/8	3	MOD-FAST	4.5	0.60"	4.80
	T2F1309/10-3	13'	9/10	3	MOD-FAST	5.0	0.58	4.80
	T2F1408/09-3	14'	8/9	3	MOD-FAST	4.5	0.63	4.80
T2F1409/10-3	14'	9/10	3	MOD-FAST	5.0	0.64	5.60	
4-PIECE FLY	T2F764-4	7'6"	4	4	MOD-FAST	4.5	0.35"	1.26
	T2F793-4	7'9"	3	4	FAST	3.5	0.31"	1.30
	T2F804-4	8'	4	4	MOD-FAST	4.0	0.35"	1.20
	T2F805-4	8'	5	4	MOD-FAST	4.5	0.37"	1.34
	T2F865-4	8'6"	5	4	MOD-FAST	4.5	0.37"	1.55
	T2F904-4	9'	4	4	MOD-FAST	4.5	0.34"	1.86
	T2F905-4	9'	5	4	MOD-FAST	4.5	0.39"	1.90
	T2F906-4	9'	6	4	MOD-FAST	4.5	0.40"	1.97
	T2F907-4	9'	7	4	MOD-FAST	4.5	0.40"	2.00
	T2F908-4	9'	8	4	MOD-FAST	4.5	0.40"	2.08
T2F909-4	9'	9	4	MOD-FAST	4.5	0.43"	2.25	

Rod Blanks



Tradition II Blanks

	MODEL	LENGTH	LINE WT	LURE WT	PCS	ACTION	POWER	TIP [1/64"]	BUTT OD.	WT.[oz.]
SPINNING	T2SP600	5'	1-4	1/32-1/8	1	SLOW	ULTRA LIGHT	4.0	0.24"	0.60
	T2SP601	5'	2-4	1/32-3/16	1	MODERATE	ULTRA LIGHT	4.0	0.27"	0.70
	T2SP661-2	5'6"	2-6	1/32-3/16	2	MODERATE	ULTRA LIGHT	4.0	0.29"	0.80
	T2SP721-2	6'	2-6	1/8-1/4	2	MODERATE	EXTRA LIGHT	4.0	0.32"	1.12
	T2SP723-2	6'	4-8	1/8-15/16	2	MODERATE	EXTRA LIGHT	4.5	0.30"	2.00
	T2SP780	6'6"	2-6	1/16-1/4	1	MODERATE	EXTRA LIGHT	4.0	0.32"	0.95
	T2SP781-2	6'6"	2-6	1/8-1/4	2	MODERATE	EXTRA LIGHT	4.0	0.32"	1.41
	T2SP782-2	6'6"	4-8	1/8-5/16	2	MODERATE	LIGHT	3.5	0.33"	0.95
	T2SP784-2	6'6"	6-15	1/4-5/8	2	FAST	MED-LIGHT	6.0	0.52"	1.80
	T2SP843-2	7'	4-10	1/8-3/8	2	FAST	MED-LIGHT	4.0	0.35"	1.90
	T2SP1085-2	9'	8-20	1/2-2 1/2	2	FAST	MED-HEAVY	5.0	0.52"	3.40
	T2SP1086-2	9'	15-25	1-3	2	FAST	HEAVY	5.5	0.53"	4.00
T2SP1088-2	9'	15-30	1-4	2	FAST	EXTRA HEAVY	7.0	0.63"	6.20	
SPIN JIG	T2SJ720	6'	4-8	1/32-5/16	1	FAST	EXTRA-LIGHT	4.5	0.47"	1.40
	T2SJ721	6'	6-10	1/16-5/16	1	FAST	LIGHT	4.5	0.40"	1.70
	T2SJ722	6'	6-12	1/8-3/8	1	FAST	MEDIUM	4.5	0.48"	2.10
	T2SJ723	6'	8-15	3/16-5/8	1	FAST	MED-HEAVY	5.0	0.46"	2.20
	T2SJ781	6'6"	6-10	1/16-5/16	1	FAST	LIGHT	4.5	0.34"	1.50
	T2SJ782	6'6"	6-12	1/8-3/8	1	FAST	MEDIUM	5.0	0.46"	1.90
	T2SJ783	6'6"	8-15	3/16-5/8	1	FAST	MED-HEAVY	5.5	0.46"	2.50
	T2SJ842	7'	6-12	1/8-3/8	1	FAST	MEDIUM	5.0	0.50"	2.50
	T2SJ845	7'	10-17	1/4-1 1/4	1	FAST	HEAVY	6.5	0.56"	2.90
	T2SA1026-2	8'6"	12-25	3/4-3	2	MOD-FAST	HEAVY	6.0	0.53"	4.10
SALMON / STEELHEAD	T2SA1084-2	9'	10-30	1-6	2	FAST	HEAVY	6.0	0.57"	3.40
	T2SH993-2	8'3"	6-10	1/4-1/2	2	FAST	MED-LIGHT	4.5	0.49"	2.50
	T2SH1024-2	8'6"	8-12	3/8-3/4	2	FAST	MEDIUM	4.5	0.51"	2.80
	T2SH1025-2	8'6"	8-17	3/8-1	2	FAST	MED-HEAVY	5.0	0.49"	2.90
	T2SH1081-2	9'	4-8	1/16-3/8	2	MODERATE	LIGHT	4.0	0.43"	2.70
	T2SH1084-2	9'	8-12	1/4-1/2	2	FAST	MEDIUM	4.5	0.50"	2.70
	T2SH1143-2	9'6"	6-12	3/8-3/4	2	MOD-FAST	MEDIUM	4.5	0.55"	3.10
	T2SH1263-2	10'6"	6-12	3/8-3/4	2	MOD-FAST	MEDIUM	5.0	0.53"	3.50
	T2SH1382-2	11'6"	6-10	1/4-1/2	2	MODERATE	LIGHT	4.5	0.58"	3.00
	T2SH1561-3	13'	6-10	1/4-1/2	3	MODERATE	LIGHT	4.5	0.52"	3.00
CASTING	T2C721	6'	6-12	3/16-1/2	1	FAST	LIGHT	5.0	0.46"	1.51
	T2C722	6'	8-15	1/4-5/8	1	FAST	MEDIUM	5.5	0.46"	1.83
	T2C723	6'	10-17	1/4-3/4	1	FAST	MED-HEAVY	5.0	0.46"	1.69
	T2C724	6'	12-20	1/4-1	1	FAST	HEAVY	5.0	0.44"	2.06
MAG BASS	T2MBC782	6'6"	8-14	1/4-5/8	1	FAST	MEDIUM	5.0	0.52"	2.00
	T2MBC783	6'6"	10-17	1/4-3/4	1	FAST	MED-HEAVY	5.5	0.56"	2.35
	T2MBC784	6'6"	12-20	1/4-1	1	FAST	MED-HEAVY	6.0	0.55"	2.70
	T2MBC785	6'6"	12-25	3/8-1 1/4	1	FAST	HEAVY	6.0	0.56"	3.35
	T2MBC843	7'	10-17	1/4-3/4	1	FAST	MED-HEAVY	5.0	0.58"	2.50
	T2MBC844	7'	12-20	1/4-1	1	FAST	MED-HEAVY	5.0	0.55"	2.90
	T2MBC845	7'	12-25	3/8-1 1/4	1	FAST	HEAVY	5.5	0.60"	3.88
	T2MBC846	7'	15-30	1/2-1 1/2	1	FAST	HEAVY	6.0	0.61"	3.66
FLIPPIN STICK	T2FS904	7'6"			1	FAST	MED-HEAVY	6.0	0.58"	3.01
	T2FS905T	7'6"	12-25	1/4-1 1/4	1+	MOD-FAST	HEAVY	6.0	0.64"	3.63
POPPING	T2P842	7'	6-12	1/4-1/2	1	FAST	MED-LIGHT	5.0	0.47"	2.22
	T2P844	7'	8-17	1/4-5/8	1	MOD-FAST	MEDIUM	5.5	0.49"	2.29
	T2P845	7'	12-20	1/4-5/8	1	MODERATE	MED-HEAVY	5.5	0.51"	2.29
	T2P902	7'6"	6-12	1/4-1/2	1	FAST	MED-LIGHT	5.0	0.51"	2.29
	T2P904	7'6"	8-17	1/4-5/8	1	MOD-FAST	MEDIUM	5.5	0.53"	2.82
SALTWATER SPIN/CASTING	T2SC967	8'	12-25	3/4-4	1	MOD-FAST	MEDIUM	6.0	0.66"	5.00
	T2SC1027	8'6"	12-25	3/4-4	1	MOD-FAST	MEDIUM	7.0	0.68"	5.70
	T2SC1028	8'6"	15-50	1-6	1	FAST	HEAVY	9.0	0.70"	6.83
	T2SC1067	8'10"	12-25	3/4-4	1	MOD-FAST	MEDIUM	7.0	0.72"	6.60
	T2SC1068	8'10"	15-30	1-6	1	MOD-FAST	HEAVY	7.5	0.75"	8.90
	T2SC1069	8'10"	20-40	1-6	1	MOD-FAST	EX-HEAVY	7.0	0.77"	10.20
	T2SC1207	10'	12-25	3/4-4	1	MOD-FAST	MEDIUM	7.0	0.81"	9.40
	T2SC1208	10'	15-30	1-6	1	MOD-FAST	HEAVY	7.5	0.83"	10.65
	T2SC1209	10'	20-40	1-6	1	MOD-FAST	EX-HEAVY	7.5	0.86"	13.20

Rod Blanks

Rainforest II Blanks



Rainforest II

DARK HUNTER GREEN - Now upgraded to IM7 - The Original RainForest with it's trademark green was designed for the OEM rod manufacturers as a private label item and has been available to all rod builders for many years. Rod builders can also incorporate matching classic reel seats, including our exclusive Channel Lock® design, for a smooth look. Our RainForest II features a slightly darker version of previous editions of this highly popular series. Check out our Mag power blanks with serious fishing for serious fishing.

Rod Blanks

	MODEL	LENGTH	LINE WT	PCS	ACTION	TIP [1/64"]	BUTT OD.	WT [oz]
2-PIECE FLY	RF2F662	6'6"	2	2	SLOW	3.5	0.26"	0.70
	RF2F704	7'	4	2	MODERATE	3.5	0.27"	0.98
	RF2F764	7'6"	4	2	MODERATE	4.5	0.27"	1.09
	RF2F765	7'6"	5	2	MODERATE	5.0	0.34"	1.50
	RF2F793	7'9"	3	2	MODERATE	3.5	0.32"	1.20
	RF2F804	8'	4	2	MOD-FAST	4.0	0.31"	1.20
	RF2F805	8'	5	2	MOD-FAST	4.5	0.36"	1.26
	RF2F806	8'	6	2	MOD-FAST	4.0	0.35"	1.55
	RF2F8614/15	8'6"	14/15	2	MOD-FAST	6.0	0.67"	4.40
	RF2F865	8'6"	5	2	MOD-FAST	4.0	0.36"	1.50
RF2F866	8'6"	6	2	MOD-FAST	4.5	0.39"	1.90	
RF2F904	9'	4	2	MOD-FAST	4.5	0.33"	1.65	
RF2F905	9'	5	2	MOD-FAST	3.5	0.36"	1.55	
RF2F906	9'	6	2	MOD-FAST	4.5	0.42"	1.80	
RF2F907	9'	7	2	MOD-FAST	4.5	0.38"	1.86	
RF2F908	9'	8	2	MOD-FAST	5.0	0.39"	2.04	
RF2F909	9'	9	2	MOD-FAST	5.5	0.41"	2.04	
RF2F9010	9'	10	2	MOD-FAST	4.5	0.51"	2.82	
RF2F9012	9'	12	2	MOD-FAST	5.0	0.53"	3.59	
RF2F1005	10'	5	2	MODERATE	3.5	0.41"	1.90	
RF2F1008	10'	8	2	MODERATE	4.5	0.46"	2.29	
RF2F1009	10'	9	2	MODERATE	4.5	0.46"	2.53	
RF2F804-3	8'	4	3	MOD-FAST	4.0	0.31"	1.20	
RF2F9010-3	9'	10	3	MOD-FAST	5.5	0.45"	2.82	
RF2F9012-3	9'	12	3	MOD-FAST	5.5	0.57"	3.59	
RF2F1005-3	10'	5	3	MOD-FAST	3.5	0.43"	1.90	
RF2F1008-3	10'	8	3	MOD-FAST	4.5	0.43"	2.29	
RF2F764-4	7'6"	4	4	MOD-FAST	4.5	0.35"	1.26	
RF2F793-4	7'9"	3	4	FAST	3.5	0.31"	1.30	
RF2F804-4	8'	4	4	MOD-FAST	4.0	0.35"	1.20	
RF2F805-4	8'	5	4	MOD-FAST	4.5	0.37"	1.34	
RF2F865-4	8'6"	5	4	MOD-FAST	4.5	0.37"	1.55	
RF2F904-4	9'	4	4	MOD-FAST	4.5	0.34"	1.86	
RF2F905-4	9'	5	4	MOD-FAST	4.5	0.39"	1.90	
RF2F906-4	9'	6	4	MOD-FAST	4.5	0.40"	1.97	
RF2F907-4	9'	7	4	MOD-FAST	4.5	0.40"	2.00	
RF2F908-4	9'	8	4	MOD-FAST	4.5	0.40"	2.08	
RF2F909-4	9'	9	4	MOD-FAST	4.5	0.43"	2.25	



Rainforest II Blanks

	MODEL	LENGTH	LINE WT	LURE WT	PGS	ACTION	POWER	TIP [1/64]	BUTT OD.	WT.[oz.]
SPINNING	RF2SP600	5'	1-4	1/32-1/8	1	SLOW	ULTRA LIGHT	4.0	0.24"	0.60
	RF2SP601	5'	2-4	1/32-3/16	1	MODERATE	ULTRA LIGHT	4.0	0.27"	0.70
	RF2SP661-2	5'6"	2-6	1/32-3/16	2	MODERATE	ULTRA LIGHT	4.0	0.29"	0.80
	RF2SP721-2	6'	2-6	1/8-1/4	2	MODERATE	EXTRA LIGHT	4.0	0.32"	1.12
	RF2SP723-2	6'	4-8	1/8-15/16	2	MODERATE	EXTRA LIGHT	4.5	0.30"	2.00
	RF2SP780	6'6"	2-6	1/16-1/4	1	MODERATE	EXTRA LIGHT	4.0	0.32"	0.95
	RF2SP781-2	6'6"	2-6	1/8-1/4	2	MODERATE	EXTRA LIGHT	3.5	0.32"	1.41
	RF2SP782-2	6'6"	4-8	1/8-5/16	2	MODERATE	LIGHT	3.5	0.32"	0.95
	RF2SP784-2	6'6"	6-15	1/4-5/8	2	FAST	MED-LIGHT	5.0	0.49"	1.80
	RF2SP843-2	7'	4-10	1/8-3/8	2	FAST	MED-LIGHT	4.5	0.35"	1.90
	RF2SP1085-2	9'	8-20	1/2-2 1/2	2	FAST	MED-HEAVY	5.5	0.50"	3.40
	RF2SP1086-2	9'	15-25	1-3	2	FAST	HEAVY	6.0	0.53"	4.00
RF2SP1088-2	9'	15-30	1-4	2	FAST	EXTRA HEAVY	7.0	0.63"	6.20	
SPIN JIG	RF2SJ720	6'	4-8	1/32-5/16	1	FAST	EXTRA-LIGHT	5.0	0.45"	1.40
	RF2SJ721	6'	6-10	1/16-5/16	1	FAST	LIGHT	4.5	0.40"	1.70
	RF2SJ722	6'	6-12	1/8-3/8	1	FAST	MEDIUM	4.5	0.48"	2.10
	RF2SJ723	6'	8-15	3/16-5/8	1	FAST	MED-HEAVY	5.0	0.46"	2.20
	RF2SJ781	6'6"	6-10	1/16-5/16	1	FAST	LIGHT	4.5	0.34"	1.50
	RF2SJ782	6'6"	6-12	1/8-3/8	1	FAST	MEDIUM	5.0	0.46"	1.90
	RF2SJ783	6'6"	8-15	3/16-5/8	1	FAST	MED-HEAVY	5.5	0.46"	2.50
	RF2SJ845	7'	10-17	1/4-1 1/4	1	FAST	HEAVY	5.5	0.56"	2.90
SALMON / STEEL HEAD	RF2SA1026-2	8'6"	12-25	3/4-3	2	MOD-FAST	HEAVY	6.5	0.53"	4.10
	RF2SA1084-2	9'	10-30	1-6	2	FAST	HEAVY	6.0	0.57"	3.40
	RF2SH993-2	8'3"	6-10	1/4-1/2	2	FAST	MED-LIGHT	5.0	0.49"	2.50
	RF2SH1024-2	8'6"	8-12	3/8-3/4	2	FAST	MEDIUM	4.5	0.48"	2.80
	RF2SH1025-2	8'6"	8-17	3/8-1	2	FAST	MED-HEAVY	5.0	0.49"	2.90
	RF2SH1081-2	9'	4-8	1/16-3/8	2	MODERATE	LIGHT	4.0	0.43"	2.70
	RF2SH1084-2	9'	8-12	1/4-1/2	2	FAST	MEDIUM	4.5	0.50"	2.70
	RF2SH1143-2	9'6"	6-12	3/8-3/4	2	MOD-FAST	MEDIUM	4.5	0.52"	3.10
	RF2SH1263-2	10'6"	6-12	3/8-3/4	2	MOD-FAST	MEDIUM	5.0	0.53"	3.50
	RF2SH1382-2	11'6"	6 - 10	1/4 - 1/2	2	MODERATE	MEDIUM	4.5	0.57"	3.00
RF2SH1561-3	13'	6 - 10	1/4 - 1/2	3	MODERATE	LIGHT	4.5	0.52"	3.00	
CASTING	RF2C721	6'	6-12	3/16-1/2	1	FAST	LIGHT	4.5	0.46"	1.51
	RF2C722	6'	8-15	1/4-5/8	1	FAST	MEDIUM	5.5	0.44"	1.83
	RF2C723	6'	10-17	1/4-3/4	1	FAST	MED-HEAVY	5.0	0.46"	1.69
	RF2C724	6'	12-20	1/4-1	1	FAST	HEAVY	4.5	0.44"	2.06
MAG BASS	RF2MBC782	6'6"	8-14	1/4-5/8	1	FAST	MEDIUM	5.0	0.52"	2.00
	RF2MBC783	6'6"	10-17	1/4-3/4	1	FAST	MED-HEAVY	5.5	0.54"	2.35
	RF2MBC784	6'6"	12-20	1/4-1	1	FAST	MED-HEAVY	6.0	0.55"	2.70
	RF2MBC785	6'6"	12-25	3/8-1 1/4	1	FAST	HEAVY	6.5	0.56"	3.35
	RF2MBC843	7'	10-17	1/4-3/4	1	FAST	MED-HEAVY	5.5	0.58"	2.50
	RF2MBC844	7'	12-20	1/4-1	1	FAST	MED-HEAVY	5.5	0.55"	2.90
	RF2MBC845	7'	12-25	3/8-1 1/4	1	FAST	HEAVY	5.5	0.60"	3.88
	RF2MBC846	7'	15-30	1/2-1 1/2	1	FAST	HEAVY	6.0	0.61"	3.66
POPPING	RF2P842	7'	6-12	1/4-1/2	1	FAST	MED-LIGHT	4.5	0.48"	2.22
	RF2P844	7'	8-17	1/4-5/8	1	MOD-FAST	MEDIUM	5.5	0.51"	2.29
	RF2P902	7'6"	6-12	1/4-1/2	1	FAST	MED-LIGHT	5.0	0.51"	2.29
	RF2P904	7'6"	8-17	1/4-5/8	1	MOD-FAST	MEDIUM	5.5	0.53"	2.82
FLIPPIN STICK	RF2FS905T	7'6"	12-25	1/4-1 1/4	1+	MOD-FAST	HEAVY	6.5	0.64"	3.63
SALTWATER SPIN CASTING	RF2SC967	8'	12-25	3/4-4	1	MOD-FAST	MEDIUM	6.0	0.66"	5.00
	RF2SC1027	8'6"	12-25	3/4-4	1	MOD-FAST	MEDIUM	7.0	0.68"	5.70
	RF2SC1067	8'10"	12-25	3/4-4	1	MOD-FAST	MEDIUM	7.0	0.72"	6.60
	RF2SC1068	8'10"	15-30	1-6	1	MOD-FAST	HEAVY	7.5	0.75"	8.90
	RF2SC1069	8'10"	20-40	1-6	1	MOD-FAST	EX-HEAVY	7.0	0.77"	10.20
	RF2SC1207	10'	12-25	3/4-4	1	MOD-FAST	MEDIUM	7.0	0.81"	9.40
	RF2SC1208	10'	15-30	1-6	1	MOD-FAST	HEAVY	7.5	0.83"	10.65
RF2SC1209	10'	20-40	1-6	1	MOD-FAST	EX-HEAVY	7.5	0.86"	13.20	

Rod Blanks

PBX II Blanks



PBX II

MIDNIGHT BLUE SPECKLE - Constructed of durable E-glass and patterned after **PACBAY**'s original fiberglass blanks. The PBX II Series offers additional value to an already proven line of popular actions. Also offered in this line-up are PBX II Graphite Series consisting of an ideal range of blanks specifically designed for saltwater applications.

	MODEL	LENGTH	LINE WT	LURE WT	PCS	ACTION	POWER	TIP [1/64]	BUTT OD.	WT.[oz.]
LIVE BAIT	X2LB60L-B	6'	10-25	1/4-3/4	1	MODERATE	LIGHT	7.0	0.72"	4.70
	X2LB60ML-B	6'	12-30	1/2-1 1/2	1	FAST	MED-LIGHT	8.0	0.79"	6.40
	X2LB60MH-B	6'	15-50	3/4-3	1	EX-FAST	MED-HEAVY	9.5	0.80"	9.60
	X2LB66MH-B	6'6"	15-50	3/4-3	1	EX-FAST	MED-HEAVY	9.0	0.88"	11.30
	X2LB70L-B	7'	10-17	3/8-1 1/4	1	MODERATE	LIGHT	7.0	0.80"	6.60
	X2LB70LML-B	7'	12-25	1/4-3/4	1	MODERATE	LIGHT	7.5	0.83"	5.50
	X2LB70ML-B	7'	12-30	1/2-1 1/2	1	FAST	MED-LIGHT	9.0	0.82"	6.60
	X2LB70M-B	7'	15-40	3/4-3	1	FAST	MEDIUM	8.5	0.91"	10.20
X2LB70H-B	7'	30-50	1-6	1	FAST	HEAVY	7.0	0.89"	10.50	
JIG STICK	X2JS80M-B	8'	20-30	3/4-3	1	MOD-FAST	MEDIUM	8.5	0.88"	12.10
STAND-UP TUNA	X2ST50XH-B	5'	50-80	2-8	1	FAST	EX-HEAVY	15.0	0.81"	11.60
	X2ST56H-B	5'6"	30-60	2-8	1	FAST	HEAVY	13.0	0.78"	8.50
	X2ST56XH-B	5'6"	50-80	2-10	1	FAST	EX-HEAVY	15.0	0.84"	9.60
	X2ST56XXH-B	5'6"	60-130	2-12	1	FAST	EX-EX-HEAVY	15.0	0.91"	16.80
	X2ST60MH-B	6'	20-40	3/4-3	1	FAST	MED-LIGHT	9.0	0.74"	6.90
	X2ST60H-B	6'	30-60	2-8	1	FAST	HEAVY	13.0	0.85"	11.70
	X2ST60XH-B	6'	50-80	2-10	1	FAST	EX-HEAVY	14.0	0.93"	14.60
STAND-UP TUNA SHORTS	X2ST56HS-B	48.5"	30-60	2-8	1	FAST	HEAVY	13.0	0.74"	6.80
	X2ST56XHS-B	48.5"	50-80	2-10	1	FAST	EX-HEAVY	15.0	0.74"	7.30
	X2ST56XXHS-B	48.5"	60-130	2-12	1	FAST	EX-EX-HEAVY	15.0	0.86"	8.10
	X2ST60HS-B	54.5"	30-60	2-8	1	FAST	HEAVY	13.0	0.75"	8.50
	X2ST60XHS-B	54.5"	50-80	2-10	1	FAST	EX-HEAVY	15.0	0.87"	9.00
WIRELINING TROLLING	X2WT66M-B	6'6"	20-30		1	SLOW	MEDIUM	16.0	0.80"	7.20
	X2WT70H-B	7'	30-50		1	SLOW	HEAVY	18.0	0.87"	8.80
GRAPHITE SPIN	X2GSSP70L	7'	12-20	1/2-3	1	MODERATE	LIGHT	5.0	0.62"	2.90
	X2GSSP70M	7'	15-25	1-4	1	MODERATE	MEDIUM	6.0	0.66"	4.50
	X2GSSP70MH	7'	20-30	1-4	1	MODERATE	MED-HEAVY	7.0	0.65"	4.60
COMPOSITE	X2G56XXH	5'6"	80-130	2-8	1	FAST	EX-EX-HEAVY	12.0	0.86"	11.50
	X2G60H	6'	30-60	1-6	1	FAST	HEAVY	8.5	0.83"	8.90
	X2G66MH	6'6"	15-50	3/4-3	1	EX-FAST	MED-HEAVY	8.0	0.84"	9.90
	X2G66H	6'6"	30-60	1-6	1	FAST	MEDIUM	9.0	0.88"	10.20
	X2G70L	7'	12-25	1/2-3	1	MODERATE	LIGHT	6.5	0.83"	6.30
	X2G70ML	7'	12-30	1/2-1 1/2	1	FAST	MED-LIGHT	7.0	0.87"	8.80
	X2G70M	7'	15-40	3/4-3	1	FAST	MEDIUM	7.0	0.88"	9.60
	X2G70MH	7'	15-50	3/4-3	1	EX-FAST	MED-HEAVY	8.0	0.88"	9.90
	X2G80L	8'	12-25	1/4-3/4	1	MODERATE	LIGHT	7.0	0.88"	7.00
	X2G80H	8'	30-60	1-6	1	FAST	MEDIUM	7.0	0.93"	10.50
	X2G80ML	8'	12-30	1/2-1 1/2	1	FAST	MED-LIGHT	8.0	0.95"	10.30
GRAPHITE SURF	X2GSU100M-2	10'	15-30	1-4	2	MOD-FAST	MEDIUM	6.5	0.62"	8.70
	X2GSU100H-2	10'	20-40	2-6	2	MOD-FAST	HEAVY	9.0	0.74"	8.90
	X2GSU110M-2	11'	15-30	1-4	2	MOD-FAST	MEDIUM	7.0	0.63"	9.00
	X2GSU110H-2	11'	20-40	2-6	2	MOD-FAST	HEAVY	8.0	0.76"	9.30

Rod Blanks



PBX II & Carp Blanks

PBX II



	MODEL	LENGTH	LINE WT	PCS	TIP [1/64]	BUTT OD.	WT.[oz.]	Fits AL BUTT
IGFA REGULATION TROLLING	X2RT12-B	62.5"	12	1	10.0	0.740"	4.30	1
	X2RT12-W	62.5"	12	1	10.0	0.740"	4.30	1
	X2RT20-B	62.5"	20	1	14.0	0.740"	5.50	1
	X2RT20-W	62.5"	20	1	14.0	0.740"	5.50	1
	X2RT30-B	62.5"	30	1	16.0	0.865"	12.30	2
	X2RT30-W	62.5"	30	1	16.0	0.865"	12.30	2
	X2RT50-B	63.0"	50	1	18.0	0.865"	12.10	2
	X2RT50-W	63.0"	50	1	18.0	0.865"	12.10	2
	X2RT80-B	66.0"	80	1	26.0	1.020"	16.10	4
	X2RT80-W	66.0"	80	1	26.0	1.020"	16.10	4
	X2RT130-B	66.0"	130	1	28.0	1.143"	27.50	6
	X2RT130-W	66.0"	130	1	28.0	1.143"	27.50	6
	X250STUBBIE-B	43.0"	50	1	18.0	0.856"	5.80	2
	X250STUBBIE-W	43.0"	50	1	18.0	0.856"	5.80	2
	X280STUBBIE-B	43.0"	80	1	26.0	0.990"	13.00	4
	X280STUBBIE-W	43.0"	80	1	26.0	0.990"	13.00	4

Carp



MATTE GREY - These heavy-duty 2-piece blanks are manufactured with high strain IM7 modulus material and feature classic **PACBAY** actions designed for and tested by European carp anglers. The matte grey finish is nonreflective to reduce the chance of spooking fish and provides an excellent base to match any color of thread, guides, and reel seat we have to offer.

MODEL	LENGTH	TEST CURVE	PCS	POWER	TIP [1/64]	BUTT OD.	WT.[oz.]
CARP12/2.5	12'	2.50	2	LT-MED	7.5	0.58"	5.74
CARP12/2.75	12'	2.75	2	MED	7.5	0.68"	7.79
CARP12/3.0	12'	3.00	2	MED-HVY	7.5	0.69"	8.46
CARP13/2.5	13'	2.50	2	LT-MED	7.5	0.62"	5.74
CARP13/2.75	13'	2.75	2	MED	7.5	0.71"	7.79
CARP13/3.0	13'	3.00	2	MED-HVY	7.5	0.71"	8.46

Rod Blanks

GRAPHITE COMPOSITE

Color: Black

No.	Pieces	Length	Line
SQX70SWL	1	7'0"	12-30
SQX70SWML	1	7'0"	15-40
SQX66SWMH	1	6'6"	20-60
SQX70SWMH	1	7'0"	20-60
SQX710SWMH	1	7'10"	20-60
SQX56SWH	1	5'6"	30-80
SQX60SWXXH	1	6'0"	50-130



All purpose blanks

